

# Cotto Moderno

## Porcelain Stone<sup>®</sup>

### Available Colors



**COM01** ▶ Blanco  
8" Flat Hex




**COM01** ▶ Blanco  
8" Chevron Hex



**COM01** ▶ Blanco 3 x 10 Undulating Wall Brick\*



**COM01** ▶ Blanco 2 x 16 Flat Long Brick




**COM02** ▶ Taupe  
8" Flat Hex




**COM02** ▶ Taupe  
8" Chevron Hex



**COM02** ▶ Taupe 3 x 10 Undulating Wall Brick\*



**COM02** ▶ Taupe 2 x 16 Flat Long Brick



**COM03** ▶ Naranja  
8" Flat Hex



**COM03** ▶ Naranja  
8" Chevron Hex



**COM03** ▶ Naranja 3 x 10 Undulating Wall Brick\*



**COM03** ▶ Naranja 2 x 16 Flat Long Brick

\* This ceramic tile is for wall use only.

# Cotto Moderno

---

## Porcelain Stone<sup>®</sup>

### Available Colors



**COM04** ▶ Marron  
8" Flat Hex



**COM04** ▶ Marron  
8" Chevron Hex



**COM04** ▶ Marron 3 x 10 Undulating Wall Brick\*



**COM04** ▶ Marron 2 x 16 Flat Long Brick

\* This ceramic tile is for wall use only.

### Features and Benefits

- Revitalizing age-old craftsmanship with the essence of the earth transforming raw materials into art
- Available in four clay and terracotta tones, Cotto Moderno is anything but traditional
- Two 8" hexagon formats and a unique 2"x16" porcelain tiles bring visual texture to contemporary interiors
- Undulating 3"x10" ceramic brick and a 2"x16" Flat Long Brick adds to this unique tile bring nature

### Surface Texture and Finish



Detail of the Marron Flat Hex Surface



Detail of the Marron Chevron Hex Surface



Detail of the Marron 3 x 10 Undulating Wall Tile Surface



Detail of the Marron 2 x 16 Long Brick Surface

# Cotto Moderno

## Porcelain Stone<sup>®</sup>

### Sizes *(Available in all colors)*



8" Flat Hex



8" Chevron Hex



3 x 10\*  
Undulating  
Wall Brick

2 x 16 Flat  
Long Brick

### Sizes & Finishes

#### Field Tile - Calibrated

*Available in all colors*

Nominal (in)	Actual (mm)	Thickness (mm)	Grout Joint (in)	Finish
Flat Hex 8" Diagonal	200 diag	7	3/16	Unpolished
Chevron Hex 8" Diagonal	200 diag	7	3/16	Unpolished
2 x 16 Flat Long Brick	50 x 400	8	3/16	Unpolished
3 x 10 Undulating Wall Brick*	70 x 260	7	1/16	Unpolished

All field tile is calibrated (non-rectified).

\* This ceramic tile is for wall use only.

### Care and Maintenance

Regular cleaning is the best way to keep Cotto Moderno tile looking good for years to come. Use clean, hot water (combined with a household cleaner for more aggressive cleaning). Rinse thoroughly and dry with a soft cloth to prevent water spots. No waxes or sealers are needed. More information regarding the care and maintenance of Crossville products is available at [CrossvilleInc.com](http://CrossvilleInc.com).

### Recommended Use

Cotto Moderno is recommended for interior floors, interior walls, countertops, exterior walls, pool waterlines and full linings in both residential and commercial applications. The 3 x 10 Undulating Wall Brick is to be only used in Interior walls in wet or dry areas. See [CrossvilleInc.com](http://CrossvilleInc.com) for detailed installation instructions.

### Product Performance

	Porcelain	Ceramic	Test
Breaking Strength	>400 lbf	>150 lbf	ASTM C648
Bond Strength	>200 psi	>200 psi	ASTM C482
Thermal Shock Resistance	Unaffected	Unaffected	ASTM C650
Chemical Resistance	Resistant	Resistant	ASTM C484
Water Absorption	<0.5%	3.0% - 7.0%	ASTM C373
Scratch Hardness	7	6	Mohs Scale
Facial Dimension	±0.25%	Compliant	ASTM C499
Range of Thickness (in)	0.3	0.3	ASTM C499
Warpage - Diagonal	±0.20%	±0.30%	ASTM C485
Wedging	±0.50%	±0.40%	ASTM C502
Crazing Resistance	No Crazing	No Crazing	ASTM C424

### Wet Dynamic Coefficient of Friction Range

	Porcelain	Ceramic	
Unpolished	0.60 - 0.70	NA	ANSI A326.3

### Shade & Texture Index

Cotto Moderno has a shade variation of V4.

V1 V2 V3 V4

V1 Uniform appearance  
 V2 Slight Variation  
 V3 Moderate Variation  
**V4 Substantial Variation**

This tile product is produced with a V4 variation. Random color and/or texture differences from tile to tile, so that one tile may have totally different colors and/or textures from that on other tiles. Thus, the final installation will be unique. It is recommended that the range be viewed before selection.



# Cotto Moderno

**Crossville, Inc.**

PO Box 1168  
Crossville, TN  
38557

**Phone** 931.484.2110  
**Fax** 931.456.2956  
**E-Mail** [Crossc@CrossvilleInc.com](mailto:Crossc@CrossvilleInc.com)  
**Web** [CrossvilleInc.com](http://CrossvilleInc.com)

## Application Areas

Finish	Interior Floors (dry)	Interior Walls (wet/dry)	Exterior Walls	Interior Floors (Standing water/shower floors)	Exterior/Paving	Pool/Fountain Full Lining**	Water Line Pool/Fountains
Unpolished (Porcelain)	✓	✓	✓			✓	✓
Unpolished (Ceramic)		✓					

For more information on ANSI- A362.3 visit our website at <https://www.crossvilleinc.com/Resources/Tile-101/DCOF?tab=1>

## Recommended Use

Cotto Moderno is recommended for interior floors, interior walls, countertops, exterior walls, pool waterlines and full linings in both residential and commercial applications. The 3 x 10 Undulating Wall Brick is to be only used in Interior walls in wet or dry areas. See [CrossvilleInc.com](http://CrossvilleInc.com) for detailed installation instructions.

## Care and Maintenance

Regular cleaning is the best way to keep Cotto Moderno tile looking good for years to come. Use clean, hot water (combined with a household cleaner for more aggressive cleaning). Rinse thoroughly and dry with a soft cloth. No waxes are needed. More information regarding the care and maintenance of Crossville® products is available at [CrossvilleInc.com](http://CrossvilleInc.com).

## Our Warranty

Crossville Inc. guarantees that its products will meet or exceed the performance specifications outlined in ANSI A137.1 and in the performance data section of the Crossville, Inc. general product catalog. For complete details check our website at [CrossvilleInc.com](http://CrossvilleInc.com).

## Crossville® Sample Express

Visit the website to learn more:  
**[CrossvilleInc.com/Products/Cotto-Moderno](http://CrossvilleInc.com/Products/Cotto-Moderno)**

### Loose Tile Samples

Sizes may vary depending on product series  
Max. of 4 large field tile per order

### Standard Shipping

FedEX Ground

## National Accounts

For over 20 years we have been offering Porcelain tile to commercial customers at National Accounts pricing programs with special discounts. The National Accounts department provides materials forecasting, COMes support and samples.

## CrossvilleInc.com

If you want a better idea of what Crossville tile would look like in a particular room setting, simply visit our website and click on Cross-Vision. This powerful software tool allows you to visualize different types of Crossville tile. In addition, you'll find comprehensive information about Crossville's entire portfolio of products. You can also learn about the latest styles and trends from industry experts, download detailed care and maintenance instructions for our various products, or browse electronic versions of Crossville's product brochures. So whether you need information about Crossville products or tile in general, please visit us at [CrossvilleInc.com](http://CrossvilleInc.com).



Wall : **COM03** ▶ Naranja 3 x 10 Wall Brick and **COM01** ▶ Bianco 3 x 10 Wall Brick  
Floor : **COM03** ▶ Naranja 8" Chevron Hex

## Trade Organizations



## Environmentally Aware

