Rural Retreat[™] Porcelain Stone®





Rural Retreat[™] Porcelain Stone®

Discover the Timeless Beauty of Rural Retreat[™] by Crossville[®]

Transform your living spaces with the elegant, organic beauty of Rural Retreat[™] porcelain tile by Crossville[™]. Inspired by the timeless allure of oak and enhanced with a subtle wood grain texture, this collection's warm, earthy sophistication adds a calming sense of harmony and connection to any home.

Rural Retreat's generous 8"x48" planks offer enduring strength and durability to take you beyond interior spaces to the great outdoors. Use the exterior finish to create a serene backyard sanctuary, striking exterior entryway, or luxurious poolside retreat. Porcelain's ability to withstand Mother Nature's damaging effects multiplies the residential appeal of this perpetually beautiful, low maintenance aesthetic.

Available in five essential colors and working alongside, or in lieu of, natural wood, these eco-friendly porcelain tiles are meticulously crafted for perfect plank alignment. Expand your design options with cove base and bullnose trim along with 2x4 and 1x6 stacked mosaics that are perfect for shower pans and pool lines. Proudly made in the USA and Green Squared certified, Rural Retreat is a smart, sustainable choice for any project.

- Ever stylish wood looks available in durable porcelain
- Field tile and mosaics offered
- Field tile Rectified
- Made in the USA





Floor: **RRL03** Midday 8 x 48 UPS and Shower Floor: **RRL03** Midday 2 x 4 Stacked Mosaics UPS



2

Color Palette

Available Colors



RRL01 ► Daybreak



RRL02 ► Sunrise



RRLO3 ► Midday



RRL04 ► Twilight



RRL05 ► Dusk

Available Mosaics



2 x 4 Stacked Mosaics (available in all colors)



1 x 6 Stacked Mosaics (available in all colors)



Specifications



Sizes





2 x 4 Stacked Mosaic Mounted on a 297 x 297 sheet



1 x 6 Stacked Mosaic Mounted on a 297 x 290 sheet

Get Planked!

Our Porcelain Stone[®] products are available in popular plank shapes with no minimum order and quick fulfillment.

See website for more details and sizes.



Field Tile - Rectified			Available in all colors	
Nominal (in)	Actual (mm)	Thickness (mm)	Grout Joint (mm)	Finish
8 x 48	197 x 1197	10.5	3	UPS/EXT
Note: Field tile is rectified with	th a 3mm grout joint			

Mosaics			Available in all colors	
Nominal (in)	Sheet Size (mm)	Thickness (mm)	Grout Joint (mm)	Finish
2 x 4 Stacked*	297 x 297	10.5	2.5	UPS
1 x 6 Stacked [†]	297 x 290	10.5	3	UPS
* Mounted on 12 x 12 sheet (cover	rage area 0.97sf)			

† Mounted on 12 x 11 sheet (coverage area 0.95sf)

Sizes & Finishes

F

Coordinating Trim			Available in all colors †	
Nominal (in)	Actual (mm)	Thickness (mm)	Grout Joint (mm)	Finish
4 x 24 Single Bullnose	97 x 597	10.5	3	UPS
6 x 12 Cove Base	150 x 297	10.5	3	UPS

4 x 24 Single Bullnose

6 x 12 Cove Base

Product Performa	nce


Water Absorption	<0.50%	ASTM C373	
Breaking Strength	>450 lbf	ASTM C648	
Bond Strength	>200 psi	ASTM C482	
Facial Dimension	±0.10%	ASTM C1026	
Range of Thickness (In)	0.035 in	ASTM C499	
Warpage - diagonal	±0.20%	ASTM C485	
Wedging	±0.30%	ASTM C502	
Frost Resistance	Resistant	ASTM C1026	
Chemical Resistance	Unaffected	ASTM C650	
Scratch Hardness	7	Mohs Scale	

Wet Dynamic Coefficient of Friction Range	Wet Dynamic	Coefficient	of Friction	Range
---	-------------	-------------	-------------	-------

UPS	0.50 - 0.60	ANSI A326.3
EXT	0.60 - 0.70	ANSI A326.3

Shade & Texture Index

Rural Retreat has a shade variation of V3.





This porcelain tile product is produced with a V3 variation. Expect that the amount of color and texture on each piece may vary significantly. Inspect the product upon delivery and for best results, blend tile from several cartons during installation.

Recommended Use

Rural Retreat[™] UPS is recommended for interior floors dry, interior walls, countertops, exterior walls, pool waterlines and full linings⁺ in both residential and commercial applications. Rural Retreat UPS is not recommended for exterior horizontal surfaces or exterior paving. Rural Retreat EXT is recommended for interior or exterior floors and walls in both residential and commercial applications.

+ Excludes mesh mounted mosaics.

Care and Maintenance

Regular cleaning is the best way to keep Rural Retreat tile looking good for years to come. Use clean, hot water(combined with a household cleaner for more aggressive cleaning). Rinse thoroughly and dry with a soft cloth. No waxes are needed. More information regarding the care and maintenance of Crossville products is available at CrossvilleInc.com.



information.

Our Warranty

information.

©2024 AHF, LLC. All trademarks are owned by AHF, LLC, or its subsidiaries or affiliates. | Printed in USA. | NOTE: Due to printing limitations, colors pictured cannot be guaranteed to match actual material.





Wet area use for Mosaics

Crossville[®] produces the Rural Retreat 2x4 stacked mosaic and 1x6 stacked Mosaics with the Cross-Sheen (UPS) finish. The ANSI A326.3 wet Dynamic COF of Rural Retreat is ≥ 0.50 . Their small sizes ensure frequent grout ioints which provides traction and drainage. Crossville cannot control situations involving incorrect installation, improper slope to the drain for elimination of standing water and poor surface cleaning.

This information is provided so that customers may make a realistic and informed decision when comparing Rural Retreat to other tile products in wet area environment, such as residential/commercial bathrooms, showers, and interior pool decks. Information listed here is subject to change. Please refer to CrossvilleInc. com for the latest, most accurate

Crossville guarantees that its products will meet or exceed the performance specifications outlined in ANSI A137.1 and in the performance data section of the Crossville general product catalog. For complete details check our website at Crossville.com.

Information listed here is subject to change. Please refer to CrossvilleInc. com for the latest, most accurate

Crossville Sample Express

Complimentary Samples are available at Crossville.com/products/ rural-retreat

Loose Tile Samples Sizes may vary depending on product series Max. of 4 large field tile per order

Standard Shipping FedEx Ground

Crossville.com

You'll find comprehensive information about Crossville's entire portfolio of products. You can also learn about the latest styles and trends from industry experts, download detailed care and maintenance instructions for our various products, or browse electronic versions of Crossville's product brochures. So whether you need information about Crossville products or tile in general, please visit us at CrossvilleInc.com. Information listed here is subject to change.

Floor: **RRL02** Sunrise 8 x 48 UPS

Environmentally Aware





Rural RetreatTM

Crossville*

349 Sweeney Drive Crossville, Tennessee 38555 E-Mail Web

 Phone
 931.484.2110

 Fax
 931.456.2956

 E-Mail
 Crossc@CrossvilleInc.com

 Web
 Crossville.com





Above: **RRL04 →** Twilight 8 x 48 EXT Cover: **RRL04 →** Twilight 8 x 48 UPS