

Mapeheat Thermo Touch

Programmable Floor-Heating Thermostat



DESCRIPTION

Mapeheat™ Thermo Touch thermostat is a 7-day programmable, electric floor-heating thermostat that features a 3.5" (9 cm) color touchscreen display for accessing the super-intuitive user interface and energy use monitor. The thermostat features dual-voltage compatibility (120 V and 240 V), a physical on/off switch and built-in GFCI protection (Class A).

FEATURES AND BENEFITS

- Programmable floor-heating thermostat
- 3.5" (9 cm) color touchscreen
- Energy use monitor
- Floor-sensing and ambient-air-sensing
- 7-day programmability
- Suitable for tile, stone, laminate, engineered wood and luxury vinyl tile/plank floors
- Dual-voltage compatibility (120 V and 240 V)
- Built-in GFCI (Class A)
- Manufacturer's limited 3-year warranty

Product Specifications

| | |
|-----------|------------------------------------|
| Supply | 120 V / 240 V, 50 / 60 Hz |
| Load | 15 A max. (resistive load) |
| Power | 1,800 W @ 120 V 3,600 W @ 240 V |
| GFCI | Class A (5 mA Trip Level) |
| Approvals | UL C/US |

RELATED DOCUMENTS

[Mapeheat Thermo Touch operating manual*](#)
[Mapeheat Thermo Touch quick start guide*](#)
[Mapeheat Wiring Diagrams Guide*](#)

*At www.mapei.com

ADDITIONAL INFORMATION

For information on MAPEI's commitment to sustainability and transparency, as well as how MAPEI products may contribute to green building standards and certification systems, contact sustainability_USA@mapei.com (USA) or sustainability-durabilite@mapei.com (Canada).

LEGAL NOTICE

The contents of this Technical Data Sheet ("TDS") may be copied into another project-related document, but the resulting document shall not supplement nor replace requirements per the TDS in effect at the time of the MAPEI product installation. For the most up-to-date TDS and warranty information, please visit our website at www.mapei.com. **ANY ALTERATIONS TO THE WORDING OR REQUIREMENTS CONTAINED IN OR DERIVED FROM THIS TDS SHALL VOID ALL RELATED MAPEI WARRANTIES.**

Before using, the user must determine the suitability of our products for the intended use, and the user alone assumes all risks and liability. **ANY CLAIM SHALL BE DEEMED WAIVED UNLESS MADE IN WRITING TO US WITHIN FIFTEEN (15) DAYS FROM DATE IT WAS, OR REASONABLY SHOULD HAVE BEEN, DISCOVERED.**

CONTACT INFORMATION

MAPEI Headquarters of North America

1144 East Newport Center Drive
Deerfield Beach, Florida 33442
1-888-US-MAPEI (1-888-876-2734) / (954) 246-8888

Technical Services

U.S. and Puerto Rico:
Flooring: 1-800-992-6273
Concrete and heavy construction: 1-888-365-0614
Canada:
1-800-361-9309

Customer Service

1-800-42-MAPEI (1-800-426-2734)

Edition Date: June 6, 2023 MK 00195 (22-2577)

For the most current product data and BEST-BACKEDSM warranty information,
visit www.mapei.com.

All Rights Reserved. © 2023 MAPEI Corporation.

