

Lynx® Digital

Basis Weight	GSM	Brightness GE	Opacity	Smoothness	Caliper	Length Targets (+/- 200 Linear Feet) 40"/3"	Length Targets (+/- 200 Linear Feet) 50"/3"
Text 25 x 38							
50/20	74	96	93	140	3.8	30,300	46,600
60/24	89	96	93	140	4.6	24,200	36,500
70/28	104	96	94	140	5.2	20,700	32,500
80/32	118	96	96	130	6.1	—	—
100/40	148	96	97	130	7.7	—	—
Cover 20 x 26							
65	176	96	98	130	8.8	—	—
80	216	96	99	130	11.0	—	—
100	270	96	99	130	14.1	—	—
120	325	96	99	130	16.0	—	—

Features:

- 96 brightness true-white shade for sharp contrast
- Available in smooth finish
- Uniform surface for better resolution
- Excellent opacity for minimal show-through

Environmental Characteristics:



- Forest Stewardship Council® (FSC®) certified by Preferred by Nature
- Sustainable Forestry Initiative® (SFI®) Certified Sourcing
- Made with Elemental Chlorine Free (ECF) virgin fiber content
- Manufactured under alkaline (acid-free) conditions for increased longevity and performance

Product Benefits:

- Value alternative to coated sheets
- Runs consistently from job to job
- Superior color reproduction
- Ability to mix and match within the Lynx brand

Common Uses:

- Booklets
- Brochures
- Business collateral
- Direct mail
- Manuals
- Newsletters

Electronic Imaging Guarantee:



Domtar's Digital Products are guaranteed to run on digital production presses, desktop printers (laser and inkjet), and copiers within the limitations specified by the equipment manufacturer. The guarantee excludes issues related to form design, converting, postprocessing or equipment. Selection, handling and conditioning of digital papers consistent with equipment manufacturing recommendations is the responsibility of the end user. Domtar encourages testing of digital papers prior to purchase of large quantities. Samples are available by request.



Smooth Text			Cartons			Skids	
Basis Weight	Size	M Weight	Sheets/ Ream/Carton	Cartons/ Pallet	Item Code	Sheets/ Skid	Item Code
50/20	8.5 x 11	9.84	500/5,000	40	630000	—	—
	11 x 17	19.68	500/2,500	40	630300	—	—
	12 x 18	22.74	Bulk/1,500	32	639627	—	—
60/24	8.5 x 11	11.81	500/5,000	32	630400	—	—
	8.5 x 11 3HP	11.81	500/5,000	32	630500	—	—
	11 x 17	23.62	500/2,500	32	630700	—	—
	12 x 18	27.28	Bulk/1,200	32	639628	—	—
	13 x 19	31.20	Bulk/1,200	32	613455	—	—
	14 x 20	35.37	Bulk/1,200	32	639629	—	—
	29.5 x 20.75	77	—	—	—	§ 6,000	641830
70/28	8.5 x 11	13.78	500/4,000	40	630800	—	—
	11 x 17	27.56	500/2,000	40	631100	—	—
	12 x 18	31.83	Bulk/1,000	32	639630	—	—
	13 x 19	36.40	Bulk/1,000	32	639631	—	—
	14 x 20	41.26	Bulk/1,000	32	639632	—	—
	29.5 x 20.75	90	—	—	—	§ 6,000	641831
80/32	8.5 x 11	15.75	250/4,000	32	507900	—	—
	11 x 17	31.49	250/2,000	32	508000	—	—
	12 x 18	36.38	Bulk/1,000	32	639633	—	—
	13 x 19	41.60	Bulk/1,000	32	639792	—	—
	29.5 x 20.75	103	Bulk/1,000	16	6163	§ 5,000	641832
100/40	12 x 18	45.47	Bulk/750	32	639634	—	—
	13 x 19	52.00	Bulk/750	32	639794	—	—
	29.5 x 20.75	129	Bulk/800	16	6164	§ 4,000	641833

§ Press-ready skid.
NOTE: All cut-size items are ream sealed.

Smooth Text		Rolls			
Basis Weight	Width (Inches)	Est. Roll Weight (Lbs.)	Diameter (Inches)	Core (Inches)	Item Code
50/20	Δ 18"	623	40"	3"	557700
60/24	Δ 18"	680	40"	3"	430500
70/28	Δ 18"	625	40"	3"	557000

Δ 18" rolls are laser and offset preprint guaranteed. Rolls are run to standardized lengths.

Smooth Cover			Cartons			Skids	
Basis Weight	Size	M Weight	Sheets/ Ream/Carton	Cartons/ Pallet	Item Code	Sheets/ Skid	Item Code
65	8.5 x 11	23.38	250/2,500	32	634000	—	—
	17 x 11	46.75	250/1,250	32	632621	—	—
	18 x 12	54.00	Bulk/650	32	639635	—	—
80	8.5 x 11	28.77	250/2,000	32	638800	—	—
	17 x 11	57.54	250/1,000	32	632622	—	—
	18 x 12	66.46	Bulk/500	32	639636	—	—
	19 x 13	76.00	Bulk/500	32	639829	—	—
	20.75 x 29.5	188	Bulk/500	16	6165	§ 2,800	641834
100	8.5 x 11	35.96	200/1,600	32	630900	—	—
	17 x 11	71.92	250/750	32	509001	—	—
	18 x 12	83.08	Bulk/400	32	639637	—	—
	19 x 13	95.00	Bulk/400	32	639830	—	—
	20.75 x 29.5	235	Bulk/400	16	6166	§ 2,200	641835
120	8.5 x 11	43.15	200/1,600	32	6144	—	—
	18 x 12	99.69	Bulk/375	32	6146	—	—
	19 x 13	114.00	Bulk/375	32	6147	—	—

§ Press-ready skid.
NOTE: All cut-size items are ream sealed.