

Husky® Opaque Offset

BASIS WEIGHT	GSM	BRIGHTNESS GE	OPACITY	SMOOTHNESS		CALIPER	
				SMOOTH	VELLUM	SMOOTH	VELLUM
TEXT 25 x 38							
** 40	59	94	86	160	—	3.2	—
** 45	67	94	89	160	—	3.6	—
50/20	74	94	91	160	240	3.9	4.2
60/24	89	94	93	160	240	4.6	5.0
70/28	104	94	95	160	—	5.3	—
80	118	94	96	160	—	5.9	—

**Available as make only.

Features:

- 94 brightness with a striking blue-white shade
- Good opacity for minimal show-through
- Smooth, uniform surface for better resolution
- Skids 23" x 29" and larger are press-ready skids with a maximum skid height of 45" to easily fit into most presses
- Digital sizes available in the Husky Digital product line

Environmental Characteristics:



- Sustainable Forestry Initiative® (SFI®) Certified Sourcing
- Made with Elemental Chlorine Free (ECF) virgin fiber content
- Manufactured under alkaline (acid-free) conditions for increased longevity and performance

Product Benefits:

- Blue-white shade preferred by customers
- Optimum performance in folding and inserting equipment
- Consistent caliper provides good baseline for press set up

Common Uses:

- Bulletins
- Catalogs
- Direct mail
- Financial documents
- Manuals
- Books

Electronic Imaging Guarantee:



All Husky Opaque Offset items, in mill-finished sizes, are guaranteed to perform on laser printers, desktop inkjet printers and copiers, as well as preprint offset applications (50 lb. and heavier). This guarantee is subject to the guidelines of the Original Equipment Manufacturer and the Domtar Electronic Imaging Guarantee.



Husky® Opaque Offset

Smooth | Text

Smooth Text			CARTONS			SKIDS	
BASIS WEIGHT	SIZE	M WEIGHT	SHEETS/ REAM/CARTON	CARTONS/ PALLET	ITEM CODE #	SHEETS/ SKID	ITEM CODE #
50/20	* 8.5 x 11	9.84	500/5,000	40	5461	—	—
	* 11 x 17	19.68	500/2,500	40	8946	—	—
	* 12 x 18	22.74	Bulk/1,500	32	2171	—	—
	* 13 x 19	26	Bulk/1,500	32	5228	—	—
50	17.5 x 22.5	41	3,600	16	5470	20,000	2494
	17.5 x 23	42	3,600	16	6679	—	—
	19 x 25	50	3,200	16	8966	20,000	2514
	23 x 29	70	2,000	14	5474	§ 10,000	2556
	23 x 35	85	1,800	16	5478	§ 10,000	2502
	24 x 36	91	—	—	—	§ 10,000	2517
	25 x 38	100	1,600	16	5482	§ 10,000	2506
28 x 40	118	1,300	10	6530	§ 10,000	2530	
60/24	* 8.5 x 11	11.81	500/5,000	32	5462	—	—
	* 8.5 x 11 3HP	11.81	500/5,000	32	9306	—	—
	* 8.5 x 14	15.03	500/4,000	30	5464	—	—
	* 11 x 17	23.62	500/2,500	32	8947	—	—
	* 12 x 18	27.28	Bulk/1,200	32	2172	—	—
	* 13 x 19	31.20	Bulk/1,200	32	5226	—	—
60	17.5 x 22.5	50	3,200	16	5471	17,000	2495
	17.5 x 23	51	3,200	16	6680	—	—
	19 x 25	60	2,400	16	8967	17,000	2515
	23 x 29	84	1,800	14	5475	§ 8,500	2557
	23 x 35	102	1,500	16	5479	§ 8,500	2503
	24 x 36	109	—	—	—	§ 8,500	2518
	25 x 38	120	1,200	16	5483	§ 8,500	2507
	28 x 40	141	1,200	10	6531	§ 8,500	2531
	35 x 45	199	—	—	—	§ 8,500	2511
70/28	* 8.5 x 11	13.78	500/4,000	40	5463	—	—
	* 11 x 17	27.56	500/2,000	40	8950	—	—
	* 12 x 18	31.83	Bulk/1,000	32	2173	—	—
	* 13 x 19	36.40	Bulk/1,000	32	5227	—	—
70	17.5 x 22.5	58	2,400	16	5472	15,000	2496
	19 x 25	70	2,000	16	8968	15,000	2516
	23 x 29	98	1,600	14	5476	§ 7,500	255801
	23 x 35	119	1,200	16	5480	§ 7,500	2504
	24 x 36	127	—	—	—	§ 7,500	2519
	25 x 38	140	1,000	16	5484	§ 7,500	2508
	28 x 40	165	1,000	10	6532	§ 7,500	2532
80	23 x 35	136	1,100	16	5485	—	—
	25 x 38	160	1,000	16	5486	—	—

* These items are covered by the Domtar Electronic Imaging Guarantee. They are manufactured for optimal performance in digital presses and are branded as Husky Digital.

§ Skids 23" x 29" and larger are press-ready skids with a maximum skid height of 45" to easily fit into most presses.

NOTE: All cut-size items are ream sealed.

Husky® Opaque Offset (CON'T)

Vellum | Text

Vellum Text			SKIDS	
BASIS WEIGHT	SIZE	M WEIGHT	SHEETS/ SKID	ITEM CODE #
50	25 x 38	100	§ 9,500	2547
60	23 x 35	102	§ 8,000	2546
	25 x 38	120	§ 8,000	2549

§ Skids 23" x 29" and larger are press-ready skids with a maximum skid height of 45" to easily fit into most presses.

Smooth | Text

Smooth Text		ROLLS			
BASIS WEIGHT	WIDTH (INCHES)	EST. ROLL WEIGHT (lb.)	DIAMETER (INCHES)	CORE (INCHES)	ITEM CODE #
50	17.5"	656	40"	3"	7422
	35"	1,305	40"	3"	5427
	35"	2,047	50"	3"	5553
60	17.5"	637	40"	3"	7423
	18"	656	40"	3"	7450
	18"	1,027	50"	3"	412679
	35"	1,328	40"	3"	5428
	35"	2,083	50"	3"	5552
70	18"	692	40"	3"	540974
	18"	1,084	50"	3"	540975