

B E R N H A R D T | d e s i g n

matera tables
price list

january 2026

<u>index</u>	<u>2</u>
<u>veneer selection</u>	<u>3-4</u>
<u>design selections + finishes</u>	<u>5</u>
<u>base style selection</u>	<u>6</u>
<u>top selections</u>	<u>7</u>
<u>power overview</u>	<u>8</u>
<u>tops</u>	<u>9-12</u>
<u>subtops</u>	<u>13-16</u>
<u>under mount power</u>	
<u>under mount power overview</u>	<u>17</u>
<u>grommet placement kits</u>	<u>18-20</u>
<u>extron APP modules</u>	<u>21</u>
<u>mediatrac 1™ power</u>	
<u>power overview</u>	<u>22</u>
<u>4-trac power system</u>	<u>23</u>
<u>grommet placement kits</u>	<u>24</u>
<u>laminate, veneer, solid surface, aluminum</u>	<u>25-30</u>
<u>back-painted glass</u>	<u>31-35</u>
<u>wire management</u>	<u>36</u>
<u>extron APP modules</u>	<u>37-38</u>
<u>terms and conditions</u>	<u>39-40</u>
<u>guaranteed freight</u>	<u>41</u>
<u>guaranteed freight - canada</u>	<u>42</u>

Veneer Selections

A three character sku identifies each species as well as the standard finish offered. Individual components are priced with standard finish. Special finishes on veneers made to customer specifications are subject to factory approval and a 10% net upcharge with a \$500 net minimum.


Transparent stains and sealers are applied in multiple steps to enhance the beauty of the natural wood. A durable, baked-on, top-coat of conversion varnish

or UV topcoat is applied to protect the product. It is recommended that felt, cork or fabric backed desk pads and accessories are used on worksurfaces to minimize wear.

When specifying light finishes the natural characteristics of the wood will be visible and color will vary. Paint finishes are available as custom orders. See terms and conditions for additional finish information.

ASB Ash

Flat Cut
Bookmatched



Standard Finish


871 870 839
837 860 861
865 836 866
872 805 845

Select Finishes

M73 M72 M75
M74 M76 M77
M71

OAB Oak

Rift Cut/Quarter Cut
Bookmatched



Standard Finish


871 870 839
837 860 861
865 836 866
872 805 845

Select Finishes

M73 M72 M75
M74 M76 M77
M71

PLB Paldao

Rift Cut/Quarter Cut
Bookmatched




Standard Finish

871 860 823
872 861 866
870 839

WLB Walnut

Flat Cut
Bookmatched




Standard Finish

872 861
870 823
860 866
839

TOB Tiger Oak

Rift Cut/Quarter Cut
Bookmatched



Standard Finish

871 ONLY

ASB Ash

871



837



865



872



870



860



836



805



839



861



866



845

ASB Select Finishes

M73 Whitewash



M74 Fawn



M71 Blonde



M72 Toast




M76 Caramel



M75 Smoke



M77 Coffee

Veneer Selections**OAB Oak****OAB Select Finishes****PLB Paldao****WLB Walnut****TOB Tiger Oak**

Design Selections

Glass Selections - Tops



PF Polished Flat Edge

GEW Etched Back-Painted White Glass - $\frac{1}{2}$ " thick

GEB Etched Back-Painted Black Glass - $\frac{3}{8}$ " thick

Solid Surface Selections - Tops



FL $\frac{1}{2}$ " Flat Edge


SSF Solid Surface

Standard Finish

CGW Corian, Glacier White

COM Tops

Matera table tops can accept a wide selection of customer own materials including stone and quartz. See page 14-15 for subtops skus. Order tops and bases separately all subtops painted dark grey to match Matera support rails. Subtops approved for use with up to 3 cm stone, quartz and COM glass.



Finishes

Base Finishes



BB Brushed Graphite



BS Brushed Stainless Steel



BZ Brushed Bronze

Matera




Through the integration of stainless steel panels, the Matera table base creates an architectural aesthetic that supplements today's open environments and augments Bernhardt Design's meeting table offering.


The base is available in one size and is available in brushed stainless steel, brushed bronze and brushed graphite finishes. The Matera base features a removable inside panel that allows for access to wire management and preserves the narrow footprint.

Bases and tops are specified and sold separately. Tops are available in (3) widths and offered in veneer, etched back-painted black glass, etched back-painted white glass, solid surface and COM (with a 1" subtop).


SCS Indoor Advantage™ Gold and LEVEL® 1 certified. See terms and conditions for additional environmental information.



Matera base shown with removable inside panel



Section View



Side View

description	sku	w	d	h	price
matera base	MPB	2 1/8	25 5/8	28 1/4	\$ 5313

specification codes example: MAS-MPB

series	sku
matera	
M A S -	M P B


finish code example: BS

finish
BB brushed graphite
BS brushed stainless steel
BZ brushed bronze

Matera Tops

Matera tops are specifically constructed to accommodate the Matera bases. Tops and bases are specified and sold separately. See the specific top size desired for the appropriate number of bases required.


Recommended base sizes must be specified to ensure a proper alignment and fit. The Matera rail placement will have 17¼" inside clearance.



Detail view of Matera top.

Veneer - All Veneer is Bookmatched


ASB	Ash	TOB	Tiger Oak
OAB	Oak	WLB	Walnut
PLB	Paldao		



RB 1 1/4" Reverse Bevel FL 1 1/4" Flat

Glass

GEW	Etched Back-Painted White Glass
GEB	Etched Back-Painted Black Glass



PF 1/2" Polished Flat

Solid Surface

SSF	Corian®, Glacier White
FL	1 1/4" Flat




FL 1 1/4" Flat



RB 1 1/4" Reverse Bevel

Subtop for COM

See page 12-14 for subtops skus. Order tops and bases separately. All subtops painted dark grey to match Matera support rails. Subtops approved for use with up to 3 cm stone, quartz and COM glass.




specification codes example: MAS-SKU-FLMA000


series	sku	edge	base	grommet location	material + finish code example:	WLB 839
matera		FL 1 1/4" flat PF 1/2" polished flat RB 1 1/4" reverse bevel	MA matera rectangular	<p>Under Mount see pages 18-20 for location codes</p> <p>Mediatrac1 see pages 25-35 for location codes</p> <p>000 none</p>	COM no top ASB ash OAB oak TOB tiger oak WLB walnut PLB paldao GEW etched back-painted white glass GEB etched back-painted black glass SSF glacier white	see pages 3-4

Matera Power Column


The Matera meeting table collection offers a concealed wire management solution through the use of a power column. The power column is 11" w x 11" d x 24 5/8" h, with 8 5/8" interior cord clearance and is available in polished stainless steel and matte black powder coat finishes. Power column is sold separately.



Power Column Front View




Power Column Top View



Power Column shown with removable panel


Matera Power Options

The Matera conference table offers (2) power solutions: Mediatrac1™ and Under Mount Power.

**Mediatrac1™**

Mediatrac1 offers power options that utilize the electrical 4-Trac Power System, allowing for easy installation and reconfiguration capabilities. 4-Trac snaps together easily underneath the worksurface using whips from each power module and the integral 4-Trac jumpers specified for use with each particular Mediatrac1 grommet size. The grommet layout and wiring scheme is specified specifically for each top size, requiring the customer to separately purchase the grommet kit that fits their needs.

Mediatrac1 is certified to UL STD 962A, UL STD 1363, CSA STD 22.2 No. 308-14. 4-Trac is certified to UL STD 183 CSA STD 22.2 No. 203.1-14.

**Under Mount Power**



Matera offers a proprietary under mount power solution allowing quick and easy daisy chaining of modules together. The under mount power modules are available in (2) configurations: (2) 15 amp receptacles, or (1) 15 amp receptacle, (1) 2 amp USB-A port and (1) 2 amp USB-C port. Each module in a kit will be provided with the same configuration as specified by the end user. End user installation will be required per individual SKU. Each SKU includes a separate power infeed with a 10' grounded plug to connect to the power source. See installation instructions for installing.

Under mount power is certified to UL STD 962 A CSA STD 22.2 No. 21.



rectangular top

order bases separately

tops 60" - 120" length x 48" - 60" wide
have one sectional veneer toptops 126" - 240" length x 48" - 60" wide
have two sectional veneer tops

sku				l		w		bases to specify		ASB ash		PLB paldao		GEW etched back-painted white glass		GEB etched back-painted black glass		SSF solid surface				
EEC	60	48	(2) bases					3688	4315	4279	4906	9323	11375	7831	9163	FL	RB	FL	RB	PF	FL	RB
EFC	66	48	(2) bases					3800	4446	4408	5054	10531	12848	8039	9406							
EGC	72	48	(2) bases					3918	4585	4545	5211	10982	13399	8113	9493							
EHC	78	48	(2) bases					4022	4706	4666	5350	11615	14171	8671	10146							
EIC	84	48	(2) bases					4606	5390	5343	6126	12204	14889	9220	10788							
EJC	90	48	(2) bases					5388	6304	6251	7167	12787	15601	9779	11442							
EJD	90	54	(2) bases					5592	6543	6487	7438	13924	16988	10817	12656							
EKC	96	48	(2) bases					5522	6461	6406	7345	13420	16373	10330	12087							
EKD	96	54	(2) bases					5740	6716	6659	7635	14596	17808	11440	13385							
EKE	96	60	(2) bases					5955	6968	6908	7921	15872	19364	12544	14677							
ELC	102	48	(2) bases					6127	7169	7108	8149	14074	17171	10887	12738							
ELD	102	54	(2) bases					6354	7435	7371	8451	15374	18757	12073	14126							
ELE	102	60	(2) bases					6583	7703	7637	8756	16635	20295	13254	15508							
EMC	108	48	(2) bases					6270	7336	7274	8340	14659	17884	11440	13385							
EMD	108	54	(2) bases					6513	7621	7556	8663	16050	19581	12695	14854							
EME	108	60	(2) bases					6754	7903	7835	8983	17388	21214	13932	16301							
ENC	114	48	(2) bases					6419	7511	7447	8538	15283	18646	11997	14037							
END	114	54	(2) bases					6672	7807	7740	8874	16718	20396	13320	15585							
ENE	114	60	(2) bases					6925	8103	8033	9211	18153	22147	14633	17121							

specification codes example: MAS-SKU-FLMAFM01

series	sku	edge	base	grommet location	material + finish code example: WLT 839
material	material	finish			
matera		FL 1 1/4" flat PF 1/2" polished flat RB 1 1/4" reverse bevel	MA matera rectangular	Under Mount see pages 18-20 for location codes Mediatrac 1 see pages 25-35 for location codes 000 none	ASB ash OAB oak TOB tiger oak WLB walnut PLB paldao GEW etched back-painted white glass GEB etched back-painted black glass SSF glacier white
M A S -			M A		see pages 3-4



rectangular top
order bases separately



tops 60" - 120" length x 48" - 60" wide
have one sectional veneer top



tops 126" - 240" length x 48" - 60" wide
have two sectional veneer tops

sku	l	w	bases to specify	ASB ash		PLB paldao		GEW etched back-painted white glass	GEB etched back-painted black glass	SSF solid surface	
				FL	RB	FL	RB			FL	RB
EOC	120	48	(2) bases	6566	7683	7617	8733	15946	19455	12544	14677
EOD	120	54	(2) bases	6831	7993	7924	9086	17466	21309	13932	16301
EOE	120	60	(2) bases	7064	8265	8195	9396	18974	23149	15321	17926
EPC	126	48	(3) bases	7609	8903	8827	10120	17000	20740	15127	17699
EPD	126	54	(3) bases	7910	9255	9176	10521	18685	22796	15441	18066
EPE	126	60	(3) bases	8218	9616	9533	10930	20322	24793	17005	19896
EQC	132	48	(3) bases	7815	9144	9066	10394	17204	20989	15330	17937
EQD	132	54	(3) bases	8115	9495	9414	10793	18889	23045	15647	18307
EQE	132	60	(3) bases	8422	9854	9770	11202	20529	25046	17210	20136
ERC	138	48	(3) bases	7933	9282	9203	10551	19252	23488	16327	19103
ERD	138	54	(3) bases	8264	9669	9587	10992	20034	24442	16716	19558
ERE	138	60	(3) bases	8595	10057	9971	11432	21842	26648	18437	21572
ESD	144	54	(3) bases	8469	9909	9825	11264	20238	24691	16922	19799
ESE	144	60	(3) bases	8799	10295	10207	11703	22046	26897	18641	21810
ETD	150	54	(3) bases	8558	10013	9928	11383	21599	26351	18017	21080
ETE	150	60	(3) bases	8911	10426	10337	11852	23538	28717	19865	23243
EUD	156	54	(3) bases	8763	10253	10166	11655	21806	26604	18221	21319
EUE	156	60	(3) bases	9117	10667	10576	12126	23743	28967	20068	23480
EVD	162	54	(3) bases	9303	10885	10792	12373	22989	28047	19213	22480
EVE	162	60	(3) bases	9684	11331	11234	12880	25083	30602	21160	24758
EWD	168	54	(3) bases	9507	11124	11029	12645	23195	28298	19418	22720
EWE	168	60	(3) bases	9887	11568	11469	13150	25287	30851	21366	24999

specification codes example: MAS-SKU-FLMAFM01

series	sku	edge	base	grommet location	material	WLT 839
					material	finish
matera		FL 1¼" flat PF ½" polished flat RB 1¼" reverse bevel	MA matera rectangular	Under Mount see pages 18-20 for location codes Mediatrac 1 see pages 25-35 for location codes 000 none	ASB ash OAB oak TOB tiger oak WLB walnut PLB paldao GEW etched back-painted white glass GEB etched back-painted black glass SSF glacier white	see pages 3-4
M A S -			M A			



rectangular top
order bases separately



tops 60" - 120" length x 48" - 60" wide
have one sectional veneer top



tops 126" - 240" length x 48" - 60" wide
have two sectional veneer tops

sku	l	w	bases to specify	ASB ash		PLB paldao		GEW etched back-painted white glass	GEB etched back-painted black glass	SSF solid surface	
				FL	RB	FL	RB			PF	FL
EXD	174	54	(3) bases	9594	11225	11130	12761	24394	29761	20472	23953
EXE	174	60	(3) bases	10000	11700	11600	13300	26667	32534	22549	26383
EYD	180	54	(3) bases	9800	11466	11368	13034	24598	30010	20677	24193
EYE	180	60	(3) bases	10204	11939	11837	13572	26871	32783	22753	26622
EZD	186	54	(3) bases	9983	11681	11581	13278	26330	32123	21713	25405
EZE	186	60	(3) bases	10414	12185	12081	13851	28735	35057	23938	28008
E1D	192	54	(3) bases	10188	11920	11819	13551	26535	32373	21919	25646
E1E	192	60	(3) bases	10620	12426	12320	14125	28939	35306	24142	28247
E2D	198	54	(3) bases	10273	12020	11917	13664	27672	33760	22971	26877
E2E	198	60	(3) bases	10730	12555	12447	14271	30242	36896	25670	30034
E3D	204	54	(3) bases	10478	12260	12155	13936	27875	34008	23174	27114
E3E	204	60	(3) bases	10935	12794	12685	14544	30448	37147	25875	30274
E4D	210	54	(3) bases	10567	12364	12258	14055	29144	35556	24849	29074
E4E	210	60	(3) bases	11048	12927	12816	14694	31826	38828	27345	31994
E5D	216	54	(3) bases	10770	12601	12494	14325	29348	35805	25054	29314
E5E	216	60	(3) bases	11252	13165	13053	14966	32032	39080	27549	32233
E6D	222	54	(3) bases	11315	13239	13126	15049	30484	37191	26181	30632
E6E	222	60	(3) bases	11820	13830	13712	15721	33330	40663	28809	33707
E7D	228	54	(4) bases	11521	13480	13365	15323	30689	37441	26387	30873
E7E	228	60	(4) bases	12024	14069	13948	15992	33535	40913	29015	33948


specification codes example: MAS-SKU-FLMAFM01

series	sku	edge	base	grommet location	material + finish code example: WLT 839
				material	finish
matera		FL 1¼" flat PF ½" polished flat RB 1¼" reverse bevel	MA matera rectangular	Under Mount see pages 18-20 for location codes Mediatrac 1 see pages 25-35 for location codes 000 none	ASB ash OAB oak TOB tiger oak WLB walnut PLB paldao GEW etched back-painted white glass GEB etched back-painted black glass SSF glacier white



rectangular top

order bases separately

tops 60" - 120" length x 48" - 60" wide
have one sectional veneer toptops 126" - 240" length x 48" - 60" wide
have two sectional veneer tops



sku				l	w	bases to specify	ASB ash	OAB oak	WLB walnut	PLB paldao	TOB tiger oak	GEW etched back-painted white glass	GEB etched back-painted black glass	SSF solid surface	
				FL	RB		FL	RB		FL	RB	PF	FL	RB	
E8D	234	54	(4) bases				11612	13587		13470	15444	31844	38850	27431	32095
E8E	234	60	(4) bases				12226	14305		14183	16261	34873	42546	30209	35345
E9D	240	54	(4) bases				11818	13828		13709	15718	32048	39099	27634	32332
E9E	240	60	(4) bases				12428	14541		14417	16530	35077	42794	30412	35583

specification codes example: MAS-SKU-FLMAFM01

series	sku	edge	base	grommet location	material + finish code example: WLT 839
					material
					finish
matera		FL 1¼" flat PF ½" polished flat RB 1¼" reverse bevel	MA matera rectangular	Under Mount see pages 18-20 for location codes Mediatrac 1 see pages 25-35 for location codes 000 none	ASB ash OAB oak TOB tiger oak WLB walnut PLB paldao GEW etched back-painted white glass GEB etched back-painted black glass SSF glacier white
					see pages 3-4

**rectangular top**

order bases separately

all **subtops** painted dark grey to match Matera support rails**subtops** approved for use with up to 3 cm stone, quartz and COM glasstops 54" - 114" length x 42" - 54" wide
have one sectional veneer toptops 120" - 234" length x 42" - 54" wide
have two sectional veneer tops

sku	l	w	bases to specify	subtops
SEC	54	42	subtop for use with 60" x 48" top	2346
SFC	60	42	subtop for use with 66" x 48" top	2436
SGC	66	42	subtop for use with 72" x 48" top	2525
SHC	72	42	subtop for use with 78" x 48" top	2616
SIC	78	42	subtop for use with 84" x 48" top	2707
SJC	84	42	subtop for use with 90" x 48" top	2798
SJD	84	48	subtop for use with 90" x 54" top	2875
SKC	90	42	subtop for use with 96" x 48" top	2886
SKD	90	48	subtop for use with 96" x 54" top	2971
SKE	90	54	subtop for use with 96" x 60" top	3052
SLC	96	42	subtop for use with 102" x 48" top	2975
SLD	96	48	subtop for use with 102" x 54" top	3066
SLE	96	54	subtop for use with 102" x 60" top	3155
SMC	102	42	subtop for use with 108" x 48" top	3067
SMD	102	48	subtop for use with 108" x 54" top	3163
SME	102	54	subtop for use with 108" x 60" top	3256
SNC	108	42	subtop for use with 114" x 48" top	3158
SND	108	48	subtop for use with 114" x 54" top	3257
SNE	108	54	subtop for use with 114" x 60" top	3358

specification codes example: MAS-SKU

series sku



matera

M	A	S	-
---	---	---	---

--	--	--

**rectangular top**

order bases separately

all **subtops** painted dark grey to match Matera support rails**subtops** approved for use with up to 3 cm stone, quartz and COM glasstops 54" - 114" length x 42" - 54" wide
have one sectional veneer toptops 120" - 234" length x 42" - 54" wide
have two sectional veneer tops

sku	l	w	bases to specify	subtops
SOC	114	42	subtop for use with 120" x 48" top	3252
SOD	114	48	subtop for use with 120" x 54" top	3353
SOE	114	54	subtop for use with 120" x 60" top	3457
SPC	120	42	subtop for use with 126" x 48" top	4919
SPD	120	48	subtop for use with 126" x 54" top	5034
SPE	120	54	subtop for use with 126" x 60" top	5148
SQC	126	42	subtop for use with 132" x 48" top	5123
SQD	126	48	subtop for use with 132" x 54" top	5237
SQE	126	54	subtop for use with 132" x 60" top	5353
SRD	132	48	subtop for use with 138" x 48" top	5328
SRE	132	54	subtop for use with 138" x 60" top	5453
SSD	138	48	subtop for use with 144" x 54" top	5430
SSE	138	54	subtop for use with 144" x 60" top	5556
STD	144	48	subtop for use with 150" x 54" top	5520
STE	144	54	subtop for use with 150" x 60" top	5656
SUD	150	48	subtop for use with 156" x 54" top	5621
SUE	150	54	subtop for use with 156" x 60" top	5756
SVD	156	48	subtop for use with 162" x 54" top	5711
SVE	156	54	subtop for use with 162" x 60" top	5858
SWD	162	48	subtop for use with 168" x 54" top	5812
SWE	162	54	subtop for use with 168" x 60" top	5960
SXD	168	48	subtop for use with 174" x 54" top	5901
SXE	168	54	subtop for use with 174" x 60" top	6062

specification codes example: MAS-SKU


series sku

matera

M	A	S	-		
---	---	---	---	--	--

**rectangular top**

order bases separately

all **subtops** painted dark grey to match Matera support rails**subtops** approved for use with up to 3 cm stone, quartz and COM glasstops 54" - 114" length x 42" - 54" wide
have one sectional veneer toptops 120" - 234" length x 42" - 54" wide
have two sectional veneer tops



sku	l	w	bases to specify	subtops
SYD	174	48	subtop for use with 180" x 54" top	6002
SYE	174	54	subtop for use with 180" x 60" top	6163
SZD	180	48	subtop for use with 186" x 54" top	6093
SZE	180	54	subtop for use with 186" x 60" top	6264
S1D	186	48	subtop for use with 192" x 54" top	6195
S1E	186	54	subtop for use with 192" x 60" top	6366
S2D	192	48	subtop for use with 198" x 54" top	6286
S2E	192	54	subtop for use with 198" x 60" top	6434
S3D	198	48	subtop for use with 204" x 54" top	6388
S3E	198	54	subtop for use with 204" x 60" top	6537
S4D	204	48	subtop for use with 210" x 54" top	6477
S4E	204	54	subtop for use with 210" x 60" top	6669
S5D	210	48	subtop for use with 216" x 54" top	6579
S5E	210	54	subtop for use with 216" x 60" top	6773
S6D	216	48	subtop for use with 222" x 54" top	6668
S6E	216	54	subtop for use with 222" x 60" top	6870
S7D	222	48	subtop for use with 228" x 54" top	6770
S7E	222	54	subtop for use with 228" x 60" top	6974
S8D	228	48	subtop for use with 234" x 54" top	6859
S8E	228	54	subtop for use with 234" x 60" top	7075

specification codes example: MAS-SKU

series	sku
matera	M A S -

**rectangular top**

order bases separately

all **subtops** painted dark grey to match Matera support rails**subtops** approved for use with up to 3 cm stone, quartz and COM glasstops 54" - 114" length x 42" - 54" wide
have one sectional veneer toptops 120" - 234" length x 42" - 54" wide
have two sectional veneer tops

sku	l	w	bases to specify	subtops
S9D	234	48	subtop for use with 240" x 54" top	6962
S9E	234	54	subtop for use with 240" x 60" top	7175

specification codes example: MAS-SKU

series sku

matera

M | A | S | - |

| | | |

Under Mount Power

Bernhardt Design offers a proprietary under mount power solution allowing quick and easy daisy chaining of modules together. A maximum of (10) under mount power modules can be connected on one power infeed.


The under mount power modules are available in (2) configurations: (2) receptacles, or (1) receptacle, (1) 2 amp USB-A port and (1) 2 amp USB-C port. Each module in a kit will be provided with the same configuration as specified by the end user.

End user installation will be required per individual SKU. Each SKU includes a separate power infeed with a 10' grounded plug to connect to the power source. [See installation instructions for installing.](#)

See page 18-20 for details on recommended configurations for 2-10 under mount power modules.

Under mount power is certified to UL STD 962 A CSA STD 22.2 No. 21.


Note: End user installation will be required per individual SKU.




Bernhardt Design provides recommendations for installation locations as shown on page 18-20. Installation instructions are included with each power unit.

Power Modules

Matte Black Finish




power + power
(2) 120 v 60 Hz.
15 amp receptacles
braided cotton 10' cord
grounded plug
UL 962 listed



power + usb-a + usb-c
Updated Information Shown in RED
(1) 120 v 60 Hz. 15 amp receptacle
(1) 2 amp USB-A port, 10 watt
(1) 2 amp USB-C port, 20 watt
braided cotton 10' cord
grounded plug
UL 962 listed

Replacement Housing

with Location for Mini AAP Plate



Sequential Connector

Matte Black Finish



Power Infeed


10' Grounded Plug
Required per individual SKU
Braided Cord



15 amp

Matera Wire Management

Matera power infeeds are routed through integral spacers to a multi-wire clip that offers advanced wire management. The following illustration shows a section view of the Matera table with under mount power.



Under mount power kits are specified and sold separately. Each kit lists the table top sizes compatible with the number of power units shown.

All kits include a 10' corded infeed with grounded and fused plug.

of Kits sku specifications

PP	PU
power + power	power + usb + usb-c
	

1 Module Kit

U01S 60" - 240" Table



\$ 408

\$ 576

2 Module Kits

U02S 60" - 150" Table


1214

1736

U02L 156" - 240" Table

1332

1853



3 Module Kits

U03S 60" - 150" Table


1632

2416

U03L 156" - 240" Table

1868

2652



4 Module Kits

U04S 60" - 150" Table

2016

2776

U04L 156" - 240" Table

2253

3013



specification codes example: ACS-SKU-PP

series sku power style

		PP power + power PU power + usb + usb-c
A C S -	-	

Under mount power kits are specified and sold separately. Each kit lists the table top sizes compatible with the number of power units shown.

All kits include a 10' corded infeed with grounded and fused plug.



of Kits sku specifications

PP	PU
power + power	power + usb + usb-c
	


5 Module Kits

U05S	60" - 150" Table	\$ 2540	\$ 3690
U05L	156" - 240" Table	2776	3927
			

6 Module Kits

U06S	60" - 150" Table	2661	4151
			
U06L	156" - 240" Table	2897	4387
			

7 Module Kits

U07S	60" - 150" Table	3225	5175
U07L	156" - 240" Table	3461	5411
			

specification codes example: ACS-SKU-PP

series	sku	power style
		PP power + power PU power + usb + usb-c
A C S -	-	

Under mount power kits are specified and sold separately. Each kit lists the table top sizes compatible with the number of power units shown.


All kits include a 10' corded infeed with grounded and fused plug.

# of Kits	sku	specifications
-----------	-----	----------------

PP	PU
power + power	power + usb + usb-c
	


8 Module Kits

U08S	60" - 150" Table	\$ 3668	\$ 6198
U08L	156" - 240" Table	3904	6434




9 Module Kits

U09S	60" - 150" Table	4192	7112
U09L	156" - 240" Table	4427	7347



10 Module Kits


U10S	60" - 150" Table	4716	8025
U10L	156" - 240" Table	4952	8261



specification codes example: ACS-SKU-PP

series	sku	power style
		PP power + power
		PU power + usb + usb-c

A | C | S | - | | | | | - |

description	sku	w	d	h	specifications	price
	under mount replacement housing	UPH	7 3/8	3 3/4	1 1/2	\$ 221
					for use with Extron® MAAP installed in the field by end user switch existing housing onsite to this housing to accommodate Extron® MAAP	
	blank plate	MP6	2 1/8	-	5/8	164
					Extron® MAAP blank plate black powder coat finish single space insert	
	computer/audio/video mini module	MP1	2 1/8	-	5/8	422
					Extron® MAAP HDMI female to HDMI female on 10" pigtail single space insert	
	computer/audio/video mini module	MP3	2 1/8	-	5/8	422
					Extron® MAAP display port female to display port female on 10" pigtail single space insert	
	phone/data mini module	MP4	2 1/8	-	5/8	293
					Extron® MAAP one RJ45 female to punch down leviton CAT6 data single space insert	
	phone/data mini module	MP5	2 1/8	-	5/8	252
					Extron® MAAP one RJ45 female to female barrel single space insert	

specification codes example: ACS-SKU

series sku

accessories


A | C | S | -

Mediatrac1™

Mediatrac1 grommet system is a simplified system for bringing power and data to the meeting table worksurface in a clean simple way.

Mediatrac1 provides power and various options for Extron AAP data configurations. Grommets are available in (3) different sizes: a 8" x 4" single door unit, a 8" x 8" double door unit and a 8" x 24" double door unit. All units have brushed aluminum trim with options for aluminum, laminate, veneer, corian and glass lids.


Mediatrac1 has 4 different options for bringing power to the table, corded, hardwired or 4-trac system with either a corded or hardwired power infeed.




Note: End user installation will be required per individual SKU. Power specified separately. See pages 25-35 for grommet codes.

Mediatrac1 Options**8" Single Door Mediatrac™ Grommet**


2 grounded outlets, 1 exit plug, accepts 2 Extron single space AAP's, AAP modules specified separately, brushed aluminum frame

8" Double Door Mediatrac™ Grommet

4 grounded outlets, 1 exit plug, accepts 4 Extron single space AAP's, AAP modules specified separately, brushed aluminum frame

24" Double Door Mediatrac™ Grommet

8 grounded outlets, 2 exit plugs, accepts 8 Extron single space AAP's, AAP modules specified separately, brushed aluminum frame

Mediatrac1 Grommet Kits (Includes the following)**Power Module**

Number and configuration of grommet modules determined by the grommet code

Jumper (if required)

Jumpers are determined by the length of the top specified

Connector + H-Block


Will be included in kit when the 4-trac option is specified

Power Infeed Options

20 amp receptacle
4-Trac Only




72" 4-Trac Power Infeed with Hardwired



72" Power Infeed with 15 amp plug




72" 3/8" Hardwire Whip

Mediatrac1 Dimensional Specifications

Mediatrac1 is certified to UL STD 962A, UL STD 1363, CSA STD 22.2 No. 308-14. 4-Trac is certified to UL STD 183 CSA STD 22.2 No. 203.1-14.

Mediatrac1™ 4-Trac Power System




Mediatrac1 Grommets Using Electrical 4-Trac Power System


■ Power Infeed	■ Power Drop
■ Power Module Whip	■ Power Module
■ Modular Connector	■ H-Block
■ Jumper	



4-Trac Infeed snaps into an H-Block connected to a Mediatrac1 power module with a 18" modular end.



4-Trac H-Block connects up to (4) Jumpers and Power Modules.




4-Trac Jumpers used in conjunction with the H-Block to wire the system.

Mediatrac1 is available in our 4-Trac Power System, allowing for easy installation and reconfiguration capabilities.


4-Trac snaps together easily underneath the worksurface using whips from each power module and the integral 4-Trac jumpers specified for use with each particular Mediatrac1 grommet size. **The grommet layout and wiring scheme is specified specifically for each top size and is included with each kit.**

Each power transition is accommodated by an H-Block, which gives the ability to snap together four power leads. Using the provided documentation to facilitate installation, powering the Mediatrac1 system is as easy as snapping together connectors.

Infeeds are available in both hardwired and corded version in a 72" length. The plug version for the Mediatrac1 power system is 20 amps and will require plugging into a 20 amp outlet to comply with electrical codes.



72" 4-Trac Power Infeed with Hardwired Conduit



72" 4-Trac Power Infeed with 20 amp Plug




20 amp Receptacle


Illustrations showing electrical 4-Trac power infeed end options – hardwired conduit and 20 amp corded plug. Both are available in 72" lengths. 20 amp receptacle must be used with the plug.

Mediatrac 1™ Grommet Placement Kits

Mediatrac 1™ power options by Bernhardt Design are offered as a grommet kit which includes all grommets, jumpers and necessary components needed to bring power from the floor to the user. The number of grommets and lengths of jumpers are determined by the lengths and power options selected. Your kit will come complete with all necessary parts to install in the field.


**Ordering Mediatrac 1 Grommets**

- Determine the amount of power and data needed
- Select the grommet code that best suits your requirements
- Select the type of power infeed you need
- Select the length of table that this is to be used on
(make sure that this grommet code matches the code used when ordering your top)
- Select the grommet trim/frame finish
- Select the lid/door material
- Select the lid/door finish



Top Depth	Distance to Grommet
42"	17"
48"	20"
54"	23"
60"	26"
66"	29"
72"	32"

The Grommet Kit will ship separately and will be installed in the **field**.

**Ordering Example:**

120" x 54" Table Top
Walnut veneer, 870 finish
M08 Grommet Code with 4trac corded power
Walnut Door/Brushed Aluminum Trim




specification codes example: MGS-M08-4TC120

series	sku	power option	table length
top		CRD corded	096 150 204
		HWD hardwired	102 156 210
		4TC four trac corded	108 162 216
		4TH four trac hardwired	114 168 222
			120 174 228
			126 180 234
			132 186 224
			138 192
			144 198
	M G S -	M 0 8 -	4 T C
			1 2 0

material + finish code example: BA WLT 870

frame finish	lid material	lid finish
BA brushed aluminum	ALM aluminum	see pages 3-5
powder coat upcharge \$175	ASB ash	
WH satin white powder coat	OAB oak	
GR graphite powder coat	WLB walnut	
BZ bronze powder coat	TOB tiger oak	
IG iron grey powder coat	PLB paldoa	
RD black red powder coat	SSF glacier white	
BK matte black powder coat		
	B A	
		W L B
		8 7 0

Mediatrac 1 grommet kits and locations codes for veneer, laminates and solid surface tops.
 Kits include all jumpers and necessary components based on table length and power option.
 Grommet kits ship separately from tops.

sku	specifications	frame material
M01	72" - 240" Table	\$ 169
	(1) 3" single round pass through grommet kit	
		
M02	72" - 240" Table	337
	(2) 3" single round pass through grommet kits	
		
M33	72" - 240" Table	505
	(3) 3" single round pass through grommet kits	
		

specification codes example: ACS-SKU

series sku

top	
A C S -	-




material + finish code example: BA

frame finish

 BA brushed aluminum
 WH satin white powder coat
 GR graphite powder coat
 BZ bronze powder coat
 IG iron grey powder coat
 RD black red powder coat
 BK matte black powder coat

MediatacTM grommet kits and locations codes for veneer, laminates and solid surface tops. Kits include all jumpers and necessary components based on table length and power option. Grommet kits ship separately from tops.

Specify table length, power style, lid material and frame finish below.

sku	specifications	lid material
M03	72" - 240" Table (1) 8" double door mediatac grommet 	\$ 2183
M04	72" - 240" Table (2) 8" single door mediatac grommets 	3002
P04	72" - 240" Table same information as M04 (1) 1" dia. grommet for microphone 	5663
M06	72" - 240" Table (1) 24" double door mediatac grommet 	3072

specification codes example: MGS-SKU-CRD132

series	sku	power option	table length
top		CRD cabled	072 132 192
		HWD hardwired	078 138 198
		4TC four trac cabled	084 144 204
		4TH four trac hardwired	090 150 210
			096 156 216
			102 162 222
			108 168 228
			114 174 234
			120 180 240
	M G S -		




material + finish code example: BA WLT 839

frame finish	lid material	lid finish
BA brushed aluminum	ALM aluminum	see pages 3-5
powder coat upcharge \$75	ASB ash	
WH satin white powder coat	OAB oak	
GR graphite powder coat	TOB tiger oak	
BZ bronze powder coat	WLB walnut	
IG iron grey powder coat	PLB paldao	
RD black red powder coat	SSF glacier white	
BK matte black powder coat		

Note: When ALM Aluminum is selected for lid material, lid material will match frame finish.

MediatacTM grommet kits and locations codes for veneer, laminates and solid surface tops. Kits include all jumpers and necessary components based on table length and power option. Grommet kits ship separately from tops.

Specify table length, power style, lid material and frame finish below.

sku	specifications	lid material	
		ALM aluminum	ASB ash OAB oak TOB tiger oak WLB walnut PLB paldao SSF solid surface
M05	72" - 240" Table (2) 8" double door mediatac grommets		\$ 3958 \$ 6548
			
P05	72" - 240" Table same information as M05 (1) 1" dia. grommet for microphone		4094 6686
			
M07	84" - 240" Table (1) 8" double door mediatac grommet (2) 8" single door mediatac grommets		4777 8596
			
M08	84" - 240" Table (1) 24" double door mediatac grommet (2) 8" single door mediatac grommets		5595 9483
			

specification codes example: MGS-SKU-CRD132

series	sku	power option	table length
top		CRD cabled	072 132 192
		HWD hardwired	078 138 198
		4TC four trac cabled	084 144 204
		4TH four trac hardwired	090 150 210
			096 156 216
			102 162 222
			108 168 228
			114 174 234
			120 180 240
	M G S -		



material + finish code example: BA WLT 839

frame finish	lid material	lid finish
BA brushed aluminum	ALM aluminum	see pages 3-5
powder coat upcharge \$150	ASB ash	
WH satin white powder coat	OAB oak	
GR graphite powder coat	TOB tiger oak	
BZ bronze powder coat	WLB walnut	
IG iron grey powder coat	PLB paldao	
RD black red powder coat	SSF glacier white	
BK matte black powder coat		
		

Note: When ALM Aluminum is selected for lid material, lid material will match frame finish.

Mediatac1 grommet kits and locations codes for veneer, laminates and solid surface tops.
 Kits include all jumpers and necessary components based on table length and power option.
 Grommet kits ship separately from tops.

Specify table length, power style, lid material and frame finish below.

sku	specifications	lid material
M12	108" - 240" Table (2) 24" double door mediatac grommets 	\$ 6155
P12	108" - 240" Table same information as M12 (1) 1" dia. grommet for microphone 	6292

specification codes example: MGS-SKU-CRD132

series	sku	power option	table length
top		CRD cabled	108 162 216
		HWD hardwired	114 168 222
		4TC four trac cabled	120 174 228
		4TH four trac hardwired	126 180 234
			132 186 240
			138 192
			144 198
			150 204
			156 210
	M G S -		




material + finish code example: BA WLT 839

frame finish	lid material	lid finish
BA brushed aluminum	ALM aluminum	see pages 3-5
powder coat upcharge \$150	ASB ash	
WH satin white powder coat	OAB oak	
GR graphite powder coat	TOB tiger oak	
BZ bronze powder coat	WLB walnut	
IG iron grey powder coat	PLB paldao	
RD black red powder coat	SSF glacier white	
BK matte black powder coat		

Note: When ALM Aluminum is selected for lid material, lid material will match frame finish.

Mediatrac1 grommet kits and locations codes for veneer, laminates and solid surface tops.
 Kits include all jumpers and necessary components based on table length and power option.
 Grommet kits ship separately from tops.

Specify table length, power style, lid material and frame finish below.

sku	specifications	lid material	
M10	96" - 240" Table (3) 8" double door mediatac grommets 	ALM aluminum	\$ 5936 \$ 9822
M15	132" - 240" Table (2) 8" single door mediatac grommets (2) 24" double door mediatac grommets 		7777 12823
M30	156" - 240" Table (3) 24" double door mediatac grommets Two power infeeds will be arranged for a power drop located at the center of the table. Complies with UL standards. 		8323 12687

specification codes example: MGS-SKU-CRD132

series	sku	power option	table length
top		CRD cabled	096 150 204
		HWD hardwired	102 156 210
		4TC four trac cabled	108 162 216
		4TH four trac hardwired	114 168 222
			120 174 228
			126 180 234
			132 186 224
			138 192
			144 198

M | G | S | - | | | | | | | |

material + finish code example: BA WLT 839




frame finish	lid material	lid finish
BA brushed aluminum	ALM aluminum	see pages 3-5
powder coat upcharge \$225	ASB ash	
WH satin white powder coat	OAB oak	
GR graphite powder coat	TOB tiger oak	
BZ bronze powder coat	WLB walnut	
IG iron grey powder coat	PLB paldao	
RD black red powder coat	SSF glacier white	
BK matte black powder coat		

| | | | | | | |

Note: When ALM Aluminum is selected for lid material, lid material will match frame finish.

Mediatac1 grommet kits and locations codes for veneer, laminates and solid surface tops.
 Kits include all jumpers and necessary components based on table length and power option.
 Grommet kits ship separately from tops.

Specify table length, power style, lid material and frame finish below.

sku	specifications	lid material
M14	132" - 240" Table (4) 8" double door mediatac grommets 	ALM aluminum \$ 8255 \$ 13711
M21	180" - 240" Table (5) 8" double door mediatac grommets 	9619 16028
M25	228" - 240" Table (6) 8" double door mediatac grommets Two power infeeds will be arranged for a power drop located at the center of the table. Complies with UL standards. 	11732 19440

specification codes example: MGS-SKU-CRD132



series	sku	power option	table length
top		CRD cabled	132 174 216
		HWD hardwired	138 180 222
		4TC four trac cabled	144 186 228
		4TH four trac hardwired	150 192 234 156 198 240 162 204 168 210
	M G S -		

material + finish code example: BA WLT 839

frame finish	lid material	lid finish
BA brushed aluminum	ALM aluminum	see pages 3-5
powder coat upcharge \$375	ASB ash	
WH satin white powder coat	OAB oak	
GR graphite powder coat	TOB tiger oak	
BZ bronze powder coat	WLB walnut	
IG iron grey powder coat	PLB paldao	
RD black red powder coat	SSF glacier white	
BK matte black powder coat		

Note: When ALM Aluminum is selected for lid material, lid material will match frame finish.

Mediatrac 1 grommet kits and locations codes for glass tops.
 Kits include all jumpers and necessary components based on table length and power option.
 Grommet kits ship separately from tops.

sku	specifications	frame material
01G	72" - 120" Table (1) 3" single round pass through grommet kit for use on 1 piece tops only 	\$ 169
02G	72" - 120" Table (2) 3" single round pass through grommet kits 	337
33G	72" - 120" Table (3) 3" single round pass through grommet kits 	505

specification codes example: ACS-SKU

series sku

top	
A C S -	-

material + finish code example: BA



frame finish

BA brushed aluminum
 WH satin white powder coat
 GR graphite powder coat
 BZ bronze powder coat
 IG iron grey powder coat
 RD black red powder coat
 BK matte black powder coat

Mediatrac1 grommet kits and locations codes for glass tops.

Kits include all jumpers and necessary components based on table length and power option.
 Grommet kits ship separately from tops.

Specify table length, power style, lid material and frame finish below.

sku	specifications	lid options	
		Aluminum	Glass
03G	72" - 120" Table (1) 8" double door mediatac grommet for use on 1 piece tops only	\$ 2183	\$ 3413
			
04G	72" - 240" Table (2) 8" single door mediatac grommets	3002	5527
			
06G	72" - 120" Table (1) 24" double door mediatac grommet for use on 1 piece tops only	3072	4572
			

specification codes example: MGS-SKU-CRD132



series	sku	power option	table length
top		CRD cabled	072 132 192
		HWD hardwired	078 138 198
		4TC four trac cabled	084 144 204
		4TH four trac hardwired	090 150 210
			096 156 216
			102 162 222
			108 168 228
			114 174 234
			120 180 240
	M G S -		

material + finish code example: BA GEB

frame finish	lid material
BA brushed aluminum	ALM aluminum
powder coat upcharge \$75	GEB glass etched, back-painted black
WH satin white powder coat	GEW glass etched, back-painted white
GR graphite powder coat	
BZ bronze powder coat	
IG iron grey powder coat	
RD black red powder coat	
BK matte black powder coat	

Mediatrac1 grommet kits and locations codes for glass tops.
 Kits include all jumpers and necessary components based on table length and power option.
 Grommet kits ship separately from tops.

Specify table length, power style, lid material and frame finish below.

sku	specifications	lid options	
		Aluminum	Glass
05G	72" - 240" Table (2) 8" double door mediatac grommets	\$ 3958	\$ 6548
			
07G	84" - 120" Table (1) 8" double door mediatac grommet (2) 8" single door mediatac grommet for use on 1 piece tops only	4777	8596
			
08G	84" - 120" Table (1) 24" double door mediatac grommet (2) 8" single door mediatac grommets for use on 1 piece tops only	5595	9483
			

specification codes example: MGS-SKU-CRD132

series	sku	power option	table length
top		CRD cored	072 132 192
		HWD hardwired	078 138 198
		4TC four trac cored	084 144 204
		4TH four trac hardwired	090 150 210
			096 156 216
			102 162 222
			108 168 228
			114 174 234
			120 180 240

M | G | S | - | | | | - | | | |

material + finish code example: BA GEB

frame finish	lid material
BA brushed aluminum	ALM aluminum
powder coat upcharge \$150	GEB glass etched, back-painted black
WH satin white powder coat	GEW glass etched, back-painted white
GR graphite powder coat	
BZ bronze powder coat	
IG iron grey powder coat	
RD black red powder coat	
BK matte black powder coat	

| | | |

Note: When ALM Aluminum is selected for lid material, lid material will match frame finish. 33

Mediatrac 1 grommet kits and locations codes for glass tops.

Kits include all jumpers and necessary components based on table length and power option.
Grommet kits ship separately from tops.

Specify table length, power style, lid material and frame finish below.

SKU	DESCRIPTION	Aluminum	Glass
10G	<p>96" - 120" Table</p> <p>(3) 8" double door mediatrac grommets for use on 1 piece tops only</p>	\$ 5936	\$ 9822

specification codes example: MGS-SKU-CRD 120

series	sku	power option	table length
top		CRD corded	096
		HWD hardwired	102
		4TC four trac corded	108
		4TH four trac hardwired	114
			120

material + finish code example: BA GEB

frame finish	lid material
BA brushed aluminum	
powder coat upcharge \$225	
WH satin white powder coat	ALM aluminum
GR graphite powder coat	GEB glass etched, back-painted black
BZ bronze powder coat	GEW glass etched, back-painted white
IG iron grey powder coat	
RD black red powder coat	
BK matte black powder coat	

Mediatac 1 grommet kits and locations codes for glass tops.


Kits include all jumpers and necessary components based on table length and power option.
 Grommet kits ship separately from tops.

Specify table length, power style, lid material and frame finish below.

sku	specifications
-----	----------------

14G 132" - 240" Table

(4) 8" double door mediatac grommets






lid options		
	Aluminum	Glass
	\$ 7777	\$ 12823

specification codes example: MGS-SKU-CRD 132

series	sku	power option	table length
top		CRD cored	132 174 216
		HWD hardwired	138 180 222
		4TC four trac cored	144 186 228
		4TH four trac hardwired	150 192 234
			156 198 240
			162 204
			168 210

material + finish code example: BA GEB

frame finish	lid material
BA brushed aluminum	ALM aluminum
powder coat upcharge \$375	GEB glass etched, back-painted black
WH satin white powder coat	GEW glass etched, back-painted white
GR graphite powder coat	
BZ bronze powder coat	
IG iron grey powder coat	
RD black red powder coat	
BK matte black powder coat	



description	sku	w	d	h	price
 equipment tray silver powder coat	VMY	17½	16	3	\$ 323
 cable sling grey nylon mesh material hooks onto mediatrac TM rails specify with Extron AAP pull-through ACS-VGY	VMW	17½	16	3	323
 wire clip hooks onto mediatrac TM rail smoke polycarbonate finish 4 included with each table at no charge	VNZ	6	2¼	1¾	83
 wire management kit 12 multi wire clips 8 wire clips black	WMK	1 5/8	7/8	1½	221
 power column removable door for wire access specify finish PS or BK	MWC	11	11	24¾	1388

specification codes example: ACS-SKU

finish code example: BK


series	sku
accessories	
A C S -	

 BK matte black powder coat
 PS polished stainless steel

description	sku	w	d	h	price	
	power strip	VNY	12 1/4	2	1 3/4	\$ 597
	6 outlet center; 110v 15 amp 15' plug-in cord surge protector UL Listed					
	blank plate	VGG	3 1/2	-	5/8	177
	Extron [®] AAP blank plate with black powder coat finish single space insert					
	cable pass-through module	VGY	3 1/2	-	1 3/8	502
	Extron [®] AAP single space, cable pass-through plates sold as a set of (2) black powder coat finish specify for use with the VMW cable sling					
	phone/data module	VGD	3 1/2	-	5/8	379
	Extron [®] AAP two RJ-45 pass-through barrels CAT 5e single space insert					
	phone/data module	VGK	3 1/2	-	5/8	303
	Extron [®] AAP one RJ-45 female to punch down block Leviton CAT6 data single space insert					
	phone/data module	VGP	3 1/2	-	5/8	421
	Extron [®] AAP two RJ-45 female to punch down block Leviton CAT6 data single space insert					
	phone/data module	VGL	3 1/2	-	5/8	421
	Extron [®] AAP two RJ-45 female to punch down block AMP CAT6 data single space insert					

specification codes example: ACS-SKU

series	sku
accessories	
A C S -	

description	sku	w	d	h	price
 phone/data module Extron [®] AAP two RJ-45 female to punch down block higher than CAT6 data type connectors systemax MGS500 backward compatible double space insert	VGQ	3½	-	1⅓	\$ 572
 computer/audio/video module Extron [®] AAP HDMI female to HDMI female on 10" pigtail single space insert	VG3	3½	-	5/8	421
 control/computer module Extron [®] AAP two USB A female to female barrels single space insert	VGR	3½	-	5/8	421
 power plate charging module type 5 VDC USB C power outlet 3 A/45 watts type 5 VDC USB A power outlet 2.1A/10.5 watts of power for charging mobile devices, single space insert	VG9	3½	-	5/8	1437
 usb charging module Extron [®] AAP Power Plate charging module 2 5 VDC USB power outlets 2.1 A / 10.5 watts of power for charging mobile devices single space insert	VGU	3½	-	5/8	815

specification codes example: ACS-SKU

series sku

accessories

A | C | S | - |

Prices and Specifications

Prices and specifications are subject to change without notice. All prices quoted will be FOB our factories. If applicable, sales tax will be based on ship-to destination.

Bernhardt Design reserves the right to make changes in dimensions, construction, price lists, or product literature without prior notice.

All measurements and weights are approximate and subject to change without notice.

Order Entry

All orders are subject to final acceptance by Bernhardt Design in Lenoir, NC. Receipt of our acknowledgment indicates acceptance of your order subject to the terms set forth on the acknowledgment.

Bernhardt Design attempts to clarify all purchase orders. However, in the event the price list number and description on the purchase order differ, the price list number will prevail.

Changes/Cancellation

All orders in production are considered firm orders and are not subject to changes or cancellation.

Shipping

Bernhardt Design will ship in accordance with customer instructions whenever possible. For convenience, Bernhardt Design offers a guaranteed freight program (GFP). Bernhardt Design will exercise our best judgment in selecting a carrier under our GFP. When selecting a carrier, Bernhardt Design will make our best effort to meet requested delivery dates.

Transportation lead-times and delays including equipment problems, weather, general traffic, traffic accidents, customer warehouse space, labor disputes, customer changes, etc., that occur on a carrier will not be the responsibility of Bernhardt Design. Furthermore, Bernhardt Design will not be responsible for additional costs incurred due to aforementioned delays.

For customers who decline our GFP, Bernhardt Design will stage orders for pick up at 1% of the list price, or \$75 minimum.

Customer orders in production will be shipped as scheduled and will not be held. Bernhardt Design reserves the right to make partial shipments on any order, unless notified otherwise by the customer.

High quality cartoning meeting trucking and railroad specifications is standard at no extra charge. Some items may be blanket wrapped for shipment.

Freight Damage and Claims

Bernhardt Design is not liable for any damages to products that occur during transit or storage. The carrier assumes all responsibility upon acceptance of product. It is the customer's responsibility to inspect products upon receipt and file any claims with the carrier. No product should be refused. If products are received damaged, a written exception should be made on the bill of lading and an immediate inspection be requested of the carrier.

Concealed damage must be reported to the carrier within 10 business days from date of delivery. Failure to make claims shall constitute acceptance of the products and waive any claims of defects, errors or shortages. In the event delivery is made on a Bernhardt Design truck, the products should be carefully inspected for transit damage. If contents are damaged, the driver should be notified to call his dispatcher for immediate disposition.

Concealed damage must be reported within 10 business days from date of delivery and product/packaging held for inspection by a Bernhardt Design representative. Replacements for product damaged in shipment or storage will be manufactured upon receipt of a purchase order.

Returns

No merchandise may be returned to Bernhardt Design without written consent in the form of a Return Authorization from our Quality Assurance Department stating why item is being returned and how item will be shipped.

Unauthorized returns will be automatically refused by our receiving department as well as returns not in accordance with Bernhardt Design shipping instructions. Liability for defective merchandise shall be limited to the replacement or repair of that merchandise, and Bernhardt Design shall not be liable for other damages or losses.

Terms and Credit

Pricing and terms of sale apply to orders accepted by Bernhardt Design, and no terms, stipulations, or conditions contained in the dealer's submitted purchase orders shall have any force or effect. Bernhardt Design requires a completed and signed credit application from every dealer.

Bernhardt Design also requires dealers to provide a Blanket Certificate of Resale/Use containing valid sales tax exemption number(s) for their respective state(s).

If credit has been approved, the standard terms for all Bernhardt Design products are Net 30 from the invoice date. In certain instances, as an additional condition of order acceptance, buyer may be required to provide a deposit at time of order and/or remit the balance before shipment is released. If credit has not been approved, a 100% prepayment, including any freight charges, is required prior to production.

Acceptable forms of payment include a certified check or electronic bank transfer. For information on where to send check/electronic bank information contact our Financial Services Department. If a dealer or company check is submitted, three (3) weeks should be allowed for the clearance of the check. If electronic bank transfer is submitted, one (1) week should be allowed for the clearance of the electronic bank transfer. The order is subject to cancellation if payment in full is not received within three (3) weeks from the acknowledgment date.

The dealer may not make deductions for advertising, promotions, quality problems, freight, or any other reason without prior authorization by Bernhardt Design. Such a deduction could result in the curtailment or suspension of further shipments until the matter is resolved.

Delinquency notices are generated and mailed periodically. Service charges of 18% per annum will be added to each past-due transaction. Unpaid service charges will be accrued and invoiced on a periodic basis. Past-due notices may result in orders being held until the situation is resolved.

This credit hold could prevent orders from being placed into production or shipped. Orders not in production that are placed on credit hold for three (3) weeks will be subject to cancellation.

Severe past-due situations may result in the employment of a collection agency or other collection litigation. If any collection activity is necessary regarding a dealer account, the dealer will be responsible for the payment of any and all attorney and collection agency fees.

A slow payment history may result in reducing or eliminating an open line of credit. At the discretion of Bernhardt Design, amounts owed by a dealer to Bernhardt Design arising from any transaction or dealings between the dealer and Bernhardt Design may be offset against any amounts owed to the dealer by Bernhardt Design.

Warranty

Bernhardt Design will repair or replace, at its discretion, any product or part thereof which fails as the result of defects in material and workmanship, under single shift use and normal care for five years from date of shipment. This warranty shall apply only to the original purchaser.

This warranty does not cover normal wear and tear, misuse or abuse of product, dramatic temperature changes, exposure to unusual conditions or damages incurred by contact with seating products, tables, desks or other surfaces. Natural color changes, variations or movements in lumber or veneer products, exposure to extreme temperature changes and direct sunlight may cause color changes and/or surface damage. These are circumstances beyond the control of Bernhardt Design and are not warranty issues. Repair or replacement of discontinued product will be at the discretion of Bernhardt Design.

This warranty is the customer's exclusive remedy for product defect and does not apply to damage caused by a freight carrier, dealer, installer, user modification, attachments to a product, or any third party. Bernhardt Design has the exclusive right to make the final determination of product misuse or abuse. Except as stated above, Bernhardt Design makes no express or implied warranties as to any product, and in particular, makes no warranty of merchantability or of fitness for any particular purpose. Bernhardt Design shall not be liable for any consequential or incidental damages or for commercial loss arising from any product defect.

Operational Parts Warranty

Drawer glides, drawer boxes, drawer pulls, and lock mechanisms have a Life-Time Warranty for original purchaser. Power and communication components are warranted for one year.

Parts Order

Bernhardt Design parts have a \$25 net minimum per order. This does not include freight costs.

Custom Design

Bernhardt Design may alter products to meet specific needs. Contact your local sales representative when a custom design is needed. Custom designs,

if approved, require minimum quantities, additional leadtime and upcharges. A custom job number, available from your Bernhardt Design sales representative, must be submitted with purchase orders. Orders combining custom design with standard product cannot be scheduled for production until custom items are approved. Custom design orders are not subject to revision or cancellation after acknowledgment.

Wood Finishes

Bernhardt Design tables are available in finishes that are compatible with credenzas and seating finishes. However, finishes on tables may vary slightly from those on seating due to the natural characteristics of the wood. No absolute match is implied or guaranteed.

Light Finishes

Bernhardt Design offers lighter finishes on certain veneers and solid woods. When specifying light finishes the natural characteristics of the wood will be

visible and color will vary. Natural characteristics include the natural discolourations of the wood substance and color variations in glued up stock. These natural characteristics are not considered defects by Bernhardt Design, and therefore merchandise will not be replaced.

Special Finishes

Special finishes, made to customer specifications and subject to factory approval, may be available at a 10% net upcharge with a \$500 net minimum.

Additional leadtime may be required for special finish items. Special finish orders will not be acknowledged until the special finish sample is approved in writing and received by Bernhardt Design Customer Service. Special finish orders are not subject to revision or cancellation after acknowledgment.

Installation and Maintenance

All freestanding tables and credenzas are equipped with leveling devices. Local floor conditions vary, and it is always necessary to properly adjust leveling devices. Proper leveling is essential to the alignment and function of doors and drawers.

Improperly leveled units result in misaligned doors and drawers and may impair locking mechanisms or other functional hardware. After the initial installation of credenzas, it may be necessary to readjust and align the units to compensate for settling. This should be expected as a matter of routine maintenance and follow-up to assure proper case function.

Proper installation of Bernhardt Design tables and credenzas is the responsibility of the dealer. Improperly installed units can result in permanent damage to case components. Damage due to improperly installed furniture not covered under product warranty.

Orders combining custom design with standard product cannot be scheduled for production until custom items are approved. Custom design orders are not subject to revision or cancellation after acknowledgment.

Care and Cleaning

Finished wood surfaces should be cleaned with a soft damp cloth, wiping in the direction of the grain. Furniture should be buffed dry immediately with a soft cloth.

Design and Patent Rights

All of the products shown in Bernhardt Design catalogs and described in Bernhardt Design price lists are, and remain, the property of Bernhardt Design, with the sole right reserved to manufacture and to distribute.

Some of the product designs shown are patented in the United States and will remain the property of Bernhardt Design. Any reproduction of the products constitutes an infringement of patented copyright laws and will be subject to prosecution.

Environmental

Some tables and credenzas are LEVEL® for ANSI/BIFMA e3-2019 – Furniture Sustainability Standard and SCS Indoor Advantage™ Gold certified. Visit the product page at bernhardtdesign.com for certifications.

Preferred Carrier Guaranteed Freight Rates

Freight charges will be applied to orders as a separate line item based on the zones listed. Rates are based on zones with a minimum for each zone. All zones are located within the Continental United States.

The freight amount is calculated on the total merchandise list COM price. Additional freight fuel surcharges may apply. Rates are based on deliveries made Monday through Friday, 8 am until 5 pm.

All orders are shipped by Bernhardt Design company trucks or preferred carriers specified by Bernhardt Design. If a purchase order does not specify that the product must ship complete, Bernhardt Design reserves the right to select the most effective shipping method necessary, including split shipments. Dealer warehouse information, including phone number and contact name, must be specified on the purchase order.

Direct site deliveries may be requested with an additional freight cost. Requests for direct site deliveries must be made 2 weeks prior to the scheduled ship week and meet the following criteria:

- Minimum of half truckload
- Delivery site accessible by a 53' trailer
- Complete delivery site address with contact name and on-site phone number
- Labor available for unloading

Deliveries that do not meet the criteria must be directed to a receiver warehouse. If a receiver warehouse is not available, the dealer may make arrangements with their own 3rd party carrier. If a 3rd party carrier is elected, a contact name, phone number and e-mail address is required.


Bernhardt Design has a no touch freight policy. Drivers are not allowed to unload freight.

Weekend direct site deliveries will incur a \$500 per trailer weekend delivery fee. Weekend is defined as between 5 pm Friday and 8 am Monday.

Customers who decline GFP should refer to the shipping section of the Terms and Conditions page.

Zone	Percent	Minimum
Zone 1	3%	\$150
Zone 2	4%	\$150
Zone 3	5%	\$150
Zone 4	5.5%	\$150
Zone 5	6%	\$150

Percent bases on List Price.



Preferred Carrier Guaranteed Freight Rates - Canada

Freight charges will be applied to orders as a separate line item based on the zones listed. Rates are based on zones with a minimum for each zone.

The freight amount is calculated on the total merchandise list COM price. Additional freight fuel surcharges may apply. Rates are based on deliveries made Monday through Friday, 8 am until 5 pm.

All orders are shipped by Bernhardt Design company trucks or preferred carriers specified by Bernhardt Design. If a purchase order does not specify that the product must ship complete, Bernhardt Design reserves the right to select the most effective shipping method necessary, including split shipments. Dealer warehouse information, including phone number and contact name, must be specified on the purchase order.

Direct site deliveries may be requested with an additional freight cost. Requests for direct site deliveries must be made 2 weeks prior to the scheduled ship week and meet the following criteria:

- Minimum of half truckload
- Delivery site accessible by a 53' trailer
- Complete delivery site address with contact name and on-site phone number
- Labor available for unloading

Deliveries that do not meet the criteria must be directed to a receiver warehouse. If a receiver warehouse is not available, the dealer may make arrangements with their own 3rd party carrier. If a 3rd party carrier is elected, a contact name, phone number and e-mail address is required.

Bernhardt Design has a no touch freight policy. Drivers are not allowed to unload freight.

Weekend direct site deliveries will incur a \$500 per trailer weekend delivery fee. Weekend is defined as between 5 pm Friday and 8 am Monday.

Customers who decline GFP should refer to the shipping section of the Terms and Conditions page.

Zone	Minimuns	Freight	Avg. Bus. Days
Zone 1	\$200	5%	10-15
Zone 2	\$200	9%	10-15
Zone 3	\$200	8%	10-15
Zone 4	\$200	11%	10-15
Zone 5	Quote	Quote	

The attached rates are strictly freight and do not include brokerage fees.

