matera tables price list

april 2025

BERNHARDT

index	2
veneer selection	3-4
design selections + finishes	5
base style selection	6
top selections	7
power overview	8
tops	9-12
subtops	13-16
under mount power	
under mount power overview	17
grommet placement kits	18-20
extron APP modules	21
mediatrac1 [™] power	
power overview	22
4-trac power system	23
grommet placement kits	24
laminate, veneer, solid surface, aluminum	25-30
back-painted glass	31-35
wire management	36
extron APP modules	37-38
terms and conditions	39-41
guaranteed freight	42
guaranteed freight - canada	43
guaranieeu neigin - Ganaua	43

Veneer Selections

A three character sku identifies each species as well as the standard finish offered. Individual components are priced with standard finish. Special finishes on veneers made to customer specifications are subject to factory approval and a 10% net upcharge with a \$500 net minimum.

Transparent stains and sealers are applied in multiple steps to enhance the beauty of the natural wood. A durable, baked-on, top-coat of conversion varnish

or UV topcoat is applied to protect the product. It is recommended that felt, cork or fabric backed desk pads and accessories are used on worksurfaces to minimize wear.

When specifying light finishes the natural characteristics of the wood will be visible and color will vary. Paint finishes are available as custom orders. See terms and conditions for additional finish information.

ASB Ash Flat Cut Bookmatched



Standa	ard Fin	ish
871	870	839
837	860	861
865	836	866
872	805	845
Select	Finish	es
M73	M72	M75
M74	M76	M77
M7 1		

OAB Oak Rift Cut/Quarter Cut Bookmatched



Standard Finish 870 871 839 837 860 861 865 836 866 872 805 845 Select Finishes M73 M72 M75 M74 M76 M77 M71

PLB Paldao Rift Cut/Quarter Cut Bookmatched



 Standard Finish

 871
 860
 823

 872
 861
 866

 870
 839

WLB Walnut Flat Cut Bookmatched



TOB Tiger Oak Rift Cut/Quarter Cut Bookmatched



Standard Finish 871 ONLY



Veneer Select	tions						
OAB Oak							
871	837	865	872	870	860	836	805
839	861	866	845				
OAB Select Finis	shes						
M73 Whitewash	M74 Fawn	M71 Blonde	M72 Toast	M76 Caramel	M75 Smoke	M77 Coffee	
PLB Paldao							
871	872	870	860	861	839	823	866
WLB Walnut							
872	870	860	839	861	823	866	

TOB Tiger Oak



871

Design Selections

Glass Selections - Tops

PF Polished Flat Edge

GEW Etched Back-Painted White Glass - ½" thick **GEB** Etched Back-Painted Black Glass - ¾" thick

Solid Surface Selections - Tops

·····

FL 1/2" Flat Edge

SSF Solid Surface

Standard Finish CGW Corian, Glacier White

COM Tops

Matera table tops can accept a wide selection of customer own materials including stone and quartz. See page 14-15 for subtops skus. Order tops and bases separately all subtops painted dark grey to match Matera support rails. Subtops approved for use with up to 3 cm stone, quartz and COM glass.



Finishes

Base Finishes



BB Brushed Graphite



BS Brushed Stainless Steel BZ Brushed Bronze

Matera



Through the integration of stainless steel panels, the Matera table base creates an architectural aesthetic that supplements today's open environments and augments Bernhardt Design's meeting table offering.

The base is available in one size and is available in brushed stainless steel, brushed bronze and brushed graphite finishes. The Matera base features a removable inside panel that allows for access to wire management and preserves the narrow footprint.

Bases and tops are specified and sold separately. Tops are available in (3) widths and offered in veneer, etched back-painted black glass, etched back-painted white glass, solid surface and COM (with a 1" subtop).

SCS Indoor Advantage[™] Gold and LEVEL[®] 1 certified. See terms and conditions for additional environmental information.



Matera base shown with removable inside panel





Side View

	description	sku	w	d	h		price
	matera base	MPB	21/8	25%	281/4		\$ 5158
specification codes examp	ple: MAS-MPB					finish c	ode example: BS



Matera Tops



Matera tops are specifically constructed to accommodate the Matera bases. Tops and bases are specified and sold separately. See the specific top size desired for the appropriate number of bases required.

Recommended base sizes must be specified to ensure a proper alignment and fit. The Matera rail placement will have 17¹/4" inside clearance.



Detail view of Matera top.

Veneer - All Veneer is Bookmatched

ASB OAB	Ash Oak	TOB WLB	Tiger Oak Walnut
		PLB	Paldao

RB 11/4" Reverse Bevel FL 11/4" Flat

Glass

GEWEtched Back-Painted White GlassGEBEtched Back-Painted Black Glass



PF 1/2" Polished Flat

Solid Surface SSF Corian®, Glacier White



RB 11/4" Reverse Bevel

Subtop for COM

See page 12-14 for subtops skus. Order tops and bases separately. All subtops painted dark grey to match Matera support rails. Subtops approved for use with up to 3 cm stone, quartz and COM glass.



specification codes example: MAS-SKU-FLMA000 WLB 839 material + finish code example: sku finish grommet location material series edge base matera FL 11/4" flat MA matera rectangular Under Mount COM no top see pages 3-4 see pages 18-20 for location codes ASB PF 1/2" polished flat ash OAB oak RB 11/4" reverse bevel Mediatrac 1 TOB tiger oak see pages 25-35 for location codes WLB walnut PLB paldao 000 none GEW etched back-painted white glass GEB etched back-painted black glass SSF glacier white M A S -MA

Matera Power Column



The Matera meeting table collection offers a concealed wire management solution through the use of a power column. The power column is $11"w \times 11"d \times 24\%$ "h, with 8%" interior cord clearance and is available in polished stainless steel and matte black powder coat finishes. Power column is sold separately.







Power Column Front View

Power Column Top View

Power Column shown with removable panel

Matera Power Options

The Matera conference table offers (2) power solutions: Mediatrac 1[™] and Under Mount Power.



Mediatrac1[™]

Mediatrac 1 offers power options that utilize the electrical 4-Trac Power System, allowing for easy installation and reconfiguration capabilities. 4-Trac snaps together easily underneath the worksurface using whips from each power module and the integral 4-Trac jumpers specified for use with each particular Mediatrac 1 grommet size. The grommet layout and wiring scheme is specified specifically for each top size, requiring the customer to separately purchasethe grommet kit that fits their needs.

Mediatrac1 is certified to UL STD 962A, UL STD 1363, CSA STD 22.2 No. 308-14. 4-Trac is certified to UL STD 183 CSA STD 22.2 No. 203.1-14.

Under Mount Power

Matera offers a proprietary under mount power solution allowing quick and easy daisy chaining of modules together. The under mount power modules are available in (2) configurations: (2) 15 amp receptacles, or (1) 15 amp receptacle, (1) 2 amp USB-A port and (1) 2 amp USB-C port. Each module in a kit will be provided with the same configuration as specified by the end user. End user installation will be required per individual SKU. Each SKU includes a separate power infeed with a 10' grounded plug to connect to the power source. See installation instructions for installing.

Under mount power is certified to UL STD 962 A CSA STD 22.2 No. 21.

Tariff Surcharge 5%

matera

tops rectangular



tops 60" - 120" length x 48" - 60" wide have one sectional veneer top

rectangular top order bases separately



tops 126" - 240" length x 48" - 60" wide have two sectional veneer tops

				ASB OAB WLB		PLB p TOB tig			GEB etched back-painted black glass	SSF so	lid surface
sku	Ι	w	bases to specify	FL	RB	FL	RB		PF	FL	RB
EEC	60	48	(2) bases	3580	4189	4153	4762	9051	11043	7602	8895
EFC	66	48	(2) bases	3689	4317	4280	4907	10224	12474	7804	9131
EGC	72	48	(2) bases	3803	4450	4412	5058	10662	13008	7876	9215
EHC	78	48	(2) bases	3904	4568	4529	5193	11276	13757	8418	9850
EIC	84	48	(2) bases	4471	5232	5187	5947	11848	14455	8951	10473
EJC	90	48	(2) bases	5231	6121	6068	6958	12414	15146	9494	11108
EJD	90	54	(2) bases	5429	6352	6298	7221	13518	16492	10501	12287
EKC	96	48	(2) bases	5361	6273	6219	7131	13029	15896	10029	11734
EKD	96	54	(2) bases	5572	6520	6464	7411	14170	17288	11106	12995
EKE	96	60	(2) bases	5781	6764	6706	7689	15409	18799	12178	14249
ELC	102	48	(2) bases	5948	6960	6900	7911	13664	16671	10569	12366
ELD	102	54	(2) bases	6168	7217	7155	8204	14926	18210	11721	13714
ELE	102	60	(2) bases	6391	7478	7414	8501	16150	19703	12867	15055
EMC	108	48	(2) bases	6087	7122	7061	8096	14232	17364	11106	12995
EMD	108	54	(2) bases	6323	7398	7335	8410	15582	19011	12325	14421
EME	108	60	(2) bases	6557	7672	7607	8721	16881	20595	13526	15826
ENC	114	48	(2) bases	6232	7292	7230	8289	14837	18102	11647	13627
END	114	54	(2) bases	6477	7579	7514	8615	16231	19802	12932	15131
ENE	114	60	(2) bases	6723	7866	7799	8942	17624	21502	14206	16622



Tariff Surcharge 5%

matera

tops rectangular





rectangular top order bases separately

tops 60" - 120" length x 48" - 60" wide have one sectional veneer top

tops 126" - 240" length x 48" - 60" wide have two sectional veneer tops

					ash oak walnut	PLB pa TOB tig		GEW etched back-painted white glass		SSF so	lid surface
sku	Ι	w	bases to specify	FL	RB	FL	RB		PF	FL	RB
EOC	120	48	(2) bases	6374	7458	7394	8478	15481	18887	12178	14249
EOD	120	54	(2) bases	6632	7760	7694	8821	16957	20688	13526	15826
EOE	120	60	(2) bases	6858	8024	7956	9122	18421	22474	14874	17403
EPC	126	48	(3) bases	7387	8643	8569	9825	16504	20135	14686	17183
EPD	126	54	(3) bases	7679	8985	8908	10214	18140	22131	14991	17540
EPE	126	60	(3) bases	7978	9335	9255	10611	19730	24071	16509	19316
EQC	132	48	(3) bases	7587	8877	8801	10091	16702	20377	14883	17414
EQD	132	54	(3) bases	7878	9218	9139	10478	18338	22373	15191	17774
EQE	132	60	(3) bases	8176	9566	9485	10875	19931	24316	16708	19549
ERC	138	48	(3) bases	7701	9011	8934	10243	18691	22804	15851	18546
ERD	138	54	(3) bases	8023	9387	9307	10671	19450	23729	16229	18988
ERE	138	60	(3) bases	8344	9763	9680	11098	21205	25871	17900	20943
ESD	144	54	(3) bases	8222	9620	9538	10936	19648	23971	16429	19222
ESE	144	60	(3) bases	8542	9995	9909	11361	21403	26112	18098	21175
ETD	150	54	(3) bases	8308	9721	9638	11050	20969	25583	17492	20466
ETE	150	60	(3) bases	8651	10122	10036	11506	22852	27880	19286	22565
EUD	156	54	(3) bases	8507	9954	9869	11315	21170	25828	17690	20698
EUE	156	60	(3) bases	8851	10356	10268	11772	23051	28123	19483	22796
EVD	162	54	(3) bases	9032	10568	10478	12013	22319	27230	18653	21825
EVE	162	60	(3) bases	9401	11000	10906	12504	24352	29710	20543	24036
EWD	168	54	(3) bases	9230	10800	10707	12276	22519	27474	18852	22057
EWE	168	60	(3) bases	9599	11231	11135	12767	24550	29951	20743	24270



Tariff Surcharge 5%

matera

tops rectangular



rectangular top order bases separately



tops 126" - 240" length x 48" - 60" wide have two sectional veneer tops

				ASB OAB WLB		PLB pa TOB tig		GEW etched back-painted white glass	GEB etched back-painted black glass	SSF so	lid surface
sku	I	w	bases to specify	FL	RB	FL	RB		PF	FL	RB
EXD	174	54	(3) bases	9314	10898	10805	12388	23683	28894	19875	23254
EXE	174	60	(3) bases	9708	11359	11262	12912	25890	31586	21892	25614
EYD	180	54	(3) bases	9514	11132	11037	12654	23881	29135	20074	23487
EYE	180	60	(3) bases	9906	11591	11491	13175	26088	31828	22090	25846
EZD	186	54	(3) bases	9692	11340	11243	12891	25563	31187	21080	24664
EZE	186	60	(3) bases	10110	11829	11728	13447	27898	34036	23240	27191
E4D	400	54		0001	44570	44474	40450	05700	01400	04000	04000
E1D	192	54	(3) bases	9891	11573	11474	13156	25762	31430	21280	24898
E1E	192	60	(3) bases	10310	12063	11960	13713	28096	34278	23438	27423
E2D	198	54	(3) bases	9973	11669	11569	13265	26866	32777	22301	26093
E2E	198	60	(3) bases	10417	12188	12084	13855	29361	35821	24922	29159
E3D	204	54	(3) bases	10172	11902	11800	13529	27063	33017	22499	26324
E3E	204	60	(3) bases	10616	12421	12315	14120	29561	36065	25121	29392
LJE	204	00	(3) Dases	10010	12421	12315	14120	29501	30005	20121	29392
E4D	210	54	(3) bases	10259	12004	11901	13645	28295	34520	24125	28227
E4E	210	60	(3) bases	10726	12550	12443	14266	30899	37697	26548	31062
E5D	216	54	(3) bases	10456	12234	12129	13907	28493	34762	24324	28460
E5E	216	60	(3) bases	10924	12782	12672	14529	31099	37941	26746	31293
E6D	222	54	(3) bases	10985	12853	12743	14611	29596	36108	25418	29740
E6E	222	60	(3) bases	11475	13426	13311	15262	32359	39478	27969	32724
E7D	228	54	(4) bases	11185	13087	12975	14877	29795	36350	25618	29974
E7E	228	60	(4) bases	11673	13658	13541	15526	32558	39721	28169	32958
	220	00	(+) 00000	110/3	10000	13041	10020	32000	22121	20109	32900



Tariff Surcharge 5%

matera

tops rectangular



rectangular top order bases separately



tops 126" - 240" length x 48" - 60" wide have two sectional veneer tops

				ASB OAB WLB		PLB pa TOB tig			GEB etched back-painted black glass	SSF so	lid surface
sku	Ι	w	bases to specify	FL	RB	FL	RB		PF	FL	RB
E8D	234	54	(4) bases	11273	13190	13077	14994	30916	37718	26632	31160
E8E	234	60	(4) bases	11869	13887	13769	15786	33857	41306	29329	34315
E9D	240	54	(4) bases	11473	13424	13309	15260	31114	37960	26829	31390
E9E	240	60	(4) bases	12066	14118	13997	16048	34055	41548	29526	34546

specification co	des example: N	IAS-SKU-FLMAFM01			m	aterial + finish code example	: WLT 839
series	sku	edge	base	grommet location		material	finish
matera		FL 11/4" flat	MA matera rectangular	Under Mount	1	ASB ash	see pages 3-4
		PF 1/2" polished flat		see pages 18-20 for location codes		OAB oak	
		RB 11/4" reverse bev	el			TOB tiger oak	
				Mediatrac 1		WLB walnut	
				see pages 25-35 for location codes		PLB paldao	
						GEW etched back-painted w	white glass
				000 none		GEB etched back-painted b	lack glass
						SSF glacier white	
M A S -			MA				



rectangular top

order bases separately all **subtops** painted dark grey to match Matera support rails

subtops approved for use with up to 3 cm stone, quartz and COM glass





tops 54" - 114" length x 42" - 54" wide have one sectional veneer top

tops 120" - 234" length x 42" - 54" wide have two sectional veneer tops

sku	I	w	bases to specify	subtops
SEC	54	42	subtop for use with 60" x 48" top	2277
SFC	60	42	subtop for use with 66" x 48" top	2365
SGC	66	42	subtop for use with 72" x 48" top	2451
SHC	72	42	subtop for use with 78" x 48" top	2539
SIC	78	42	subtop for use with 84" x 48" top	2628
SJC	84	42	subtop for use with 90" x 48" top	2716
SJD	84	48	subtop for use with 90" x 54" top	2791
SKC	90	42	subtop for use with 96" x 48" top	2801
SKD	90	48	subtop for use with 96" x 54" top	2884
SKE	90	54	subtop for use with 96" x 60" top	2963
SLC	96	42	subtop for use with 102" x 48" top	2888
SLD	96	48	subtop for use with 102" x 54" top	2976
SLE	96	54	subtop for use with 102" x 60" top	3063
SMC	102	42	subtop for use with 108" x 48" top	2977
SMD	102	48	subtop for use with 108" x 54" top	3070
SME	102	54	subtop for use with 108" x 60" top	3161
SNC	108	42	subtop for use with 114" x 48" top	3066
SND	108	48	subtop for use with 114" x 54" top	3162
SNE	108	54	subtop for use with 114" x 60" top	3260

specification codes example: MAS-SKU series sku

matera



rectangular top

order bases separately

all **subtops** painted dark grey to match Matera support rails **subtops** approved for use with up to 3 cm stone, quartz and COM glass





tops 54" - 114" length x 42" - 54" wide have one sectional veneer top

tops 120" - 234" length x 42" - 54" wide have two sectional veneer tops

sku	I	w	bases to specify	subtops
SOC	114	42	subtop for use with 120" x 48" top	3157
SOD	114	48	subtop for use with 120" x 54" top	3255
SOE	114	54	subtop for use with 120" x 60" top	3356
SPC	120	42	subtop for use with 126" x 48" top	4775
SPD	120	48	subtop for use with 126" x 54" top	4887
SPE	120	54	subtop for use with 126" x 60" top	4998
SQC	126	42	subtop for use with 132" x 48" top	4973
SQD	126	48	subtop for use with 132" x 54" top	5084
SQE	126	54	subtop for use with 132" x 60" top	5197
SRD	132	48	subtop for use with 138" x 54" top	5172
SRE	132	54	subtop for use with 138" x 60" top	5294
SSD	138	48	subtop for use with 144" x 54" top	5271
SSE	138	54	subtop for use with 144" x 60" top	5394
STD	144	48	subtop for use with 150" x 54" top	5359
STE	144	54	subtop for use with 150" x 60" top	5491
SUD	150	48	subtop for use with 156" x 54" top	5457
SUE	150	54	subtop for use with 156" x 60" top	5588
SVD	156	48	subtop for use with 162" x 54" top	5544
SVE	156	54	subtop for use with 162" x 60" top	5687
SWD	162	48	subtop for use with 168" x 54" top	5642
SWE	162	54	subtop for use with 168" x 60" top	5786
SXD	168	48	subtop for use with 174" x 54" top	5729
SXE	168	54	subtop for use with 174" x 60" top	5885

specification codes example: MAS-SKU





rectangular top

order bases separately

all **subtops** painted dark grey to match Matera support rails **subtops** approved for use with up to 3 cm stone, quartz and COM glass





tops 54" - 114" length x 42" - 54" wide have one sectional veneer top

tops 120" - 234" length x 42" - 54" wide have two sectional veneer tops

sku	Ι	w	bases to specify	subtops
SYD	174	48	subtop for use with 180" x 54" top	5827
SYE	174	54	subtop for use with 180" x 60" top	5983
SZD	180	48	subtop for use with 186" x 54" top	5915
SZE	180	54	subtop for use with 186" x 60" top	6081
S1D	186	48	subtop for use with 192" x 54" top	6014
S1E	186	54	subtop for use with 192" x 60" top	6180
S2D	192	48	subtop for use with 198" x 54" top	6102
S2E	192	54	subtop for use with 198" x 60" top	6246
S3D	198	48	subtop for use with 204" x 54" top	6201
S3E	198	54	subtop for use with 204" x 60" top	6346
S4D	204	48	subtop for use with 210" x 54" top	6288
S4E	204	54	subtop for use with 210" x 60" top	6474
S5D	210	48	subtop for use with 216" x 54" top	6387
S5E	210	54	subtop for use with 216" x 60" top	6575
S6D	216	48	subtop for use with 222" x 54" top	6473
S6E	216	54	subtop for use with 222" x 60" top	6669
S7D	222	48	subtop for use with 228" x 54" top	6572
S7E	222	54	subtop for use with 228" x 60" top	6770
S8D	228	48	subtop for use with 234" x 54" top	6659
S8E	228	54	subtop for use with 234" x 60" top	6868

specification codes example: MAS-SKU series sku

matera

04/25



rectangular top

order bases separately all **subtops** painted dark grey to match Matera support rails **subtops** approved for use with up to 3 cm stone, quartz and COM glass





tops 120" - 234" length x 42" - 54" wide have two sectional veneer tops

ku	I	w	bases to specify	subtops
9D	234	48	subtop for use with 240" x 54" top	6759
9E	234	54	subtop for use with 240" x 60" top	6966

M A S -

matera

Under Mount Power

Bernhardt Design offers a proprietary under mount power solution allowing quick and easy daisy chaining of modules together. A maximum of (10) under mount power modules can be connected on one power infeed.

The under mount power modules are available in (2) configurations: (2) receptacles, or (1) receptacle, (1) 2 amp USB-A port and (1) 2 amp USB-C port. Each module in a kit will be provided with the same configuration as specified by the end user.

End user installation will be required per individual SKU. Each SKU includes a separate power infeed with a 10' grounded plug to connect to the power source. See installation instructions for installing.

See page 18-20 for details on recommended configurations for 2-10 under mount power modules.

Under mount power is certified to UL STD 962 A CSA STD 22.2 No. 21.

Power Modules Matte Black Finish



power + power (2) 120 v 60 Hz. 15 amp receptacles braided cotton 10' cord grounded plug UL 962 listed



Updated Information Shown in RED (1) 120 v 60 Hz. 15 amp receptacle (1) 2 amp USB-A port, 10 watt (1) 2 amp USB-C port, 20 watt braided cotton 10' cord grounded plug UL 962 listed

Replacement Housing with Location for Mini AAP Plate

Power Infeed 10' long, 15

amp cord.

Power Module

power + usb-a + usb-c



Sequential Connector Matte Black Finish

Bernhardt Design provides recommendations for installation locations as shown on

page 18-20. Installation instructions are included with each power unit.

Note: End user installation will be required per individual SKU.



Power Infeed 10' Grounded Plug Required per individual SKU Braided Cord





Matera Wire Management

Matera power infeeds are routed through integral spacers to a multi-wire clip that offers advanced wire management. The following illustration shows a section view of the Matera table with under mount power.



Tariff Surcharge 5%

under mount power

		PP	PU
	kits are specified and sold separately. Each kit lists the table top sizes compatible	power + power	power + usb + usb-c
	power units shown.		
	corded infeed with grounded and fused plug.		
t of Kits	sku specifications	~	¥
I Module Kit			
	U01S 60" - 240" Table	\$ 396	\$ 559
	a		
	5		
2 Module Kits			
			100-
	U02S 60" - 150" Table	1178	1685
	U02L 156" - 240" Table	1293	1799
3 Module Kits			
	U03S 60" - 150" Table	1584	2345
	U03L 156" - 240" Table	1813	2574
	a		
Module Kits			
	U04S 60" - 150" Table	1957	2695
	U04L 156" - 240" Table	2187	2925
specification codes examp	ie: ACS-SKU-PP		
series sku	power style		
	PP power + power PU power + usb + usb-c		

A C S -

-

under mount power

		PP	PU
	r kits are specified and sold separately. Each kit lists the table top sizes compatible	power + power	power + usb + usb-
	power units shown.		
	0' corded infeed with grounded and fused plug.		
of Kits	sku specifications	~~~~	¥
Module Kits			
	U05S 60" - 150" Table	\$ 2466	\$ 3582
	U05L 156" - 240" Table	2695	3812
Module Kits			
	U06S 60" - 150" Table	2583	4030
	U06L 156" - 240" Table	2812	4259
Module Kits			
	U07S 60" - 150" Table	3131	5024
	U07L 156" - 240" Table	3360	5253



under mount power

		PP	PU
	kits are specified and sold separately. Each kit lists the table top sizes compatible	power + power	power + usb + usb-c
vith the number of p	power units shown.		
	corded infeed with grounded and fused plug.		
ŧ of Kits	sku specifications		
8 Module Kits			
	U08S 60" - 150" Table	\$ 3561	\$ 6017
	U08L 156" - 240" Table	3790	6246
Module Kits	U09S 60" - 150" Table	4069	6904
	U09L 156" - 240" Table	4298	7133
0 Module Kits			
	U10S 60" - 150" Table	4578	7791
	U10L 156" - 240" Table	4807	8020



matera

under mount extron[®] MAAP modules

	description	sku	w	d	h	specifications	price
	under mount replacement housing for use with Extron® MAAP installed in the field by end user switch existing housing onsite to housing to accommodate Extron®	UPH this MAAP	73⁄8	33⁄4	11/2		\$ 214
• •	blank plate Extron [®] MAAP blank plate black powder coat finish single space insert	MP6	21/8	_	5⁄8		159
• • • •	computer/audio/video mini module Extron® MAAP HDMI female to HDMI female on single space insert	<u>MP1</u> 10" pigtail	21/8	-	5%8		409
• • •	computer/audio/video mini module Extron® MAAP display port female to display por single space insert	<u>MP3</u> t female on	21⁄8	-	5⁄/8		409
	phone/data mini module Extron® MAAP one RJ45 female to punch down leviton CAT6 data single space insert	MP4	21/8		5/8		284
	phone/data mini module Extron® MAAP one RJ45 female to female barrel single space insert	MP5	21/8	-	5⁄/8		244

specification codes example: ACS-SKU

series	sku
accessories	I
A C S -	

Mediatrac 1[™]

Mediatrac1 grommet system is a simplified system for bringing power and data to the meeting table worksurface in a clean simple way.

Mediatrac1 provides power and various options for Extron AAP data configurations. Grommets are available in (3) different sizes: a 8" x 4" single door unit, a 8" x 8" double door unit and a 8" x 24" double door unit. All units have brushed aluminum trim with options for aluminum, laminate, veneer, corian and glass lids.

Mediatrac1 has 4 different options for bringing power to the table, corded, harded or 4-trac system with either a corded or hardwired power infeed.

Mediatrac1 Options

8" Single Door Mediatrac[™] Grommet



2 grounded outlets, 1 exit plug, accepts 2 Extron single space AAP's, AAP modules specified separtely, brushed aluminum frame

Mediatrac1 Grommet Kits (Includes the following)

Power Module

Jumper (if required)

8" Double Door Mediatrac[™] Grommet

4 grounded outlets, 1 exit plug,

AAP modules specified separtely,

brushed aluminum frame

accepts 4 Extron single space AAP's,

Connector + H-Block

Will be included in kit when the

4-trac option is specified

-hunnun (munnun Jumpers are determined by the length of the top specified

Number and configuration of grommet modules determined by the grommet code

Mediatrac1 Dimensional Specifications



Note: End user installation will be required per individual SKU. Power specified separately. See pages 25-35 for grommet codes.

24" Double Door Mediatrac[™] Grommet



8 grounded outlets, 2 exit plugs, accepts 8 Extron single space AAP's, AAP modules specified separtely, brushed aluminum frame

Power Infeed Options - 1 72" 4-Trac Power Infeed with 20 amp plug 20 amp receptacle 4-Trac Only 4-Trac Power Infeed with Hardwired 72" 15 amp receptacle Power Infeed with 15 amp plug 72"

72" 3/8" Hardwire Whip



Mediatrac1 is certified to UL STD 962A, UL STD 1363, CSA STD 22.2 No. 308-14. 4-Trac is certified to UL STD 183 CSA STD 22.2 No. 203.1-14.

Mediatrac1[™]4-Trac Power System



Mediatrac1 Grommets Using Electrical 4-Trac Power System



4-Trac Infeed snaps into an H-Block connected to a Mediatrac1 power module with a 18" modular end.



4-Trac H-Block connects up to (4) Jumpers and Power Modules.



4-Trac Jumpers used in conjunction with the H-Block to wire the system.

Mediatrac1 is available in our 4-Trac Power System, allowing for easy installation and reconfiguration capabilities.

4-Trac snaps together easily underneath the worksurface using whips from each power module and the integral 4-Trac jumpers specified for use with each particular Mediatrac1 grommet size. The grommet layout and wiring scheme is specified specifically for each top size and is included with each kit.

Each power transition is accommodated by an H-Block, which gives the ability to snap together four power leads. Using the provided documentation to facilitate installation, powering the Mediatrac1 system is as easy as snapping together connectors.

Infeeds are available in both hardwired and corded version in a 72" length. The plug version for the Mediatrac1 power system is 20 amps and will require plugging into a 20 amp outlet to comply with electrical codes.



Illustrations showing electrical 4-Trac power infeed end options – hardwired conduit and 20 amp corded plug. Both are available in 72" lengths. 20 amp receptacle must be used with the plug.

Mediatrac1[™] Grommet Placement Kits

Mediatrac 1TM power options by Bernhardt Design are offered as a grommet kit which includes all grommets, jumpers and necessary components needed to bring power from the floor to the user. The number of grommets and lengths of jumpers are determined by the lengths and power options selected. Your kit will come complete with all necessary parts to install in the field.



Ordering Mediatrac1 Grommets

- Determine the amount of power and data needed
- Select the grommet code that best suits your requirements
- Select the type of power infeed you need
- Select the length of table that this is to be used on
- (make sure that this grommet code matches the code used when ordering your top)Select the grommet trim/frame finish
- Select the lid/door material
- Select the lid/door finish

The Grommet Kit will ship separately and will be installed in the field.



Ordering Example:

120" x 54" Table Top Walnut veneer, 870 finish M08 Grommet Code with 4trac corded power Walnut Door/Brushed AluminumTrim

specification codes example: MGS-M08-4TC120





Top Depth	Distance to Grommet
42"	17"
48"	20"
54"	23"
60"	26"
66"	29"
72"	32"

BAbrushed aluminumALMaluminumsee pages 3-5powder coatupcharge \$175ASBashpowder coatGRgraphite powder coatOABoakBZbronze powder coatTOBtiger oakIGiron grey powder coatPLBpaldaoRDblack red powder coatSSFglacier white	frame finish	lid material	lid finish
	powder coat upcharge \$175 WH satin white powder coat GR graphite powder coat BZ bronze powder coat IG iron grey powder coat RD black red powder coat	ASB ash OAB oak WLB walnut TOB tiger oak PLB paldao	see pages 3-5

Mediatrac 1 grommet kits and locations codes for veneer, laminates and solid surface tops. Kits include all jumpers and necessary components based on table length and power option. Grommet kits ship separately from tops.

		frame material
sku	specifications	ALM aluminum
M01	72" - 240" Table	\$ 164
	(1) 3" single round pass through grommet kit	
M02	72" - 240" Table	327
	(2) 3" single round pass through grommet kits	
M33	72" - 240" Table	490
	(3) 3" single round pass through grommet kits	
	n codes example: ACS-SKU material + finish cod	e example: BA
series top A C S 04/25	sku sku BA brushed alumi WH satin white po GR graphite powd GZ bronze powde IG iron grey powd BJ black red pow BK matte black pow BK matte black pow BK matte black pow	wder coat ler coat r coat der coat der coat

Mediatra	c 1 grommet kits and locations codes for	veneer. lamina	ites and solid surfa	ce tops.	lid ma	aterial
(its inclu Gromme	ide all jumpers and necessary componer t kits ship separately from tops. able length, power style, lid material and	nts based on tab	ble length and powe			ASB ash OAB oak TOB tiger oak WLB walnut PLB paldao
ku	specifications				ALM aluminum	SSF solid surface
M03	72" - 240" Table				\$ 2119	\$ 3313
	(1) 8" double door mediatrac grommet					
M04	72" - 240" Table				2914	5366
	(2) 8" single door mediatrac grommets					
P04	72" - 240" Table				3048	5498
	same information as M04 (1) 1" dia. grommet for microphone					
M06	72" - 240" Table				2982	4438
	(1) 24" double door mediatrac grommet					
specificatio series	n codes example: MGS-SKU-CRD132 sku power option	table length		material + finish code example: frame finish	BA WLT 839 lid material	lid finish
top	CRD corded HWD hardwired 4TC four trac corded 4TH four trac hardwired	072 132 078 138 084 144 090 150 096 156 102 162 108 168 114 174 120 180	192 198 204 210 216 222 228 234 240	BA brushed aluminum powder coat upcharge \$75 WH satin white powder coat GR graphite powder coat BZ bronze powder coat IG iron grey powder coat RD black red powder coat BK matte black powder coat	ALM aluminum ASB ash OAB oak TOB tiger oak WLB walnut PLB paldao SSF glacier white	see pages 3-5
					1	

Modiatra	nc 1 grommet kits and locations codes for v		lid material		
its inclu romme	able length, power style, lid material and f	s based on table length and pow			ASB ash OAB oak TOB tiger oak WLB walnut PLB paldao
sku	specifications			ALM aluminum	SSF solid surface
M05	72" - 240" Table			\$ 3842	\$ 6357
	(2) 8" double door mediatrac grommets				
P05	72" - 240" Table			3974	6491
	same information as M05 (1) 1" dia. grommet for microphone				
M07	84" - 240" Table			4637	8345
	(2) 8" single door mediatrac grommets				
80N	84" - 240" Table			5432	9206
	(1) 24" double door mediatrac grommet (2) 8" single door mediatrac grommets $\begin{array}{c} & & \\ &$				
•	n codes example: MGS-SKU-CRD132		material + finish code example:		
top	sku power option CRD corded HWD hardwired 4TC four trac corded 4TH four trac hardwired	table length 072 132 192 078 138 198 084 144 204 090 150 210 096 156 216 102 162 222 108 168 228 114 174 234 120 180 240	frame finish BA brushed aluminum powder coat upcharge \$150 WH satin white powder coat GR graphite powder coat BZ bronze powder coat IG iron grey powder coat RD black red powder coat BK matte black powder coat	lid material ALM aluminum ASB ash OAB oak TOB tiger oak WLB walnut PLB paldao SSF glacier white	lid finish see pages 3-5

Mediatrac 1 grommet kits and locations codes for veneer, laminates and solid surface tops. Kits include all jumpers and necessary components based on table length and power option. Grommet kits ship separately from tops. Specify table length, power style, lid material and frame finish below. sku specifications M12 108" - 240" Table (2) 24" double door mediatrac grommets	ASB ash OAB oak TOB tiger oak WLB walnut PLB paldao SSF solid surface \$ 8279
Grommet kits ship separately from tops. Specify table length, power style, lid material and frame finish below. sku specifications M12 108" - 240" Table \$ 5975	TOBtiger oakWLBwalnutPLBpaldaoSSFsolid surface
Specify table length, power style, lid material and frame finish below. ALM aluminum sku specifications ALM aluminum M12 108" - 240" Table \$ 5975	WLBwalnutPLBpaldaoSSFsolid surface
ku specifications ALM aluminum 112 108" - 240" Table \$ 5975	PLBpaldaoSSFsolid surface
112 108" - 240" Table \$ 5975	PLBpaldaoSSFsolid surface
M12 108" - 240" Table \$ 5975	SSF solid surface
	\$ 8279
(2) 24" double door mediatrac grommets	ψ 0210
* <u>21</u> *** <u>24</u> ***	
108" - 240" Table 6108	8412
same information as M12	
(1) 1" dia. grommet for microphone	
pecification codes example: MGS-SKU-CRD132 material + finish code example: BA WLT 839	
series sku power option table length frame finish lid material	lid finish
op CRD corded 108 162 216 BA brushed aluminum ALM aluminum	see pages 3-
HWD hardwired 114 168 222 ASB ash	
4TC four trac corded 120 174 228 WH satis white powder cost	
4TH four trac hardwired 126 180 234 TOB tiger oak	
132 186 240 WLB walnut	
138 192 BZ bronze powder coat PLB paldao	
	1
144 198 IG iron grey powder coat SSF glacier white	

M G S - -

]

ediatra	ac 1 grommet kits and locations codes for veneer, laminates and solid surface tops.	lid material		
	ude all jumpers and necessary components based on table length and power option.		ASB ash	
omme	et kits ship separately from tops.		OAB oak TOB tiger oak	
ecify t	table length, power style, lid material and frame finish below.		WLB walnut	
			PLB paldao	
u	specifications	ALM aluminum	SSF solid surface	
10	96" - 240" Table	\$ 5763	\$ 9535	
	(3) 8" double door mediatrac grommets			
	*21**			
15	132" - 240" Table	7550	12449	
	(2) 8" single door mediatrac grommets			
	(2) 24" double door mediatrac grommets			
30		8080	12317	
30	*21**	8080	12317	
30	156" - 240" Table (3) 24" double door mediatrac grommets Two power infeeds will be arranged for a power drop located at the center of the table.	8080	12317	
30	156" - 240" Table (3) 24" double door mediatrac grommets Two power infeeds will be arranged for a power drop located at the center of the table.	8080	12317	
30	156" - 240" Table (3) 24" double door mediatrac grommets Two power infeeds will be arranged for a power drop located at the center of the table. Complies with UL standards.	8080	12317	
30	156" - 240" Table (3) 24" double door mediatrac grommets Two power infeeds will be arranged for a power drop located at the center of the table. Complies with UL standards.	8080	12317	
30	156" - 240" Table (3) 24" double door mediatrac grommets Two power infeeds will be arranged for a power drop located at the center of the table. Complies with UL standards.	8080	12317	
	156" - 240" Table (3) 24" double door mediatrac grommets Two power infeeds will be arranged for a power drop located at the center of the table. Complies with UL standards.	8080	12317	
cificatio	156" - 240" Table (3) 24° double door mediatrac grommets Two power infeeds will be arranged for a power drop located at the center of the table. Complies with UL standards.	ample: BA WLT 839		
ecificatio	Image: The second se	ample: BA WLT 839 lid material	lid finish	
cificatio	Table (3) 24" double door mediatrac grommets Two power infeeds will be arranged for a power drop located at the center of the table. Complies with UL standards. Image: Colspan="2">The colspan="2" of the table. Complies with UL standards. Image: Colspan="2" of the table. Complies with UL standards. Image: Colspan="2" of the table. Complex with UL standards. Image: Colspan="2" of the table. Complex with UL standards. Image: Colspan="2" of the table. Complex with UL standards. Image: Colspan="2" of the table. Complex with UL standards. Image: Colspan="2" of the table. Complex with UL standards. Image: Colspan="2" of the table. Complex with UL standards. Image: Colspan="2" of the table. Complex with UL standards. Image: Colspan="2" of the table. Complex with UL standards. Image: Colspan="2" of the table. Complex with the table. Complex with the table. Complex with the table. Complex with table. Complex with the table. Complex with tabl	ample: BA WLT 839 Iid material ALM aluminum ASB ash	lid finish	
ecificatio	The second seco	ample: BA WLT 839 lid material ALM aluminum ASB ash OAB oak	lid finish	
ecificatio	Interval 156" - 240" Table (3) 24" double door mediatrac grommets Two power infeeds will be arranged for a power drop located at the center of the table. Complies with UL standards. Image: MGS-SKU-CRD 132 meterial + finish code example: Sku power option table length frame finish MGS-SKU-CRD 132 sku power option table length frame finish Metrial + finish code example: MGS-SKU-CRD 132 meterial + finish code example: MGS-SKU-CRD 132 meterial + finish code example: Meterial + finish code example: MGS-SKU-CRD 132 meterial + finish code example: Meterial + finish code example: Meterial + finish code example: Meterial + finish code example: Meterial + finish code example: Meterial + finish code example: Meterial + finish code example: Meterial + finish code example: Meterial + finis	ample: BA WLT 839 iid material ALM aluminum ASB ash OAB oak TOB tiger oak	lid finish	
ecificatio	Interval 156" - 240" Table (3) 24" double door mediatrac grommets Two power infeeds will be arranged for a power drop located at the center of the table. Complies with UL standards. Image:	ample: BA WLT 839 lid material kt szzz5 coat tt kt kt kt kt kt kt kt kt kt kt kt kt	lid finish	
ecificatio eries	156" - 240" Table (3) 24" double door mediatrac grommets Two power infeeds will be arranged for a power drop located at the center of the table. Complies with UL standards. 1	ample: BA WLT 839 Iid material S225 coat at t pat bat SF glacier white	lid finish	
ecificatio	156" - 240" Table (3) 24" double door mediatrac grommets Two power infeeds will be arranged for a power drop located at the center of the table. Complies with UL standards. 100 100 <	ample: BA WLT 839 lid material ALM aluminum ASB ash OAB oak TOB tiger oak WLB walnut PLB paldao SSF glacier white	lid finish	
ecificatio	156" - 240" Table (3) 24" double door mediatrac grommets Two power infeeds will be arranged for a power drop located at the center of the table. Complies with UL standards. 2 # attraction of the table attraction of the table . attraction of table . </td <td>ample: BA WLT 839 lid material ALM aluminum ASB ash OAB oak TOB tiger oak WLB walnut PLB paldao SSF glacier white</td> <td>lid finish</td>	ample: BA WLT 839 lid material ALM aluminum ASB ash OAB oak TOB tiger oak WLB walnut PLB paldao SSF glacier white	lid finish	
ecificatio	156" - 240" Table (3) 24" double door mediatrac grommets Two power infeeds will be arranged for a power drop located at the center of the table. Complies with UL standards. 100 100 <	ample: BA WLT 839 lid material ALM aluminum ASB ash OAB oak TOB tiger oak WLB walnut PLB paldao SSF glacier white	lid finish	
ecificatio	The provided with the provided during during the provided during during during the provided during durin	ample: BA WLT 839 lid material ALM aluminum ASB ash OAB oak TOB tiger oak WLB walnut PLB paldao SSF glacier white		

/lediatra	ic 1 grommet kits and locations codes for veneer, laminates and solid surface tops.	lid material		
ts inclu omme	ude all jumpers and necessary components based on table length and power option. t kits ship separately from tops. able length, power style, lid material and frame finish below.		ASBashOABoakTOBtiger oakWLBwalnutPLBpaldao	
u	specifications	ALM aluminum	SSF solid surface	
114	132" - 240" Table	\$ 8014	\$ 13311	
	(4) 8" double door mediatrac grommets $ \begin{bmatrix} $			
121	180" - 240" Table	9338	15561	
	(5) 8" double door mediatrac grommets			
125	228" - 240" Table (6) 8" double door mediatrac grommets Two power infeeds will be arranged for a power drop located at the center of the table. Complies with UL standards.	11390	18873	
Л25	(6) 8" double door mediatrac grommets Two power infeeds will be arranged for a power drop located at the center of the table.	11390	18873	
pecificatio	(6) 8" double door mediatrac grommets Two power infeeds will be arranged for a power drop located at the center of the table. Complies with UL standards.	e: BA WLT 839 lid material	lid finish	
M25 pecificatio series top	(6) 8" double door mediatrac grommets Two power infeeds will be arranged for a power drop located at the center of the table. Complies with UL standards.	e: BA WLT 839 lid material JS ALM aluminum ASB ash OAB oak TOB tiger oak WLB walnut PLB paldao SSF glacier white		
pecificatio	(6) 8" double door mediatrac grommets Two power infeeds will be arranged for a power drop located at the center of the table. Complies with UL standards. Image: Standard St	e: BA WLT 839 lid material JS ALM aluminum ASB ash OAB oak TOB tiger oak WLB walnut PLB paldao SSF glacier white	lid finish	

Mediatrac 1 grommet kits and locations codes for glass tops.

Kits include all jumpers and necessary components based on table length and power option. Grommet kits ship separately from tops.

		frame material
sku	specifications	ALM aluminum
01G	72" - 120" Table	\$ 164
	(1) 3" single round pass through grommet kit for use on 1 piece tops only	
	0	
)2G	72" - 120" Table	327
	(2) 3" single round pass through grommet kits	
33G	72" - 120" Table	400
550	(3) 3" single round pass through grommet kits	490
specifications series	on codes example: ACS-SKU material + fin sku frame finish	ish code example: BA
top	BA brushed WH satin wi	d aluminum hite powder coat
	BZ bronze	e powder coat powder coat y powder coat
	RD black re	ed powder coat lack powder coat
A C S		

Mediatra	ac 1 grommet kits and locations codes for		li	d options	
Kits incl Gromme	ude all jumpers and necessary componen t kits ship separately from tops.	s based on table length and power option	n.		
	able length, power style, lid material and	rame finish below.		Aluminum	Glass
sku	specifications				
03G	72" - 120" Table			\$ 2119	\$ 3313
	(1) 8" double door mediatrac grommet for use on 1 piece tops only				
04G	72" - 240" Table (2) 8" single door mediatrac grommets			2914	5366
06G	_72" - 120" Table			2982	4438
	(1) 24" double door mediatrac grommet for use on 1 piece tops only				
	for use on 1 piece tops only				
	for use on 1 piece tops only			rial + finish code example: BA	
specificati series top	for use on 1 piece tops only	table length 072 132 192 078 138 198 084 144 204 090 150 210 096 156 216 102 162 222 108 168 228 114 174 234 120 180 240	fr BJ W Gi B2 IG RI	erial + finish code example: BA rame finish A brushed aluminum bowder coat upcharge \$75 (H satin white powder coat R graphite powder coat Z bronze powder coat G iron grey powder coat D black red powder coat K matte black powder coat	A GEB Iid material ALM aluminum GEB glass etched, back-painted bla GEW glass etched, back-painted whi
series	for use on 1 piece tops only	072 132 192 078 138 198 084 144 204 090 150 210 096 156 216 102 162 222 108 168 228 114 174 234	fr BJ W Gi B2 IG RI	ame finish A brushed aluminum bowder coat upcharge \$75 (H satin white powder coat R graphite powder coat 2 bronze powder coat 5 iron grey powder coat D black red powder coat	lid material ALM aluminum GEB glass etched, back-painted bla

Mediatra	nc 1 grommet kits and locations codes for glass tops.	lid o	lid options		
Kits inclu	ude all jumpers and necessary components based on table length and power option. t kits ship separately from tops.				
	able length, power style, lid material and frame finish below.				
sku	specifications	Aluminum	Glass		
05G	_72" - 240" Table	\$ 3842	\$ 6357		
	(2) 8" double door mediatrac grommets				
07G	84" - 120" Table	4637	8345		
-	(1) 8" double door mediatrac grommet				
	(2) 8" single door mediatrac grommet for use on 1 piece tops only				
08G	84" - 120" Table	5432	9206		
	(1) 24" double door mediatrac grommet(2) 8" single door mediatrac grommets				
	for use on 1 piece tops only				
	21" * · · · ·				
	n codes example: MGS-SKU-CRD132	material + finish code example: BA G			
series top	sku power option table length CRD corded 072 132 192		lid material ALM aluminum		
	HWD hardwired 078 138 198 4TC four trac corded 084 144 204	powder coat upcharge \$150	GEB glass etched, back-painted black GEW glass etched, back-painted white		
	4TH four trac hardwired 090 150 210 096 156 216	WH satin white powder coat GR graphite powder coat			
	102 162 222 108 168 228	BZ bronze powder coat IG iron grey powder coat			
	114 174 234 120 180 240	RD black red powder coat BK matte black powder coat			
M G S					
04/25		l L L L L L L L L L L L L L L L L L L L	lid material will match frame finish		

		and locations codes	for glass tops. nents based on table length a	and nower option		lid options
	kits ship separa		nents based on table length a	and power option.		
		er style, lid material	and frame finish below.		Aluminum	Glass
sku	specifications					
10G	96" - 120'				\$ 5763	\$ 9535
	(3) 8" double c for use on 1 pi	loor mediatrac gromme ece tops only	ets			
	8"					
	€21"					
specification series	n codes example: M sku	GS-SKU-CRD120 power option	table length		material + finish code example: frame finish	BA GEB lid material
top		CRD corded	096		BA brushed aluminum	ALM aluminum
		HWD hardwired 4TC four trac corded	102 108		powder coat upcharge \$225	GEB glass etched, back-painted black GEW glass etched, back-painted white
		4TH four trac hardwired	114 120		WH satin white powder coat GR graphite powder coat	
					BZ bronze powder coat IG iron grey powder coat	
1						
					RD black red powder coat	
					BK matte black powder coat	
M G S .	-] _]]]]					

Mediatra	c 1 grommet kits and locations codes for	li	id options	
Kits inclu	ide all jumpers and necessary component t kits ship separately from tops.	on.		
	able length, power style, lid material and	frame finish below.	Aluminum	Glass
ku	specifications			
4G	132" - 240" Table		\$ 7550	\$ 12449
	(4) 8" double door mediatrac grommets			
ecificatio eries	n codes example: MGS-SKU-CRD132 sku power option	table length	material + finish code example: Ba frame finish	A GEB lid material
op	CRD corded HWD hardwired 4TC four trac corded 4TH four trac hardwired	132 174 216 138 180 222 144 186 228 150 192 234 156 198 240 162 204 168 210	BA brushed aluminum powder coat upcharge \$375 WH satin white powder coat GR graphite powder coat BZ bronze powder coat IG iron grey powder coat RD black red powder coat BK matte black powder coat	ALM aluminum GEB glass etched, back-painted bla GEW glass etched, back-painted wh
M G S				

Tariff Surcharge 5%

matera

mediatrac1[™] wire management

						wire management
	description	sku	w	d	h	price
	equipment tray silver powder coat	VMY	171⁄2	16	3	\$ 313
	cable sling grey nylon mesh material hooks onto mediatrac1 [™] rails specify with Extron AAP pull-throu	VMWugh ACS-VGY	171⁄2	16	3	313
	wire clip hooks onto mediatrac [™] rail smoke polycarbonate finish 4 included with each table at no c		6	21/4	13/4	80
	wire management kit 12 multi wire clips 8 wire clips black	WMK	1 5⁄8	7⁄8	11/2	214
	power column removable door for wire access specify finish PS or BK	MWC	11	11	243⁄8	1347
series sku accessories						finish BK matte black powder coa PS polished stainless steel

A C S -

04/25

Tariff Surcharge 5%

matera

mediatrac1[™] extron[®] AAP modules

						 DIT AAF IIIOdules
	description	sku	w	d	h	price
Jar Barren L	power strip 6 outlet center; 110v 15 amp 15' plug-in cord surge protector	VNY	121⁄4	2	13⁄4	\$ 579
L	UL Listed blank plate Extron [®] AAP blank plate with blac single space insert	VGG	<u>31/2</u> at finish	_	5/8	171
	cable pass-through module	VGY	31/2	_	13/8	487
	Extron® AAP single space, cable p sold as a set of (2) black powder coat finish specify for use with the VMW cab		plates			
	phone/data module Extron® AAP two RJ-45 pass-throu single space insert	VGD ugh barrels C	31⁄2 AT 5e	_	5/8	367
	phone/data module	VGK	31⁄2	-	5⁄8	294
	Extron® AAP one RJ-45 female to punch down block leviton CAT6 data single space insert					
	phone/data module	VGP	31/2	-	5⁄8	408
	Extron® AAP two RJ-45 female to punch down block leviton CAT6 data single space insert					
	phone/data module	VGL	31/2	-	5⁄8	408
4 1 4	Extron [®] AAP two RJ-45 female to punch down block AMP CAT6 data single space insert					

mediatrac1[™] extron[®] AAP modules

	description	sku	w	d	h	price
	phone/data module	VGQ	31/2	-	13⁄/8	\$ 555
	Extron® AAP two RJ-45 female to punch down block higher than CAT6 data type connec systomax MGS500 backward comp double space insert					
•	computer/audio/video module	VG3	31⁄2	-	5⁄8	408
	Extron [®] AAP HDMI female to HDMI female on 10 single space insert)" pigtail				
	control/computer module	VGR	31/2	-	5⁄8	408
	Extron [®] AAP two USB A female to female barrels single space insert					
** 🛛 📼 🗖	power plate charging module	VG9	31/2	-	5⁄8	1395
	type 5 VDC USB C power outlet 3 A type 5 VDC USB A power outlet 2.1 of power for charging mobile device single space insert	A/10.5 wa	tts			
*•?	usb charging module	VGU	31⁄2	-	5⁄8	791
	Extron [®] AAP Power Plate charging 2 5 VCD USB power outlets 2.1 A / 10.5 watts of power for cha single space insert		le devices			
	computer/audio/video module	VG6	31/2	-	15⁄8	647
	Extron [®] SuperPlate 110 - HDMI/Dis HDMI: female to female, 10" (25 cr DisplayPort: female to female, 10" Stereo/Audio: 3.5 mm mini jack to USB A: female to female, 10" (25 c double space insert	n) pigtail (25 cm) pig captive scr	tail		igtail	



Prices and Specifications

Prices and specifications are subject to change without notice. All prices quoted will be FOB our factories. If applicable, sales tax will be based on ship-to destination.

Bernhardt Design reserves the right to make changes in dimensions, construction, price lists, or product literature without prior notice.

All measurements and weights are approximate and subject to change without notice.

Order Entry

All orders are subject to final acceptance by Bernhardt Design in Lenoir, NC. Receipt of our acknowledgment indicates acceptance of your order subject to the terms set forth on the acknowledgment.

Bernhardt Design attempts to clarify all purchase orders. However, in the event the price list number and description on the purchase order differ, the price list number will prevail.

Changes/Cancellation

All orders in production are considered firm orders and are not subject to changes or cancellation.

Shipping

Bernhardt Design will ship in accordance with customer instructions whenever possible. For convenience, Bernhardt Design offers a guaranteed freight program (GFP). Bernhardt Design will exercise our best judgment in selecting a carrier under our GFP. When selecting a carrier, Bernhardt Design will make our best effort to meet requested delivery dates.

Transportation lead-times and delays including equipment problems, weather, general traffic, traffic accidents, customer warehouse space, labor disputes, customer changes, etc., that occur on a carrier will not be the responsibility of Bernhardt Design. Furthermore, Bernhardt Design will not be responsible for additional costs incurred due to aforementioned delays.

For customers who decline our GFP, Bernhardt Design will stage orders for pick up at 1% of the list price, or \$75 minimum.

Customer orders in production will be shipped as scheduled and will not be held. Bernhardt Design reserves the right to make partial shipments on any order, unless notified otherwise by the customer.

High quality cartoning meeting trucking and railroad specifications is standard at no extra charge. Some items may be blanket wrapped for shipment.

Freight Damage and Claims

Bernhardt Design is not liable for any damages to products that occur during transit or storage. The carrier assumes all responsibility upon acceptance of product. It is the customer's responsibility to inspect products upon receipt and file any claims with the carrier. No product should be refused. If products are received damaged, a written exception should be made on the bill of lading and an immediate inspection be requested of the carrier. Concealed damage must be reported to the carrier within 10 business days from date of delivery. Failure to make claims shall constitute acceptance of the products and waiver any claims of defects, errors or shortages.

In the event delivery is made on a Bernhardt Design truck, the products should be carefully inspected for transit damage. If contents are damaged, the driver should be notified to call his dispatcher for immediate disposition.

Concealed damage must be reported within 10 business days from date of delivery and product/packaging held for inspection by a Bernhardt Design representative. Replacements for product damaged in shipment or storage will be manufactured upon receipt of a purchase order.

Returns

No merchandise may be returned to Bernhardt Design without written consent in the form of a Return Authorization from our Quality Assurance Department stating why item is being returned and how item will be shipped.

Unauthorized returns will be automatically refused by our receiving department as well as returns not in accordance with Bernhardt Design shipping instructions. Liability for defective merchandise shall be limited to the replacement or repair of that merchandise, and Bernhardt Design shall not be liable for other damages or losses.

Terms and Credit

Pricing and terms of sale apply to orders accepted by Bernhardt Design, and no terms, stipulations, or conditions contained in the dealer's submitted purchase orders shall have any force or effect. Bernhardt Design requires a completed and signed credit application from every dealer. Bernhardt Design also requires dealers to provide a Blanket Certificate of Resale/Use containing valid sales tax exemption number(s) for their respective state(s).

If credit has been approved, the standard terms for all Bernhardt Design products are Net 30 from the invoice date. In certain instances, as an additional condition of order acceptance, buyer may be required to provide a deposit at time of order and/or remit the balance before shipment is released. If credit has not been approved, a 100% prepayment, including any freight charges, is required prior to production.

Acceptable forms of payment include a certified check or electronic bank transfer. For information on where to send check/electronic bank information contact our Financial Services Department. If a dealer or company check is submitted, three (3) weeks should be allowed for the clearance of the check. If electronic bank transfer is submitted, one (1) week should be allowed for the clearance of the electronic bank transfer. The order is subject to cancellation if payment in full is not received within three (3) weeks from the acknowledgment date.

The dealer may not make deductions for advertising, promotions, quality problems, freight, or any other reason without prior authorization by Bernhardt Design. Such a deduction could result in the curtailment or suspension of further shipments until the matter is resolved. Delinquency notices are generated and mailed periodically. Service charges of 18% per annum will be added to each past-due transaction. Unpaid service charges

will be accrued and invoiced on a periodic basis. Past-due notices may result in orders being held until the situation is resolved. This credit hold could prevent orders from being placed into production or shipped. Orders not in production that are placed on credit hold for three (3) weeks will be subject to cancellation.

Severe past-due situations may result in the employment of a collection agency or other collection litigation. If any collection activity is necessary regarding a dealer account, the dealer will be responsible for the payment of any and all attorney and collection agency fees.

A slow payment history may result in reducing or eliminating an open line of credit. At the discretion of Bernhardt Design, amounts owed by a dealer to Bernhardt Design arising from any transaction or dealings between the dealer and Bernhardt Design may be offset against any amounts owed to the dealer by Bernhardt Design.

Warranty

Bernhardt Design will repair or replace, at its discretion, any product or part thereof which fails as the result of defects in material and workmanship, under single shift use and normal care for five years from date of shipment. This warranty shall apply only to the original purchaser.

This warranty does not cover normal wear and tear, misuse or abuse of product, dramatic temperature changes, exposure to unusual conditions or damages incurred by contact with seating products, tables, desks or other surfaces. Natural color changes, variations or movements in lumber or veneer products, exposure to extreme temperature changes and direct sunlight may cause color changes and/or surface damage. These are circumstances beyond the control of Bernhardt Design and are not warranty issues. Repair or replacement of discontinued product will be at the discretion of Bernhardt Design.

This warranty is the customer's exclusive remedy for product defect and does not apply to damage caused by a freight carrier, dealer, installer, user modification, attachments to a product, or any third party. Bernhardt Design has the exclusive right to make the final determination of product misuse or abuse. Except as stated above, Bernhardt Design makes no express or implied warranties as to any product, and in particular, makes no warranty of merchantability or of fitness for any particular purpose. Bernhardt Design shall not be liable for any consequential or incidental damages or for commercial loss arising from any product defect.

Operational Parts Warranty

Drawer glides, drawer boxes, drawer pulls, and lock mechanisms have a Life-Time Warranty for original purchaser. Power and communication components are warranted for one year.

Parts Order

Bernhardt Design parts have a \$25 net minimum per order. This does not include freight costs.

Custom Design

Bernhardt Design may alter products to meet specific needs. Contact your local sales representative when a custom design is needed. Custom designs,

if approved, require minimum quantities, additional leadtime and upcharges. A custom job number, available from your Bernhardt Design sales representative, must be submitted with purchase orders.

Orders combining custom design with standard product cannot be scheduled for production until custom items are approved. Custom design orders are not subject to revision or cancellation after acknowledgment.

Wood Finishes

Bernhardt Design tables are available in finishes that are compatible with credenzas and seating finishes. However, finishes on tables may vary slightly from those on seating due to the natural characteristics of the wood. No absolute match is implied or guaranteed.

Light Finishes

Bernhardt Design offers lighter finishes on certain veneers and solid woods. When specifying light finishes the natural characteristics of the wood will be visible and color will vary.

Natural characteristics include the natural discolorations of the wood substance and color variations in glued up stock. These natural characteristics are not considered defects by Bernhardt Design, and therefore merchandise will not be replaced.

Special Finishes

Special finishes, made to customer specifications and subject to factory approval, may be available at a **10% net upcharge with a \$500 net minimum.**

Additional leadtime may be required for special finish items. Special finish orders will not be acknowledged until the special finish sample is approved in writing and received by Bernhardt Design Customer Service. Special finish orders are not subject to revision or cancellation after acknowledgment.

Installation and Maintenance

All freestanding tables and credenzas are equipped with leveling devices. Local floor conditions vary, and it is always necessary to properly adjust leveling devices. Proper leveling is essential to the alignment and function of doors and drawers.

Improperly leveled units result in misaligned doors and drawers and may impair locking mechanisms or other functional hardware.

After the initial installation of credenzas, it may be necessary to readjust and align the units to compensate for settling. This should be expected as a matter of routine maintenance and follow-up to assure proper case function.

Proper installation of Bernhardt Design tables and credenzas is the responsibility of the dealer. Improperly installed units can result in permanent damage to case components. Damage due to improperly installed furniture not covered under product warranty.

Orders combining custom design with standard product cannot be scheduled for production until custom items are approved. Custom design orders are not subject to revision or cancellation after acknowledgment.

Care and Cleaning

Finished wood surfaces should be cleaned with a soft damp cloth, wiping in the direction of the grain. Furniture should be buffed dry immediately with a soft cloth.

Design and Patent Rights

All of the products shown in Bernhardt Design catalogs and described in Bernhardt Design price lists are, and remain, the property of Bernhardt Design, with the sole right reserved to manufacture and to distribute.

Some of the product designs shown are patented in the United States and will remain the property of Bernhardt Design. Any reproduction of the products constitutes an infringement of patented copyright laws and will be subject to prosecution.

Environmental

Some tables and credenzas are LEVEL[®] for ANSI/BIFMA e3-2019 – Furniture Sustainability Standard and SCS Indoor Advantage[™] Gold certified. Visit the product page at bernhardtdesign.com for certifications.



Bernhardt Design is a registered trademark of Bernhardt Furniture Company of Lenoir, NC.

Preferred Carrier Guaranteed Freight Rates

Freight charges will be applied to orders as a separate line item based on the zones listed. Rates are based on zones with a minimum for each zone. All zones are located within the Continental United States.

The freight amount is calculated on the total merchandise list COM price. Additional freight fuel surcharges may apply. Rates are based on deliveries made Monday through Friday, 8 am until 5 pm.

All orders are shipped by Bernhardt Design company trucks or preferred carriers specified by Bernhardt Design. If a purchase order does not specify that the product must ship complete, Bernhardt Design reserves the right to select the most effective shipping method necessary, including split shipments. Dealer warehouse information, including phone number and contact name, must be specified on the purchase order.

Direct site deliveries may be requested with an additional freight cost. Requests for direct site deliveries must be made 2 weeks prior to the scheduled ship week and meet the following criteria:

Minimum of half truckload
Delivery site accessible by a 53' trailer
Complete delivery site address with contact name and on-site phone number
Labor available for unloading

Deliveries that do not meet the criteria must be directed to a receiver warehouse. If a receiver warehouse is not available, the dealer may make arrangements with their own 3rd party carrier. If a 3rd party carrier is elected, a contact name, phone number and e-mail address is required.

Bernhardt Design has a no touch freight policy. Drivers are not allowed to unload freight.

Weekend direct site deliveries will incur a \$500 per trailer weekend delivery fee. Weekend is defined as between 5 pm Friday and 8 am Monday.

Customers who decline GFP should refer to the shipping section of the Terms and Conditions page.



Percent bases on List Price.



Preferred Carrier Guaranteed Freight Rates - Canada

Freight charges will be applied to orders as a separate line item based on the zones listed. Rates are based on zones with a minimum for each zone.

The freight amount is calculated on the total merchandise list COM price. Additional freight fuel surcharges may apply. Rates are based on deliveries made Monday through Friday, 8 am until 5 pm.

All orders are shipped by Bernhardt Design company trucks or preferred carriers specified by Bernhardt Design. If a purchase order does not specify that the product must ship complete, Bernhardt Design reserves the right to select the most effective shipping method necessary, including split shipments. Dealer warehouse information, including phone number and contact name, must be specified on the purchase order.

Direct site deliveries may be requested with an additional freight cost. Requests for direct site deliveries must be made 2 weeks prior to the scheduled ship week and meet the following criteria:

Minimum of half truckload

•Delivery site accessible by a 53' trailer

•Complete delivery site address with contact name and on-site phone number •Labor available for unloading

Deliveries that do not meet the criteria must be directed to a receiver warehouse. If a receiver warehouse is not available, the dealer may make arrangements with their own 3rd party carrier. If a 3rd party carrier is elected, a contact name, phone number and e-mail address is required.

Bernhardt Design has a no touch freight policy. Drivers are not allowed to unload freight.

Weekend direct site deliveries will incur a \$500 per trailer weekend delivery fee. Weekend is defined as between 5 pm Friday and 8 am Monday.

Customers who decline GFP should refer to the shipping section of the Terms and Conditions page.



The attached rates are strictly freight and do not include brokerage fees.

