BERNHARDT design

matera tables price list

november 2023

## matera

#### index

index	2
veneer selection	3-4
design selections + finishes	5
base style selection	6
top selections	7
power overview	8
tops	9-12
subtops	13-16
under mount power	
under mount power overview	17
grommet placement kits	18-20
extron APP modules	21
mediatrac1™ power	
power overview	22
4-trac power system	23
grommet placement kits	24
laminate, veneer, solid surface, aluminum	25-30
back-painted glass	31-35
wire management	36
extron APP modules	37-38
terms and conditions	39-41
guaranteed freight	42

BERNHARDT design

guaranteed freight - canada

11/23

43

#### **Veneer Selections**

A three character sku identifies each species as well as the standard finish offered. Individual components are priced with standard finish. Special finishes on veneers made to customer specifications are subject to factory approval and a 10% net upcharge with a \$500 net minimum.

Transparent stains and sealers are applied in multiple steps to enhance the beauty of the natural wood. A durable, baked-on, top-coat of conversion varnish

or UV topcoat is applied to protect the product. It is recommended that felt, cork or fabric backed desk pads and accessories are used on worksurfaces to minimize wear.

When specifying light finishes the natural characteristics of the wood will be visible and color will vary. Paint finishes are available as custom orders. See terms and conditions for additional finish information.

**ASB** Ash Rift Cut/Flat Cut Bookmatched



 Standard Finish

 871
 870
 839

 837
 860
 861

 865
 836
 866

 872
 805
 845

Select Finishes M73 M72 M75 M74 M76 M77 M71

OAB Oak Rift Cut/Quarter Cut Bookmatched



Standard Finish
871 870 839
837 860 861
865 836 866
872 805 845

Select Finishes
M73 M72 M75
M74 M76 M77
M71

PLB Paldao Rift Cut/Quarter Cut Bookmatched



Standard Finish
871 860 823
872 861 866
870 839

**WLB** Walnut Flat Cut Bookmatched



Standard Finish 872 861 870 823 860 866 839

**TOB Tiger Oak**Rift Cut/Quarter Cut
Bookmatched



Standard Finish 871 ONLY

#### ASB Ash



871 8:





866



845









3

**ASB** Select Finishes

839















#### **Veneer Selections**





M76 Caramel

M75 Smoke

M77 Coffee

M72 Toast

M71 Blonde

860

TOB Tiger Oak

M73 Whitewash

M74 Fawn



871

872



#### **Design Selections**

#### **Glass Selections - Tops**

**PF** Polished Flat Edge

GEW Etched Back-Painted White Glass - 1/2" thick
GEB Etched Back-Painted Black Glass - 3/8" thick

#### **Solid Surface Selections - Tops**



FL 1/2" Flat Edge

SSF Solid Surface

### Standard Finish

**CGW** Corian, Glacier White

#### **COM Tops**

Matera table tops can accept a wide selection of customer own materials including stone and quartz. See page 14-15 for subtops skus. Order tops and bases separately all subtops painted dark grey to match Matera support rails. Subtops approved for use with up to 3 cm stone, quartz and COM glass.



#### **Finishes**

#### **Base Finishes**







**BB** Brushed Graphite

BS Brushed Stainless Steel BZ Brushed Bronze

#### Matera




Through the integration of stainless steel panels, the Matera table base creates an architectural aesthetic that supplements today's open environments and augments Bernhardt Design's meeting table offering.


The base is available in one size and is available in brushed stainless steel, brushed bronze and brushed graphite finishes. The Matera base features a removable inside panel that allows for access to wire management and preserves the narrow footprint.


Bases and tops are specified and sold separately. Tops are available in (3) widths and offered in veneer, etched back-painted black glass, etched back-painted white glass, solid surface and COM (with a 1" subtop).

SCS Indoor Advantage™ Gold and LEVEL® 1 certified. See terms and conditions for additional environmental information.



Matera base shown with removable inside panel





	description	sku	w	d	h	price
	matera base	МРВ	21/8	253/8	281/4	\$ 4678
<b>~</b>						




#### **Matera Tops**



Matera tops are specifically constructed to accommodate the Matera bases. Tops and bases are specified and sold separately. See the specific top size desired for the appropriate number of bases required.

Recommended base sizes must be specified to ensure a proper alignment and fit. The Matera rail placement will have 171/4" inside clearance.



Detail view of Matera top.

#### Veneer - All Veneer is Bookmatched

ASB Ash OAB Oak TOB Tiger Oak Walnut



RB 11/4" Reverse Bevel FL 11/4" Flat



#### **Glass**

**GEW** Etched Back-Painted White Glass GEB Etched Back-Painted Black Glass



PF 1/2" Polished Flat

#### **Solid Surface**

SSF Corian®, Glacier White



FL 11/4" Flat



RB 11/4" Reverse Bevel

#### **Subtop for COM**

See page 12-14 for subtops skus. Order tops and bases separately. All subtops painted dark grey to match Matera support rails. Subtops approved for use with up to 3 cm stone, quartz and COM glass.




specification of	codes example: MA	AS-SKU-FLMA000			m	aterial	+ finish code example:	WLB 839
series	sku	edge	base	grommet location		mate	rial	finish
matera		FL 11/4" flat PF 1/2" polished flat	MA matera rectangular	Under Mount see pages 18-20 for location codes		1	no top ash	see pages 3-4
		RB 11/4" reverse bevel		Mediatrac 1		1	tiger oak	
				see pages 25-35 for location codes  000 none			paldao	s
				Tione Tione		GEB	etched back-painted black glass glacier white	
							8	
M   A   S   -			MA					

#### **Matera Power Column**




The Matera meeting table collection offers a concealed wire management solution through the use of a power column. The power column is 11"w x 11"d x 245%"h, with 85%" interior cord clearance and is available in polished stainless steel and matte black powder coat finishes. Power column is sold separately.



#### **Matera Power Options**


The Matera conference table offers (2) power solutions: Mediatrac 1™ and Under Mount Power.



#### Mediatrac 1™

Mediatrac 1 offers power options that utilize the electrical 4-Trac Power System, allowing for easy installation and reconfiguration capabilities. 4-Trac snaps together easily underneath the worksurface using whips from each power module and the integral 4-Trac jumpers specified for use with each particular Mediatrac 1 grommet size. The grommet layout and wiring scheme is specified specifically for each top size, requiring the customer to separately purchasethe grommet kit that fits their needs.

Mediatrac1 is certified to UL STD 962A, UL STD 1363, CSA STD 22.2 No. 308-14. 4-Trac is certified to UL STD 183 CSA STD 22.2 No. 203.1-14.



#### **Under Mount Power**

Matera offers a proprietary under mount power solution allowing quick and easy daisy chaining of modules together. The under mount power modules are available in (2) configurations: (2) 15 amp receptacles, or (1) 15 amp receptacle, (1) 2 amp USB-A port and (1) 2 amp USB-C port. Each module in a kit will be provided with the same configuration as specified by the end user. End user installation will be required per individual SKU. Each SKU includes a separate power infeed with a 10' grounded plug to connect to the power source. See installation instructions for installing.

Under mount power is certified to UL STD 962 A CSA STD 22.2 No. 21.

tops rectangular



rectangular top order bases separately



tops 60" - 120" length x 48" - 60" wide have one sectional veneer top



tops 126" - 240" length x 48" - 60" wide have two sectional veneer tops

				ASB OAB WLB		PLB pa		<b>GEW</b> etched back-painted white glass	GEB etched back-painted black glass	SSF so	lid surface
sku	I	w	bases to specify	FL FL	RB	FL FL	RB		PF	FL FL	RB
EEC	60	48	(2) bases	3247	3799	3767	4319	8209	10015	6895	8068
EFC	66	48	(2) bases	3346	3915	3882	4451	9274	11315	7078	8282
EGC	72	48	(2) bases	3449	4036	4001	4588	9671	11799	7144	8359
EHC	78	48	(2) bases	3541	4143	4108	4710	10227	12477	7635	8933
EIC	84	48	(2) bases	4054	4744	4703	5392	10747	13112	8119	9500
EJC	90	48	(2) bases	4744	5551	5504	6310	11260	13738	8611	10075
EJD	90	54	(2) bases	4924	5762	5712	6549	12261	14959	9525	11145
EKC	96	48	(2) bases	4862	5689	5640	6467	11818	14418	9097	10644
EKD	96	54	(2) bases	5053	5913	5862	6721	12852	15680	10074	11787
EKE	96	60	(2) bases	5243	6135	6082	6974	13976	17051	11046	12924
	400					2252		10001		0=00	11010
ELC	102	48	(2) bases	5395	6313	6259	7176	12394	15121	9586	11216
ELD	102	54	(2) bases	5594	6545	6490	7441	13539	16518	10631	12439
ELE	102	60	(2) bases	5797	6783	6725	7711	14649	17872	11671	13656
EMC	108	48	(2) bases	5521	6460	6405	7343	12909	15749	10074	11787
EMD	108	54	(2) bases	5735	6710	6653	7628	14134	17244	11179	13080
EME	108	60	(2) bases	5947	6958	6899	7910	15312	18681	12269	14355
ENC	114	48	(2) bases	5652	6613	6557	7518	13458	16419	10564	12360
END	114	54	(2) bases	5875	6874	6815	7814	14723	17963	11730	13725
ENE	114	60	(2) bases	6098	7135	7074	8111	15986	19503	12885	15076

specification co	des example:	MAS-SKU-FLMAFM01			m	aterial	+ finish code example: V	VLT 839
series	sku	edge	base	grommet location		mate	rial	finish
matera		FL 11/4" flat	MA matera rectangular	Under Mount	1	ASB	ash	see pages 3-4
		PF 1/2" polished flat		see pages 18-20 for location codes		OAB	oak	
		RB 11/4" reverse bevel				тов	tiger oak	
				Mediatrac1		WLB	walnut	
				see pages 25-35 for location codes		PLB	paldao	
						GEW	etched back-painted white glass	;
				<b>000</b> none		GEB	etched back-painted black glass	
						SSF	glacier white	
M   A   S   -			MA					



rectangular top order bases separately



tops 60" - 120" length x 48" - 60" wide have one sectional veneer top



tops 126" - 240" length x 48" - 60" wide have two sectional veneer tops

				ASB OAB WLB		PLB p TOB ti	aldao ger oak		GEB etched back-painted black glass	SSF so	lid surface
sku	I	w	bases to specify	FL FL	RB	FL FL	RB		PF	FL FL	RB
EOC	120	48	(2) bases	5781	6764	6706	7689	14042	17132	11046	12924
EOD	120	54	(2) bases	6015	7038	6978	8000	15381	18765	12269	14355
EOE	120	60	(2) bases	6220	7278	7216	8273	16709	20385	13492	15786
EPC	126	48	(3) bases	6700	7839	7772	8911	14970	18264	13321	15586
EPD	126	54	(3) bases	6965	8150	8080	9264	16454	20074	13598	15910
EPE	126	60	(3) bases	7236	8467	8394	9624	17897	21835	14975	17521
EQC	132	48	(3) bases	6881	8051	7982	9152	15150	18483	13500	15795
EQD	132	54	(3) bases	7146	8361	8290	9505	16634	20294	13779	16122
EQE	132	60	(3) bases	7416	8677	8603	9864	18078	22056	15155	17732
ERC	138	48	(3) bases	6985	8173	8103	9291	16954	20684	14377	16822
ERD	138	54	(3) bases	7276	8513	8441	9678	17643	21525	14721	17224
ERE	138	60	(3) bases	7568	8855	8779	10066	19234	23466	16236	18997
ESD	144	54	(3) bases	7457	8725	8651	9918	17822	21743	14902	17436
ESE	144	60	(3) bases	7748	9066	8988	10305	19414	23686	16416	19207
ETD	150	54	(3) bases	7535	8816	8741	10022	19021	23206	15866	18564
ETE	150	60	(3) bases	7847	9181	9103	10437	20728	25289	17494	20468
EUD	156	54	(3) bases	7716	9028	8951	10263	19202	23427	16046	18774
EUE	156	60	(3) bases	8028	9393	9313	10678	20909	25509	17673	20678
EVD	162	54	(3) bases	8192	9585	9503	10896	20245	24699	16920	19797
EVE	162	60	(3) bases	8526	9976	9891	11340	22089	26949	18634	21802
EWD	168	54	(3) bases	8372	9796	9712	11135	20426	24920	17100	20007
EWE	168	60	(3) bases	8706	10187	10099	11579	22269	27169	18815	22014

specification code	es example: MAS-S	KU-FLMAFM01			m	aterial	+ finish code example: V	VLT 839
series	sku	edge	base	grommet location		mate	rial	finish
matera		FL 1¼" flat PF ½" polished flat RB 1¼" reverse bevel	MA matera rectangular	Under Mount see pages 18-20 for location codes  Mediatrac 1 see pages 25-35 for location codes  000 none		ASB OAB TOB WLB PLB GEW GEB SSF	oak tiger oak	
M A S -			MA					



rectangular top order bases separately



tops 60" - 120" length x 48" - 60" wide have one sectional veneer top



tops 126" - 240" length x 48" - 60" wide have two sectional veneer tops

				ASB OAB WLB		PLB pa		<b>GEW</b> etched back-painted white glass	GEB etched back-painted black glass	SSF so	lid surface
sku	I	w	bases to specify	FL FL	RB	FL FL	RB		PF	FL FL	RB
EXD	174	54	(3) bases	8448	9885	9800	11236	21482	26209	18028	21093
EXE	174	60	(3) bases	8805	10302	10214	11711	23484	28651	19857	23233
EYD	180	54	(3) bases	8629	10096	10010	11477	21662	26428	18208	21304
EYE	180	60	(3) bases	8985	10513	10423	11951	23664	28871	20037	23444
EZD	186	54	(3) bases	8791	10286	10198	11693	23188	28290	19121	22372
EZE	186	60	(3) bases	9170	10729	10638	12197	25305	30873	21080	24664
E1D	192	54	(3) bases	8972	10498	10408	11933	23368	28509	19302	22584
E1E	192	60	(3) bases	9351	10941	10848	12437	25485	31092	21260	24875
E2D	198	54	(3) bases	9046	10584	10494	12032	24370	29732	20228	23667
E2E	198	60	(3) bases	9449	11056	10961	12568	26633	32493	22606	26450
Fan	204	F.4	(0) h	0000	10705	40702	40074	04540	20050	20400	22070
E3D E3E	204	54 60	(3) bases	9226 9629	10795 11266	10703 11170	12271 12807	24549 26814	29950 32714	20408 22787	23878 26661
			(6) 88688								
E4D	210	54	(3) bases	9305	10887	10794	12376	25666	31313	21883	25604
E4E	210	60	(3) bases	9728	11382	11285	12939	28028	34195	24081	28175
E5D	216	54	(3) bases	9484	11097	11002	12614	25846	31533	22064	25815
E5E	216	60	(3) bases	9908	11593	11494	13178	28209	34415	24261	28386
E6D	222	54	(3) bases	9964	11658	11559	13253	26846	32753	23056	26976
E6E	222	60	(3) bases	10408	12178	12074	13843	29352	35810	25370	29683
E7D	228	54	(4) bases	10145	11870	11769	13493	27026	32972	23237	27188
E7E	228	60	(4) bases	10588	12388	12283	14083	29533	36031	25551	29895

specification cod	es example: M	AS-SKU-FLMAFM01			m	aterial +	F finish code example: V	VLT 839
series	sku	edge	base	grommet location		materi	ial	finish
matera	1	FL 11/4" flat	MA matera rectangular	Under Mount	1	ASB	ash	see pages 3-4
		PF 1/2" polished flat		see pages 18-20 for location codes		OAB	oak	
		RB 11/4" reverse bevel				тов	tiger oak	
				Mediatrac1		WLB	walnut	
				see pages 25-35 for location codes		PLB	paldao	
						GEW	etched back-painted white glass	;
				<b>000</b> none		GEB	etched back-painted black glass	
						SSF	glacier white	
M   A   S   -			MA					

tops rectangular



rectangular top order bases separately



tops 60" - 120" length x 48" - 60" wide have one sectional veneer top



tops 126" - 240" length x 48" - 60" wide have two sectional veneer tops

				ASB OAB WLB		PLB pa	aldao ger oak		GEB etched back-painted black glass	SSF so	lid surface
sku	I	w	bases to specify	FL	RB	FL FL	RB		PF	FL	RB
E8D	234	54	(4) bases	10225	11964	11861	13600	28044	34214	24157	28264
E8E	234	60	(4) bases	10766	12597	12489	14319	30711	37468	26603	31126
E9D	240	54	(4) bases	10406	12176	12071	13840	28223	34433	24336	28474
E9E	240	60	(4) bases	10945	12806	12697	14557	30891	37688	26782	31335

specification co	odes example: M	IAS-SKU-FLMAFM01			material + finish code example: WLT 8	839
series	sku	edge	base	grommet location	material fi	nish
matera		FL 11/4" flat	MA matera rectangular	Under Mount	ASB ash se	e pages 3-4
		PF 1/2" polished flat		see pages 18-20 for location codes	OAB oak	
		RB 11/4" reverse bevel			TOB tiger oak	
				Mediatrac1	WLB walnut	
				see pages 25-35 for location codes	PLB paldao	
					GEW etched back-painted white glass	
				<b>000</b> none	GEB etched back-painted black glass	
					SSF glacier white	
M A S -			MA			




order bases separately

all subtops painted dark grey to match Matera support rails

subtops approved for use with up to 3 cm stone, quartz and COM glass







tops 120" - 234" length x 42" - 54" wide have two sectional veneer tops

sku	I	W	bases to specify	subtops
SEC	54	42	subtop for use with 60" x 48" top	2065
SFC	60	42	subtop for use with 66" x 48" top	2145
SGC	66	42	subtop for use with 72" x 48" top	2223
SHC	72	42	subtop for use with 78" x 48" top	2302
SIC	78	42	subtop for use with 84" x 48" top	2383
SJC	84	42	subtop for use with 90" x 48" top	2463
SJD	84	48	subtop for use with 90" x 54" top	2531
SKC	90	42	subtop for use with 96" x 48" top	2540
SKD	90	48	subtop for use with 96" x 54" top	2615
SKE	90	54	subtop for use with 96" x 60" top	2687
SLC	96	42	subtop for use with 102" x 48" top	2619
SLD	96	48	subtop for use with 102" x 54" top	2699
SLE	96	54	subtop for use with 102" x 60" top	2777
SMC	102	42	subtop for use with 108" x 48" top	2700
SMD	102	48	subtop for use with 108" x 54" top	2784
SME	102	54	subtop for use with 108" x 60" top	2867
SNC	108	42	subtop for use with 114" x 48" top	2780
SND	108	48	subtop for use with 114" x 54" top	2868
SNE	108	54	subtop for use with 114" x 60" top	2956


specification codes example: MAS-SKU series sku matera



order bases separately

all **subtops** painted dark grey to match Matera support rails

subtops approved for use with up to 3 cm stone, quartz and COM glass





tops 120" - 234" length x 42" - 54" wide have two sectional veneer tops

sku	1	w	bases to specify	subtops
	444		· '	
SOC	114	42	subtop for use with 120" x 48" top	2863
SOD	114	48	subtop for use with 120" x 54" top	2951
SOE	114	54	subtop for use with 120" x 60" top	3044
SPC	120	42	subtop for use with 126" x 48" top	4330
SPD	120	48	subtop for use with 126" x 54" top	4432
SPE	120	54	subtop for use with 126" x 60" top	4533
SQC	126	42	subtop for use with 132" x 48" top	4510
SQD	126	48	subtop for use with 132" x 54" top	4611
SQE	126	54	subtop for use with 132" x 60" top	4713
SRD	132	48	subtop for use with 138" x 54" top	4691
SRE	132	54	subtop for use with 138" x 60" top	4801
	-			
SSD	138	48	subtop for use with 144" x 54" top	4780
SSE	138	54	subtop for use with 144" x 60" top	4892
STD	144	48	subtop for use with 150" x 54" top	4860
STE	144	54	subtop for use with 150" x 60" top	4980
SIE	144	34	Subtop for use with 150 x of top	4980
SUD	150	48	subtop for use with 156" x 54" top	4950
SUE	150	54	subtop for use with 156" x 60" top	5068
SVD	156	48	subtop for use with 162" x 54" top	5028
SVE	156	54	subtop for use with 162" x 60" top	5158
SVE	130	34	Subtop for use with 102 x ou top	3196
SWD	162	48	subtop for use with 168" x 54" top	5117
SWE	162	54	subtop for use with 168" x 60" top	5248
SXD	168	48	subtop for use with 174" x 54" top	5196
SXE	168	54	subtop for use with 174" x 60" top	5337

specification codes example: MAS-SKU

series sku

matera

M | A | S | - |



order bases separately

all **subtops** painted dark grey to match Matera support rails

subtops approved for use with up to 3 cm stone, quartz and COM glass



tops 54" - 114" length x 42" - 54" wide have one sectional veneer top

tops 120" - 234" length x 42" - 54" wide have two sectional veneer tops

sku	I	W	bases to specify	subtops
SYD	174	48	subtop for use with 180" x 54" top	5285
SYE	174	54	subtop for use with 180" x 60" top	5426
SZD	180	48	subtop for use with 186" x 54" top	5365
SZE	180	54	subtop for use with 186" x 60" top	5515
S1D	186	48	subtop for use with 192" x 54" top	5454
S1E	186	54	subtop for use with 192" x 60" top	5605
S2D	192	48	subtop for use with 198" x 54" top	5534
S2E	192	54	subtop for use with 198" x 60" top	5665
S3D	198	48	subtop for use with 204" x 54" top	5625
S3E	198	54	subtop for use with 204" x 60" top	5755
S4D	204	48	subtop for use with 210" x 54" top	5703
S4E	204	54	subtop for use with 210" x 60" top	5872
S5D	210	48	subtop for use with 216" x 54" top	5793
S5E	210	54	subtop for use with 216" x 60" top	5963
S6D	216	48	subtop for use with 222" x 54" top	5871
S6E	216	54	subtop for use with 222" x 60" top	6049
S7D	222	48	subtop for use with 228" x 54" top	5961
S7E	222	54	subtop for use with 228" x 60" top	6140
S8D	228	48	subtop for use with 234" x 54" top	6040
S8E	228	54	subtop for use with 234" x 60" top	6229

specification codes example: MAS-SKU series sku matera



order bases separately

all **subtops** painted dark grey to match Matera support rails

subtops approved for use with up to 3 cm stone, quartz and COM glass

tops 54" - 114" length x 42" - 54" wide have one sectional veneer top



tops 120" - 234" length x 42" - 54" wide have two sectional veneer tops

		subtops
DE 234 54 subtop for use with 240" x 60" top 63	ith 240" x 54" top	6130
	ith 240" x 60" top	6318

specification codes example: MAS-SKU series sku matera

#### **Under Mount Power**

Bernhardt Design offers a proprietary under mount power solution allowing quick and easy daisy chaining of modules together. A maximum of (10) under mount power modules can be connected on one power infeed.


The under mount power modules are available in (2) configurations: (2) receptacles, or (1) receptacle, (1) 2 amp USB-A port and (1) 2 amp USB-C port. Each module in a kit will be provided with the same configuration as specified by the end user.

End user installation will be required per individual SKU. Each SKU includes a separate power infeed with a 10' grounded plug to connect to the power source. See installation instructions for installing.

See page 18-20 for details on recommended configurations for 2-10 under mount power modules.

Under mount power is certified to UL STD 962 A CSA STD 22.2 No. 21.

Note: End user installation will be required per individual SKU.




Bernhardt Design provides recommendations for installation locations as shown on page 18-20. Installation instructions are included with each power unit.

#### Power Modules Matte Black Finish





power + power (2) 120 v 60 Hz. 15 amp receptacles braided cotton 10' cord grounded plug UL 962 listed



power + usb-a + usb-c
Updated Information Shown in RED
(1) 120 v 60 Hz. 15 amp receptacle
(1) 2 amp USB-A port, 10 watt
(1) 2 amp USB-C port, 20 watt
braided cotton 10' cord
grounded plug
UL 962 listed

## Replacement Housing with Location for Mini AAP Plate





**Sequential Connector** 

Matte Black Finish

#### **Power Infeed**

10' Grounded Plug Required per individual SKU Braided Cord







15 amp

#### Matera Wire Management


Matera power infeeds are routed through integral spacers to a multi-wire clip that offers advanced wire management. The following illustration shows a section view of the Matera table with under mount power.




			PP	PU
		ified and sold separately. Each kit lists the table top sizes compatible	power + power	powder + usb + usb-c
with the number of p				
All kits include a 10' # of Kits	sku	ed with grounded and fused plug.  specifications		
1 Module Kit				
	U01S	60" - 240" Table	\$ 358	\$ 506
	a			
2 Module Kits				
	U02S	60" - 150" Table	1068	1527
	U02L	156" - 240" Table	1172	1631
3 Module Kits		O D		
- Inoution Rito	U03S	60" - 150" Table	1436	2126
	U03L	156" - 240" Table	1644	2334
	а	O D		
4 Module Kits				
	U04S	60" - 150" Table	1775	2444
	U04L	156" - 240" Table	1983	2652
	0	0		
specification codes example series sku		P ower style	1	



		PP	PU
	kits are specified and sold separately. Each kit lists the table top sizes compatib	power + power	powder + usb + usb-c
vith the number of p			
All kits include a 10'	corded infeed with grounded and fused plug. sku specifications		
	sku specifications		
Module Kits			
	<b>U05S</b> 60" - 150" Table	\$ 2236	\$ 3249
	<b>U05L</b> 156" - 240" Table	2444	3457
	a		
6 Module Kits			
	<b>U06S</b> 60" - 150" Table	2342	3654
	<b>U06L</b> 156" - 240" Table	2550	3862
		2000	3002
	D D		
Module Kits			
	<b>U07S</b> 60" - 150" Table	2839	4556
	<b>U07L</b> 156" - 240" Table	3047	4764
	a		
specification codes exampl	» ACS-SKII-PP	I .	



		PP	PU
	kits are specified and sold separately. Each kit lists the table top sizes compatible	power + power	powder + usb + usb-c
with the number of p			
All kits include a 10' # of Kits	corded infeed with grounded and fused plug.  sku specifications		
8 Module Kits			
- moudio 11110	<b>U08S</b> 60" - 150" Table	\$ 3229	\$ 5457
	<b>U08L</b> 156" - 240" Table	3437	5665
9 Module Kits	<b>U09S</b> 60" - 150" Table	3690	6262
	<b>U09L</b> 156" - 240" Table	3898	6470
10 Module Kits			
	U10S 60" - 150" Table	4151	7067
	U10L 156" - 240" Table	4359	7275





	description	sku	W	d	h	specifications	price
	under mount replacement housing  for use with Extron® MAAP installed in the field by end user switch existing housing onsite to t housing to accommodate Extron®	UPH his MAAP	73/8	33/4	11/2		\$ 193
•	blank plate  Extron® MAAP blank plate black powder coat finish single space insert	MP6	21/8	-	5/8		144
	computer/audio/video mini module Extron® MAAP HDMI female to HDMI female on 1 single space insert	MP1 0" pigtail	21/8		5/8		370
	computer/audio/video mini module Extron® MAAP display port female to display port single space insert	MP3	21/8 0" pigtail	='	5/8		370
	phone/data mini module  Extron® MAAP one RJ45 female to punch down leviton CAT6 data single space insert	MP4	21/8	_	5/8		256
	phone/data mini module  Extron® MAAP one RJ45 female to female barrel single space insert	MP5	21/8	-	5/8		221

specification codes example: ACS-SKI series sku accessories

#### Mediatrac 1™

BERNHARDT design

Mediatrac 1 grommet system is a simplified system for bringing power and data to the meeting table worksurface in a clean simple way.

Mediatrac 1 provides power and various options for Extron AAP data configurations. Grommets are available in (3) different sizes: a 8" x 4" single door unit, a 8" x 8" double door unit and a 8" x 24" double door unit. All units have brushed aluminum trim with options for aluminum, laminate, veneer, corian and glass lids.

Mediatrac 1 has 4 different options for bringing power to the table, corded, harded or 4-trac system with either a corded or hardwired power infeed.

# Power Infeed 72" long, 15 amp cord. 473-4F3, Power Module

Note: End user installation will be required per individual SKU. Power specified separately. See pages 25-35 for grommet codes.

#### **Mediatrac 1 Options**

#### 8" Single Door Mediatrac™ Grommet





2 grounded outlets, 1 exit plug, accepts 2 Extron single space AAP's, AAP modules specified separtely, brushed aluminum frame

#### 8" Double Door Mediatrac™ Grommet






4 grounded outlets, 1 exit plug, accepts 4 Extron single space AAP's, AAP modules specified separtely, brushed aluminum frame

#### 24" Double Door Mediatrac™ Grommet





8 grounded outlets, 2 exit plugs, accepts 8 Extron single space AAP's, AAP modules specified separtely, brushed aluminum frame

#### Mediatrac 1 Grommet Kits (Includes the following)


Number and configuration of grommet

modules determined by the grommet code

**Power Module** 



Jumper (if required)









Will be included in kit when the 4-trac option is specified

#### **Power Infeed Options**
















20 amp receptacle 4-Trac Only

TOTOTOTOTO SOLUTION

72" 3/8" Hardwire Whip


#### **Mediatrac1 Dimensional Specifications**



Mediatrac1 is certified to UL STD 962A, UL STD 1363, CSA STD 22.2 No. 308-14. 4-Trac is certified to UL STD 183 CSA STD 22.2 No. 203.1-14.

mediatrac 1™

#### Mediatrac 1<sup>™</sup> 4-Trac Power System




Mediatrac1 Grommets Using Electrical 4-Trac Power System





4-Trac Infeed snaps into an H-Block connected to a Mediatrac1 power module with a 18" modular end.



4-Trac H-Block connects up to (4) Jumpers and Power Modules.




4-Trac Jumpers used in conjunction with the H-Block to wire the system.

Mediatrac1 is available in our 4-Trac Power System, allowing for easy installation and reconfiguration capabilities.

4-Trac snaps together easily underneath the worksurface using whips from each power module and the integral 4-Trac jumpers specified for use with each particular Mediatrac1 grommet size. The grommet layout and wiring scheme is specified specifically for each top size and is included with each kit.

Each power transition is accommodated by an H-Block, which gives the ability to snap together four power leads. Using the provided documentation to facilitate installation, powering the Mediatrac1 system is as easy as snapping together connectors.

Infeeds are available in both hardwired and corded version in a 72" length. The plug version for the Mediatrac1 power system is 20 amps and will require plugging into a 20 amp outlet to comply with electrical codes.




20 amp Receptacle

Illustrations showing electrical 4-Trac power infeed end options – hardwired conduit and 20 amp corded plug. Both are available in 72" lengths. 20 amp receptacle must be used with the plug.

#### Mediatrac 1™ Grommet Placement Kits


BERNHARDT design

Mediatrac1<sup>TM</sup> power options by Bernhardt Design are offered as a grommet kit which includes all grommets, jumpers and necessary components needed to bring power from the floor to the user. The number of grommets and lengths of jumpers are determined by the lengths and power options selected. Your kit will come complete with all necessary parts to install in the field.




#### **Ordering Mediatrac1 Grommets**

- Determine the amount of power and data needed
- Select the grommet code that best suits your requirements
- Select the type of power infeed you need
- Select the length of table that this is to be used on  $(make\ sure\ that \quad this\ grommet\ code\ matches\ the\ code\ used\ when\ ordering\ your\ top)$
- Select the grommet trim/frame finish
- Select the lid/door material
- Select the lid/door finish



Top Depth	Distance to Grommet
42"	17"
48"	20"
54"	23"
60"	26"
66"	29"
72"	32"

The Grommet Kit will ship separately and will be installed in the field.



Ordering Example:


120" x 54" Table Top Walnut veneer, 870 finish M08 Grommet Code with 4trac corded power Walnut Door/Brushed AluminumTrim

specification	codes example:	MGS-M08-4TC120		material + finish code example:	3A WLT 870	
series	sku	power option	table length	frame finish	lid material	lid finish
top		CRD corded HWD hardwired 4TC four trac corded 4TH four trac hardwired	096 150 204 102 156 210 108 162 216 114 168 222 120 174 228 126 180 234 132 186 224 138 192 144 198	powder coat upcharge \$175 WH satin white powder coat GR graphite powder coat BZ bronze powder coat IG iron grey powder coat RD black red powder coat BK matte black powder coat	ALM aluminum ASB ash OAB oak WLB walnut TOB tiger oak PLB paldao SSF glacier white	see pages 3-5
M G S	- M 0 8	- 4 T C	1 2 0	BA	W L B	8 7 0

mediatrac 1™ grommet kits

Mediatrac 1 grommet kits and locations codes for veneer, laminates and solid surface tops. Kits include all jumpers and necessary components based on table length and power option. Grommet kits ship separately from tops.

		frame material
sku	specifications	ALM aluminum
M01	72" - 240" Table	\$ 148
	(1) 3" single round pass through grommet kit	
M02	72" - 240" Table	296
	(2) 3" single round pass through grommet kits	
	21" 0	
M33	72" - 240" Table	444
	(3) 3" single round pass through grommet kits	
	21"	
specification	n codes example: ACS-SKU material + finish codes	de example: BA
series   top	sku    BA brushed alum   WH satin white programmer   BZ bronze powder   IG iron grey powder   RD black red powder   BK matte black programmer   BK matter   BK mat	owder coat der coat er coat der coat vder coat
A C S		





Mediatra	c 1 grommet kits and locations codes for veneer, laminates and solid surface tops.	lid ma	aterial
Kits inclu Gromme	ide all jumpers and necessary components based on table length and power option. t kits ship separately from tops.  able length, power style, lid material and frame finish below.		ASB ash OAB oak TOB tiger oak WLB walnut PLB paldao
sku	specifications	ALM aluminum	SSF solid surface
M05	72" - 240" Table	\$ 3484	\$ 5766
	(2) 8" double door mediatrac grommets		
P05	72" - 240" Table	3604	5887
	same information as M05 (1) 1" dia. grommet for microphone		
M07	84" - 240" Table	4205	7569
	21"*		
M08	84" - 240" Table	4926	8350
	(1) 24" double door mediatrac grommet (2) 8" single door mediatrac grommets		
specification	n codes example: MGS-SKU-CRD132 material + finish code example	BA WLT 839	
series   top	sku         power option         table length         frame finish           CRD corded         072 132 192         BA brushed aluminum           HWD hardwired         078 138 198         powder coat upcharge \$150           4TC four trac corded         084 144 204         WH satin white powder coat GR graphite powder coat BZ bronze powder coat BZ bronze powder coat IG iron grey powder coat ID iron grey powder c	Ilid material  ALM aluminum  ASB ash  OAB oak  TOB tiger oak  WLB walnut  PLB paldao  SSF glacier white	lid finish see pages 3-5
M G S	120 180 240  BK matte black powder coat	for lid material lid material w	ill match frame finish

mediatrac 1™ grommet kits

Mediatrac 1 grommet kits and locations codes for veneer, laminates and solid surface tops.  Kits include all jumpers and necessary components based on table length and power option.  Grommet kits ship separately from tops.	lid m	ASB ash OAB oak
Specify table length, power style, lid material and frame finish below.		TOB tiger oak WLB walnut PLB paldao
sku specifications	ALM aluminum	SSF solid surface
M12 108" - 240" Table	\$ 5419	\$ 7509
(2) 24" double door mediatrac grommets		
P12 _108" - 240" Table	5540	7629
same information as M12 (1) 1" dia. grommet for microphone		
specification codes example: MGS-SKU-CRD132 material + finish code example	: BA WLT 839	

series	sku	power option	table length	frame finish	lid material	lid finish
top		CRD corded HWD hardwired 4TC four trac corded 4TH four trac hardwired	108 162 216 114 168 222 120 174 228 126 180 234 132 186 240 138 192 144 198 150 204 156 210	BA brushed aluminum  powder coat upcharge \$150  WH satin white powder coat  GR graphite powder coat  BZ bronze powder coat  IG iron grey powder coat  RD black red powder coat  BK matte black powder coat	ALM aluminum ASB ash OAB oak TOB tiger oak WLB walnut PLB paldao SSF glacier white	see pages 3-5
M   G   S   -						







mediatrac 1™ glass grommet kits

Mediatrac 1 grommet kits and locations codes for glass tops.

Kits include all jumpers and necessary components based on table length and power option. Grommet kits ship separately from tops.





mediatrac1™ glass grommet kits

Mediatra	diatrac 1 grommet kits and locations codes for glass tops.		lid	d options
Kits inclu		nts based on table length and power option		
	able length, power style, lid material and	d frame finish below.		
sku	specifications		Aluminum	Glass
05G	72" - 240" Table		\$ 3484	\$ 5766
	(2) 8" double door mediatrac grommets			
	8"			
	84" - 120" Table		4205	7569
3, 0	(1) 8" double door mediatrac grommet		4203	7 300
	(2) 8" single door mediatrac grommet for use on 1 piece tops only			
	±21"*   ±8#			
08G	84" - 120" Table		4926	8350
000	(1) 24" double door mediatrac grommet		4020	0000
	(2) 8" single door mediatrac grommets for use on 1 piece tops only			
	24"→			
specification	n codes example: MGS-SKU-CRD132		material + finish code example: BA	GEB
series	sku power option	table length	frame finish	lid material  ALM aluminum
top	CRD corded HWD hardwired	072 132 192 078 138 198	BA brushed aluminum  powder coat upcharge \$150	GEB glass etched, back-painted black
	4TC four trac corded 4TH four trac hardwired	084 144 204 090 150 210	WH satin white powder coat  GR graphite powder coat	GEW glass etched, back-painted white
		096 156 216 102 162 222	BZ bronze powder coat  IG iron grey powder coat	
		108 168 228 114 174 234	RD black red powder coat	
		120 180 240	BK matte black powder coat	
			11	

mediatrac 1™ glass grommet kits

ediatra	ac 1 grommet kits and locations codes for glass tops.	lid optio	lid options			
ts include all jumpers and necessary components based on table length and power option. ommet kits ship separately from tops.						
	able length, power style, lid material and frame finish below. specifications	Aluminum	Glass			
:u						
0G	96" - 120" Table	\$ 5226	\$ 8649			
	(3) 8" double door mediatrac grommets for use on 1 piece tops only					
	n codes example: MGS-SKU-CRD120	material + finish code example: BA GEB				

specification of	codes example:	MGS-SKU-CRD120		material + finish code example:	BA GEB
series	sku	power option	table length	frame finish	lid material
top		CRD corded HWD hardwired 4TC four trac corded 4TH four trac hardwired	096 102 108 114 120	powder coat upcharge \$225 WH satin white powder coat GR graphite powder coat BZ bronze powder coat IG iron grey powder coat RD black red powder coat BK matte black powder coat	ALM aluminum  GEB glass etched, back-painted black  GEW glass etched, back-painted white
M   G   S   -		-			

ediatra	ac 1 grommet kits and locations codes for glass tops.	lid o	lid options			
ts incl	ude all jumpers and necessary components based on table length and power option. et kits ship separately from tops.					
ecify	table length, power style, lid material and frame finish below.	Aluminum	Glass			
u	specifications	Alumnum	Glass			
4G	132" - 240" Table	\$ 6848	\$ 11292			
	(4) 8" double door mediatrac grommets					
	21*					

specification of	des example. Wi	00-0K0-0KD 102		material - milan code example.	A OLD
series	sku	power option	table length	frame finish	lid material
		CRD corded HWD hardwired 4TC four trac corded 4TH four trac hardwired	132 174 216 138 180 222 144 186 228 150 192 234 156 198 240 162 204 168 210	powder coat upcharge \$375 WH satin white powder coat GR graphite powder coat BZ bronze powder coat IG iron grey powder coat RD black red powder coat BK matte black powder coat	ALM aluminum  GEB glass etched, back-painted black  GEW glass etched, back-painted white

mediatrac 1™ wire management

	description	sku	w	d	h		price
	equipment tray	VMY	171/2	16	3		\$ 283
	silver powder coat						
	cable sling grey nylon mesh material hooks onto mediatrac1™ rails specify with Extron AAP pull-throu	VMW	171/2	16	3		283
	wire clip hooks onto mediatrac™ rail smoke polycarbonate finish	_VNZ	6	21/4	13/4		72
	4 included with each table at no c	WMK	1 <sup>5</sup> ⁄8	<b>7</b> /8	1½		193
	12 multi wire clips 8 wire clips black						
	power column	MWC	11	11	243/8		1221
	removable door for wire access specify finish PS or BK						
series sku						finish	
accessories							te black powder co shed stainless stee

mediatrac1™ extron® AAP modules

	description	sku	w	d	h	price
	doonprion	OKG				price
	power strip  6 outlet center; 110v 15 amp 15' plug-in cord surge protector UL Listed	VNY	121/4	2	13/4	\$ 525
	blank plate	VGG	31/2	-	5/8	154
<u>t</u>	Extron® AAP blank plate with blac single space insert	k powder co	at finish			
	cable pass-through module	VGY	31/2	-	13/8	441
	Extron® AAP cable pass-through v sold and ordered as 1 set with lef specify for use with the VMW cabl single space insert	t and right	wder coat t	inish		
DI IDI	phone/data module	VGD	31/2	-	5/8	332
L.	Extron® AAP two RJ-45 pass-throu single space insert	igh barrels C	AT 5e			
	phone/data module	VGK	31/2	-	5/8	266
	Extron® AAP one RJ-45 female to punch down block leviton CAT6 data single space insert					
	phone/data module	VGP	31/2	-	5/8	369
	Extron® AAP two RJ-45 female to punch down block leviton CAT6 data single space insert					
	phone/data module	VGL	31/2	-	5/8	369



matera

mediatrac1™

extron® AAP modules description sku d h price VGQ phone/data module 31/2 13/8 \$ 502 Extron® AAP two RJ-45 female to punch down block higher than CAT6 data type connectors systomax MGS500 backward compatible double space insert VG3 5/8 369 computer/audio/video module 31/2 Extron® AAP HDMI female to HDMI female on 10" pigtail single space insert control/computer module VGR 31/2 5/8 369 Extron® AAP two USB A female to female barrels single space insert VG9 31/2 5/8 1265 power plate charging module type 5 VDC USB C power outlet 3 A/45 watts type 5 VDC USB A power outlet 2.1A/10.5 watts of power for charging mobile devices, single space insert 31/2 717 usb charging module Extron® AAP Power Plate charging module 2 5 VCD USB power outlets  $2.1~\mbox{A}$  /  $10.5~\mbox{watts}$  of power for charging mobile devices single space insert computer/audio/video module VG6 31/2 15/8 586 Extron® SuperPlate110 - HDMI/DisplayPort/Stereo Audio/USB HDMI: female to female, 10" (25 cm) pigtail DisplayPort: female to female, 10" (25 cm) pigtail Stereo/Audio: 3.5 mm mini jack to captive screw, 10" (25 cm) pigtail USB A: female to female, 10" (25 cm) pigtail double space insert



#### **Prices and Specifications**

Prices and specifications are subject to change without notice. All prices quoted will be FOB our factories. If applicable, sales tax will be based on ship-to destination.

Bernhardt Design reserves the right to make changes in dimensions, construction, price lists, or product literature without prior notice.

All measurements and weights are approximate and subject to change without notice.

#### **Order Entry**

All orders are subject to final acceptance by Bernhardt Design in Lenoir, NC. Receipt of our acknowledgment indicates acceptance of your order subject to the terms set forth on the acknowledgment.

Bernhardt Design attempts to clarify all purchase orders. However, in the event the price list number and description on the purchase order differ, the price list number will prevail.

#### Changes/Cancellation

All orders in production are considered firm orders and are not subject to changes or cancellation.

#### Shipping

Bernhardt Design will ship in accordance with customer instructions whenever possible. For convenience, Bernhardt Design offers a guaranteed freight program (GFP). Bernhardt Design will exercise our best judgment in selecting a carrier under our GFP. When selecting a carrier, Bernhardt Design will make our best effort to meet requested delivery dates.

Transportation lead-times and delays including equipment problems, weather, general traffic, traffic accidents, customer warehouse space, labor disputes, customer changes, etc., that occur on a carrier will not be the responsibility of Bernhardt Design. Furthermore, Bernhardt Design will not be responsible for additional costs incurred due to aforementioned delays.

For customers who decline our GFP, Bernhardt Design will stage orders for pick up at 1% of the list price, or \$75 minimum.

Customer orders in production will be shipped as scheduled and will not be held. Bernhardt Design reserves the right to make partial shipments on any order, unless notified otherwise by the customer.

High quality cartoning meeting trucking and railroad specifications is standard at no extra charge. Some items may be blanket wrapped for shipment.

#### Freight Damage and Claims

Bernhardt Design is not liable for any damages to products that occur during transit or storage. The carrier assumes all responsibility upon acceptance of product. It is the customer's responsibility to inspect products upon receipt and file any claims with the carrier. No product should be refused. If products are received damaged, a written exception should be made on the bill of lading and an immediate inspection be requested of the carrier.

Concealed damage must be reported to the carrier within 10 business days from date of delivery. Failure to make claims shall constitute acceptance of the products and waiver any claims of defects, errors or shortages.

In the event delivery is made on a Bernhardt Design truck, the products should be carefully inspected for transit damage. If contents are damaged, the driver should be notified to call his dispatcher for immediate disposition.

Concealed damage must be reported within 10 business days from date of delivery and product/packaging held for inspection by a Bernhardt Design representative. Replacements for product damaged in shipment or storage will be manufactured upon receipt of a purchase order.

#### Returns

No merchandise may be returned to Bernhardt Design without written consent in the form of a Return Authorization from our Quality Assurance Department stating why item is being returned and how item will be shipped.

Unauthorized returns will be automatically refused by our receiving department as well as returns not in accordance with Bernhardt Design shipping instructions. Liability for defective merchandise shall be limited to the replacement or repair of that merchandise, and Bernhardt Design shall not be liable for other damages or losses.

#### **Terms and Credit**

Pricing and terms of sale apply to orders accepted by Bernhardt Design, and no terms, stipulations, or conditions contained in the dealer's submitted purchase orders shall have any force or effect. Bernhardt Design requires a completed and signed credit application from every dealer. Bernhardt Design also requires dealers to provide a Blanket Certificate of Resale/Use containing valid sales tax exemption number(s) for their respective state(s).

If credit has been approved, the standard terms for all Bernhardt Design products are Net 30 from the invoice date. In certain instances, as an additional condition of order acceptance, buyer may be required to provide a deposit at time of order and/or remit the balance before shipment is released. If credit has not been approved, a 100% prepayment, including any freight charges, is required prior to production.

Acceptable forms of payment include a certified check or electronic bank transfer. For information on where to send check/electronic bank information contact our Financial Services Department. If a dealer or company check is submitted, three (3) weeks should be allowed for the clearance of the check. If electronic bank transfer is submitted, one (1) week should be allowed for the clearance of the electronic bank transfer. The order is subject to cancellation if payment in full is not received within three (3) weeks from the acknowledgment date.

The dealer may not make deductions for advertising, promotions, quality problems, freight, or any other reason without prior authorization by Bernhardt Design. Such a deduction could result in the curtailment or suspension of further shipments until the matter is resolved. Delinquency notices are generated and mailed periodically. Service charges of 18% per annum will be added to each past-due transaction. Unpaid service charges

will be accrued and invoiced on a periodic basis. Past-due notices may result in orders being held until the situation is resolved. This credit hold could prevent orders from being placed into production or shipped. Orders not in production that are placed on credit hold for three (3) weeks will be subject to cancellation.

Severe past-due situations may result in the employment of a collection agency or other collection litigation. If any collection activity is necessary regarding a dealer account, the dealer will be responsible for the payment of any and all attorney and collection agency fees.

A slow payment history may result in reducing or eliminating an open line of credit. At the discretion of Bernhardt Design, amounts owed by a dealer to Bernhardt Design arising from any transaction or dealings between the dealer and Bernhardt Design may be offset against any amounts owed to the dealer by Bernhardt Design.

#### Warranty

Bernhardt Design will repair or replace, at its discretion, any product or part thereof which fails as the result of defects in material and workmanship, under single shift use and normal care for five years from date of shipment. This warranty shall apply only to the original purchaser.

This warranty does not cover normal wear and tear, misuse or abuse of product, dramatic temperature changes, exposure to unusual conditions or damages incurred by contact with seating products, tables, desks or other surfaces. Natural color changes, variations or movements in lumber or veneer products, exposure to extreme temperature changes and direct sunlight may cause color changes and/or surface damage. These are circumstances beyond the control of Bernhardt Design and are not warranty issues. Repair or replacement of discontinued product will be at the discretion of Bernhardt Design.

This warranty is the customer's exclusive remedy for product defect and does not apply to damage caused by a freight carrier, dealer, installer, user modification, attachments to a product, or any third party. Bernhardt Design has the exclusive right to make the final determination of product misuse or abuse. Except as stated above, Bernhardt Design makes no express or implied warranties as to any product, and in particular, makes no warranty of merchantability or of fitness for any particular purpose. Bernhardt Design shall not be liable for any consequential or incidental damages or for commercial loss arising from any product defect.

#### **Operational Parts Warranty**

Drawer glides, drawer boxes, drawer pulls, and lock mechanisms have a Life-Time Warranty for original purchaser. Power and communication components are warranted for one year.

#### Parts Order

Bernhardt Design parts have a \$25 net minimum per order. This does not include freight costs.

#### **Custom Design**

Bernhardt Design may alter products to meet specific needs. Contact your local sales representative when a custom design is needed. Custom designs,

**if approved**, require minimum quantities, additional leadtime and upcharges. A custom job number, available from your Bernhardt Design sales representative, must be submitted with purchase orders.

Orders combining custom design with standard product cannot be scheduled for production until custom items are approved. Custom design orders are not subject to revision or cancellation after acknowledgment.

#### **Wood Finishes**

Bernhardt Design tables are available in finishes that are compatible with credenzas and seating finishes. However, finishes on tables may vary slightly from those on seating due to the natural characteristics of the wood. No absolute match is implied or guaranteed.

#### **Light Finishes**

Bernhardt Design offers lighter finishes on certain veneers and solid woods. When specifying light finishes the natural characteristics of the wood will be visible and color will vary.

Natural characteristics include the natural discolorations of the wood substance and color variations in glued up stock. These natural characteristics are not considered defects by Bernhardt Design, and therefore merchandise will not be replaced.

#### **Special Finishes**

Special finishes, made to customer specifications and subject to factory approval, may be available at a 10% net upcharge with a \$500 net minimum.

Additional leadtime may be required for special finish items. Special finish orders will not be acknowledged until the special finish sample is approved in writing and received by Bernhardt Design Customer Service. Special finish orders are not subject to revision or cancellation after acknowledgment.

#### Installation and Maintenance

All freestanding tables and credenzas are equipped with leveling devices. Local floor conditions vary, and it is always necessary to properly adjust leveling devices. Proper leveling is essential to the alignment and function of doors and drawers.

Improperly leveled units result in misaligned doors and drawers and may impair locking mechanisms or other functional hardware.

After the initial installation of credenzas, it may be necessary to readjust and align the units to compensate for settling. This should be expected as a matter of routine maintenance and follow-up to assure proper case function.

Proper installation of Bernhardt Design tables and credenzas is the responsibility of the dealer. Improperly installed units can result in permanent damage to case components. Damage due to improperly installed furniture not covered under product warranty.

Orders combining custom design with standard product cannot be scheduled for production until custom items are approved. Custom design orders are not subject to revision or cancellation after acknowledgment.

#### **Care and Cleaning**

Finished wood surfaces should be cleaned with a soft damp cloth, wiping in the direction of the grain. Furniture should be buffed dry immediately with a soft cloth.

#### **Design and Patent Rights**

All of the products shown in Bernhardt Design catalogs and described in Bernhardt Design price lists are, and remain, the property of Bernhardt Design, with the sole right reserved to manufacture and to distribute.

Some of the product designs shown are patented in the United States and will remain the property of Bernhardt Design. Any reproduction of the products constitutes an infringement of patented copyright laws and will be subject to prosecution.

#### **Environmental**

Some tables and credenzas are LEVEL® for ANSI/BIFMA e3-2019 − Furniture Sustainability Standard and SCS Indoor Advantage™ Gold certified. Visit the product page at bernhardtdesign.com for certifications.

BERNHARDT design

Bernhardt Design is a registered trademark of Bernhardt Furniture Company of Lenoir, NC.

#### **Preferred Carrier Guaranteed Freight Rates**

Freight charges will be applied to orders as a separate line item based on the zones listed. Rates are based on zones with a minimum for each zone. All zones are located within the Continental United States.

The freight amount is calculated on the total merchandise list COM price. Additional freight fuel surcharges may apply. Rates are based on deliveries made Monday through Friday, 8 am until 5 pm.

All orders are shipped by Bernhardt Design company trucks or preferred carriers specified by Bernhardt Design. If a purchase order does not specify that the product must ship complete, Bernhardt Design reserves the right to select the most effective shipping method necessary, including split shipments. Dealer warehouse information, including phone number and contact name, must be specified on the purchase order.

Direct site deliveries may be requested with an additional freight cost. Requests for direct site deliveries must be made 2 weeks prior to the scheduled ship week and meet the following criteria:

- ·Minimum of half truckload
- •Delivery site accessible by a 53' trailer
- •Complete delivery site address with contact name and on-site phone number
- ·Labor available for unloading

Deliveries that do not meet the criteria must be directed to a receiver warehouse. If a receiver warehouse is not available, the dealer may make arrangements with their own 3rd party carrier. If a 3rd party carrier is elected, a contact name, phone number and e-mail address is required.


Bernhardt Design has a no touch freight policy. Drivers are not allowed to unload freight.

Weekend direct site deliveries will incur a \$500 per trailer weekend delivery fee. Weekend is defined as between 5 pm Friday and 8 am Monday.

Customers who decline GFP should refer to the shipping section of the Terms and Conditions page.

Zone	Percent	Minimum
Zone 1	3%	\$150
Zone 2	4%	\$150
Zone 3	5%	\$150
Zone 4	6%	\$150
Zone 5	7%	\$150

Percent bases on List Price.



#### Preferred Carrier Guaranteed Freight Rates - Canada

Freight charges will be applied to orders as a separate line item based on the zones listed. Rates are based on zones with a minimum for each zone.

The freight amount is calculated on the total merchandise list COM price. Additional freight fuel surcharges may apply. Rates are based on deliveries made Monday through Friday, 8 am until 5 pm.

All orders are shipped by Bernhardt Design company trucks or preferred carriers specified by Bernhardt Design. If a purchase order does not specify that the product must ship complete, Bernhardt Design reserves the right to select the most effective shipping method necessary, including split shipments. Dealer warehouse information, including phone number and contact name, must be specified on the purchase order.

Direct site deliveries may be requested with an additional freight cost. Requests for direct site deliveries must be made 2 weeks prior to the scheduled ship week and meet the following criteria:

- •Minimum of half truckload
- •Delivery site accessible by a 53' trailer
- •Complete delivery site address with contact name and on-site phone number
- ·Labor available for unloading

Deliveries that do not meet the criteria must be directed to a receiver warehouse. If a receiver warehouse is not available, the dealer may make arrangements with their own 3rd party carrier. If a 3rd party carrier is elected, a contact name, phone number and e-mail address is required.

Bernhardt Design has a no touch freight policy. Drivers are not allowed to unload freight.

Weekend direct site deliveries will incur a \$500 per trailer weekend delivery fee. Weekend is defined as between 5 pm Friday and 8 am Monday.

Customers who decline GFP should refer to the shipping section of the Terms and Conditions page.

Zone	Minimums	Freight	Avg. Bus. Days
Zone 1	\$200	5%	10-15
Zone 2	\$200	9%	10-15
Zone 3	\$200	8%	10-15
Zone 4	\$200	11%	10-15
Zone 5	Quote	Quote	

The attached rates are strictly freight and do not include brokerage fees.

