

larkin table price list

april 2025



collection overview		power	21
laminate selections	3	larkin	
veneer selections	4	grommet kit overview	22
base + powder coat selections	5	power	23
collection overview	6	power grommet kits	24-25
tops	7	power with pass thru grommet	26
bases	8	power with pass thru grommet kits	27-28
power overview	9	power with light grommet	29
larkin power overview	10	power with light grommet kits	30-31
wire management	11	light	32
rectangular tops		light grommet kits	33-34
4 leg assembly	12-14	power with light grommet kits plus light	35
6 leg assembly	15-19	under mount	
8 leg assembly	20	power overview	36
		grommet placement kits	37
		grommet kits	38-39
		extron® AAP modules	40
		mediatrac1™	
		power overview	41
		4-trac power system	42
		grommet placement kits	43
		grommet kits	44-47
		wire management	48-49
		extron® AAP modules	50-51
		terms and conditions	52-54
		guaranteed freight	55
		guaranteed freight - canada	56

Laminate Selections

A three character sku identifies each laminate selection as well as the standard finish offered. Individual components are priced with standard finish on standard laminate.

A variety of Wilsonart® standard laminates with standard finishes is offered on conference and multipurpose tables. Additional colors may be available but are

subject to upcharges and extended lead times. The laminate option is available on components where noted as an option in the material specification code.

All laminate tops will have a 3mm matching edge band.


PLL Solid Laminate

Standard Solid

- 671 Designer White, Wilsonart D354-60 Matte Finish
- 672 Frosty White, Wilsonart 1573-60 Matte Finish
- 673 Fashion Grey, Wilsonart D381-60 Matte Finish
- 674 North Sea, Wilsonart D90-60 Matte Finish
- 675 Black, Wilsonart 1595-60 Matte Finish

Traceless Laminates - 30% Upcharge

- 665 Snow White Velvet, Wilsonart 15501-31 Traceless Laminate
- 666 Charcoal Velvet, Wilsonart 15504-31 Traceless Laminate
- 667 Black Velvet, Wilsonart 15505-31 Traceless Laminate



WGL Woodgrain Laminate

Standard Woodgrain

- 684 Phantom Pearl, Wilsonart 8211K-28 Gloss Line Finish w/Aeon Scratch Resistant Protection
- 685 Raw Chestnut, Wilsonart 7975K-12 Soft Grain Finish w/Aeon Scratch Resistant Protection
- 686 High Line, Wilsonart 7970K-18 Linearity Finish w/Aeon Scratch Resistant Protection
- 678 New Age Oak, Wilsonart 7938-16 Casual Rustic Finish
- 679 Brazilwood, Wilsonart 7946-38 Matte Finish
- 687 Boardwalk Oak, Wilsonart 7983-38 Fine Velvet Finish
- 683 Portico Teak (Grey), Wilsonart 8210K-28 Gloss Line Finish
- 681 Studio Teak, Wilsonart 7960-16 Casual Rustic Finish
- 680 Walnut Heights, Wilsonart 7965K-12 Soft Grain Finish
- 682 Asian Night, Wilsonart 7949-16 Casual Rustic Finish



Veneer Selections


A three character sku identifies each species as well as the standard finish offered. Individual components are priced with standard finish. Special finishes on veneers made to customer specifications are subject to factory approval and a 10% net upcharge with a \$500 net minimum.

Transparent stains and sealers are applied in multiple steps to enhance the beauty of the natural wood. A durable, baked-on, top-coat of conversion varnish

or UV topcoat is applied to protect the product. It is recommended that felt, cork or fabric backed desk pads and accessories are used on worksurfaces to minimize wear.

When specifying light finishes the natural characteristics of the wood will be visible and color will vary. Paint finishes are available as custom orders. See terms and conditions for additional finish information.


OAK Oak
Rift Cut



- Standard Finish
- *871 870 839
 - 837 860 861
 - 865 836 866
 - 872 805 845

- OAK Select Finishes
- M73 M72 M75
 - M74 M76 M77
 - M71

WLT Walnut
Flat Cut



- Standard Finish
- 872 861
 - *870 823
 - 860 866
 - 839

*NOTE: Both solid wood and veneers are used in the design of the Larkin tables. This mixing of materials will show a tone/color difference between the parts when natural finishes are specified. Slight shading and color differences may be noticed between the two materials.

OAK Oak



OAK Select Finishes



WLT Walnut



Base Standard Finishes




PA Polished Aluminum


Powder Coat Selections

A two character sku identifies each powder coat finish offered. Individual skus are priced with standard metal finish. Non-standard finishes may incur an additional charge.


Powder Coat Finishes




WH Satin White




AL Matte Aluminum




EC Ecu



LA Latte



GR Graphite



BZ Bronze



SG Sage



IG Iron Grey



RD Black Red



BK Matte Black

Optional Powder Coat Colors - RAL

- Lead Time - Three weeks additional lead-time after color approval
- Net Up-charge - \$1000 for colors shown in Bernhardt Design RAL Powder Coat Selector
- Minimum Order Quantity - None
- Approval Sample Cost - None
- Combining Products - One up-charge is applicable for multiple products on a single purchase order when they are in the same color

Larkin Table Collection



The Larkin meeting table offers a design that works beautifully within today's casual work environments. The table features a reverse beveled edge top, solid wood base, polished or power coat aluminum components and new innovative surface mount power options. The most unique offering is a new integrated light that can be used within a power module or alone within the work surface. Blending all these options together, the Larkin meeting table meets the needs of today's flexible work environment.

**Conference Height Table**

4 Leg Assembly - Ranging from 36" to 60" wide by 60" to 120" long

**Conference Height Table**

Shown with coordinating Larkin Credenza

**Conference Height Table**

6 Leg Assembly - Ranging from 36" to 60" wide by 126" to 222" long

**Conference Height Table**

8 Leg Assembly - Ranging from 36" to 60" wide by 228" to 240" long

Larkin Tops



Larkin tops are specifically constructed to accommodate the Larkin bases. Bases and tops are sold as a complete assembly.

Rectangular tops are available in 36" - 60" widths and 60" - 240" lengths. Tops 126"- 222" will have 6 legs, tops 228"- 240" will have 8 legs. Larkin table height is 29½".

Larkin tables are SCS Indoor Advantage™ Gold certified and LEVEL® 1 certified.



Edge Details

Laminate


- PLL Solid Laminate
- WGL Woodgrain Laminate

Veneer

- OAK Oak
- WLT Walnut



Front View



Side View

specification codes example: LKS-SKU-XXX

series	sku	grommet location
larkin		larkin power see pages 22-35 for location codes
		under mount see pages 38-39 for location codes
		mediatrac1 see pages 44-47 for location codes
		000 none
L K S -		

material + finish code example: BK OAK 871 OAK 871










rail and feet finish	top material	top finish	base material	base finish
PA polished aluminum	PLL solid laminate	see finish pages	OAK oak	see finish pages
powder coat upcharge	WGL woodgrain laminate		WLT walnut	
WH satin white powder coat	OAK oak			
EC ecru powder coat	WLT walnut			
LA latte powder coat				
AL matte aluminum powder coat				
GR graphite powder coat				
BZ bronze powder coat				
IG iron grey powder coat				
SG sage powder coat				
RD black red powder coat				
BK matte black powder coat				

Larkin Bases

The Larkin conference table features an aluminum frame supported by solid wood legs equipped with adjustable levelers with a $\frac{1}{2}$ " range. Aluminum frames are available in polished or a range of powder coat finishes. Bases and tops are sold as a complete assembly.

Wood legs are available in solid oak or solid walnut with standard Bernhardt finishes. The Larkin conference table comes in a 4, 6, or 8 leg version. Table lengths up to 120" have 4 legs, lengths 126" to 222" have 6 legs and lengths 228" to 240" have 8 legs.

Larkin tables are SCS Indoor Advantage™ Gold and LEVEL 2 certified.

**Side View****Side View****Side View****Side View****Side View****Front View****Front View****Front View****Front View**

Power Overview



The Larkin meeting table collection offers a selection of power options designed to meet the diverse needs in today's work environment. Our traditional undermount and mediatrac™ power are offered along with new Larkin surface mount power options. Larkin power options are tailor made and offer a variety of power options along with an integrated light that can be used with or without the power module.



Larkin Power with Pass Thru

(3) Receptacles on the faceplate, (1) receptacle on the underside of the module, (4) USB-C ports and (1) pass thru location for HDMI or other cables. Available in white and graphite.



Larkin Power

(3) Receptacles on the faceplate, (1) receptacle on the underside of the module and (4) USB-C ports. Available in white and graphite.



Under Mount Power

(1) Grounded receptacle, (1) USB-A port and (1) USB-C port available as single corded or in multiples.



Mediatracc1

(4) Grounded receptacles with open positions for (4) AAP plates.

Larkin Power Overview




The Larkin meeting table collection features custom, surface mount power options designed to allow for increased functionality on the work surface. Options are: the Larkin Power grommet, Larkin Power with pass thru, Larkin Power with light grommet and Larkin light.


The power grommet offers USB-C and receptable power only. The power with accessory grommet offers the choice of (2) faceplate options; a power with light grommet and power with pass thru for HDMI and other cables. The power with light option features an integrated light that plugs into a power module located conveniently beneath the table and features a USB-A port. An optical sensor is used to turn on, dim and turn off the light.

The Larkin light can be used within the power with light grommet or used separately on the table. When using the light separately and additional power is needed, under mount power can be specified. Offered in white and graphite, tables can accept 1-6 lights depending on the size of the table.

Power is certified to UL STD 962 A CSA STD 22.2 No. 21.



Note: Bernhardt Design provides recommendations for installation locations. End user installation will be required per individual sku. Power is specified separately.



Larkin Power with Light Grommet Side View

Larkin Power


White or Graphite Finish



- (3) 15 amp receptacles, 120 v 60 Hz.
- (1) receptacle on the underside of the module
- (4) 2 amp USB-C ports, 20 watt
- 11 3/4" w x 2 1/2" d x 1/4" h above worksurface
- integrated circuit breaker
- UL 962 listed

Larkin Power with Pass Thru Grommet


White or Graphite Finish



- (3) 15 amp receptacles, 120 v 60 Hz.
- (1) receptacle is on the underside of the module
- (4) 2 amp USB-C ports, 20 watt
- (1) cable pass thru
- 13 3/8" w x 2 1/2" d x 1/4" h above worksurface
- integrated circuit breaker
- UL 962 listed

Larkin Power with Light Grommet


White or Graphite Finish



- (1) Larkin light
- (3) 15 amp receptacles, 120 v 60 Hz.
- (1) receptacle on the underside of the module
- (4) 2 amp USB-C ports, 20 watt
- (1) Integrated light pass through
- 13 3/8" w x 2 1/2" d x 1/4" h above worksurface
- 18 1/4" w x 11 7/8" d x 15 1/4" h - overall dimensions
- integrated circuit breaker
- UL 962 listed

Jumper

included in kit



Jumper is determined by the length of the top specified and is included in the grommet code kit


H-Block Connector

Grey Finish
included in kit



Power Infeed

included in kit





10' grounded 15 amp plug,
Required per individual SKU,
Braided Cord

Larkin Wire Management

The Larkin Conference collection offers a concealed wire management solution through the use of a cable pass thru. The cable pass thru is a plastic tray that is mounted in a pocket machined in the underside of the tabletop. This allows the cable to travel above the rail to the center of the table. The cable can then be routed down a leg with clear plastic clips, or down a drop down power tube.

A drop down power tube is recommended when using a floor core. The tube does not run all the way to ground to allow for flexibility of its location to any floor cores that may be used. The drop down power tube is sold separately.

**Single Under Mount Shown**

Note: End user installation will be required per individual sku. Drop Down Power Tube is specified separately. See accessory pages for add-ons.

rectangular tops - 4 leg assembly



rails and die cast feet are available in polished aluminum or powder coat, specify below
mediatrac1™ power not available on 36" width tables



tops 60" - 120" length x 36" - 60" wide
have one sectional top



tops 126" - 240" length x 36" - 60" wide
have two sectional tops

sku	l	w	h	legs	PLL WGL	solid laminate woodgrain laminate	OAK oak WLT walnut
EEA	60	36	29½"	(4) angled legs		6143	5120
EEB	60	42	29½"	(4) angled legs		6335	5279
EEC	60	48	29½"	(4) angled legs		6485	5404
EED	60	54	29½"	(4) angled legs		6682	5569
EFA	66	36	29½"	(4) angled legs		6238	5198
EFB	66	42	29½"	(4) angled legs		6457	5381
EFC	66	48	29½"	(4) angled legs		6623	5520
EFD	66	54	29½"	(4) angled legs		6819	5683
EFE	66	60	29½"	(4) angled legs		7046	5873
EGA	72	36	29½"	(4) angled legs		6337	5281
EGB	72	42	29½"	(4) angled legs		6509	5425
EGC	72	48	29½"	(4) angled legs		6746	5622
EGD	72	54	29½"	(4) angled legs		6970	5808
EGE	72	60	29½"	(4) angled legs		7197	5997
EHA	78	36	29½"	(4) angled legs		6441	5367
EHB	78	42	29½"	(4) angled legs		6408	5340
EHC	78	48	29½"	(4) angled legs		6842	5701
EHD	78	54	29½"	(4) angled legs		7093	5911
EHE	78	60	29½"	(4) angled legs		7345	6121

specification codes example: LKS-SKU-XXX

series	sku	grommet location
larkin		larkin power see pages 22-35 for location codes
		under mount see pages 38-39 for location codes
		mediatrac1™ see pages 44-47 for location codes
		000 none
L K S -	-	

material + finish code example: BK OAK 871 OAK 871

rail and feet finish	top material	top finish	base material	base finish
PA polished aluminum	PLL solid laminate	see finish pages	OAK oak	see finish pages
power coat upcharge \$250	WGL woodgrain laminate		WLT walnut	
WH satin white powder coat	OAK oak			
EC ecru powder coat	WLT walnut			
LA latte powder coat				
AL matte aluminum powder coat				
GR graphite powder coat				
BZ bronze powder coat				
IG iron grey powder coat				
SG sage powder coat				
RD black red powder coat				
BK matte black powder coat				

rectangular tops - 4 leg assembly



rails and die cast feet are available in polished aluminum or powder coat, specify below
mediatrac1™ power not available on 36" width tables



tops 60" - 120" length x 36" - 60" wide
have one sectional top



tops 126" - 240" length x 36" - 60" wide
have two sectional tops

sku	l	w	h	legs	PLL WGL	solid laminate woodgrain laminate	OAK oak WLT walnut
EIA	84	36	29½"	(4) angled legs		6536	5447
EIB	84	42	29½"	(4) angled legs		6503	5419
EIC	84	48	29½"	(4) angled legs		6936	5780
EID	84	54	29½"	(4) angled legs		7153	5960
EIE	84	60	29½"	(4) angled legs		7371	6140
EJA	90	36	29½"	(4) angled legs		6982	5819
EJB	90	42	29½"	(4) angled legs		7002	5835
EJC	90	48	29½"	(4) angled legs		7435	6196
EJD	90	54	29½"	(4) angled legs		7653	6376
EJE	90	60	29½"	(4) angled legs		7870	6557
EKA	96	36	29½"	(4) angled legs		7077	5898
EKB	96	42	29½"	(4) angled legs		7100	5917
EKC	96	48	29½"	(4) angled legs		7539	6282
EKD	96	54	29½"	(4) angled legs		7757	6462
EKE	96	60	29½"	(4) angled legs		7974	6642
ELA	102	36	29½"	(4) angled legs		7172	5977
ELB	102	42	29½"	(4) angled legs		7200	6000
ELC	102	48	29½"	(4) angled legs		7632	6360
ELD	102	54	29½"	(4) angled legs		7850	6541
ELE	102	60	29½"	(4) angled legs		8067	6721

specification codes example: LKS-SKU-XXX

series	sku	grommet location
larkin		larkin power see pages 22-35 for location codes
		under mount see pages 38-39 for location codes
		mediatrac1™ see pages 44-47 for location codes
		000 none
L K S -	-	

material + finish code example: BK OAK 871 OAK 871

rail and feet finish	top material	top finish	base material	base finish
PA polished aluminum	PLL solid laminate	see finish pages	OAK oak	see finish pages
WH satin white powder coat	WGL woodgrain laminate		WLT walnut	
EC ecru powder coat	OAK oak			
LA latte powder coat	WLT walnut			
AL matte aluminum powder coat				
GR graphite powder coat				
BZ bronze powder coat				
IG iron grey powder coat				
SG sage powder coat				
RD black red powder coat				
BK matte black powder coat				

rectangular tops - 4 leg assembly



rails and die cast feet are available in polished aluminum or powder coat, specify below
mediatrac1™ power not available on 36" width tables



tops 60" - 120" length x 36" - 60" wide
have one sectional top



tops 126" - 240" length x 36" - 60" wide
have two sectional tops

sku	l	w	h	legs	PLL	WGL	OAK oak WLT walnut
					solid laminate	woodgrain laminate	
EMA	108	36	29½"	(4) angled legs		7613	6345
EMB	108	42	29½"	(4) angled legs		7657	6381
EMC	108	48	29½"	(4) angled legs		8071	6726
EMD	108	54	29½"	(4) angled legs		8289	6906
EME	108	60	29½"	(4) angled legs		8506	7087
ENA	114	36	29½"	(4) angled legs		7718	6432
ENB	114	42	29½"	(4) angled legs		7938	6615
ENC	114	48	29½"	(4) angled legs		8274	6895
END	114	54	29½"	(4) angled legs		8595	7162
ENE	114	60	29½"	(4) angled legs		8916	7430
EOA	120	36	29½"	(4) angled legs		7816	6513
EOB	120	42	29½"	(4) angled legs		8060	6717
EOC	120	48	29½"	(4) angled legs		8396	6996
EOD	120	54	29½"	(4) angled legs		8730	7274
EOE	120	60	29½"	(4) angled legs		9093	7577

specification codes example: LKS-SKU-XXX

series	sku	grommet location
larkin		larkin power see pages 22-35 for location codes
		under mount see pages 38-39 for location codes
		mediatrac1™ see pages 44-47 for location codes
		000 none
L	K	S
-	-	-

material + finish code example: BK OAK 871 OAK 871

rail and feet finish	top material	top finish	base material	base finish
PA polished aluminum power coat upcharge \$250 WH satin white powder coat EC ecru powder coat LA latte powder coat AL matte aluminum powder coat GR graphite powder coat BZ bronze powder coat IG iron grey powder coat SG sage powder coat RD black red powder coat BK matte black powder coat	PLL solid laminate WGL woodgrain laminate OAK oak WLT walnut	see finish pages	OAK oak WLT walnut	see finish pages



rectangular tops - 6 leg assembly

rails and die cast feet are available in polished aluminum or powder coat, specify below
mediatrac1™ power not available on 36" width tables



tops 60" - 120" length x 36" - 60" wide
have one sectional top



tops 126" - 240" length x 36" - 60" wide
have two sectional tops

sku	l	w	h	legs	PLL WGL	solid laminate woodgrain laminate	OAK oak WLT walnut
EPA	126	36	29½"	(6) angled legs		11275	9395
EPB	126	42	29½"	(6) angled legs		11697	9747
EPC	126	48	29½"	(6) angled legs		12048	10040
EPD	126	54	29½"	(6) angled legs		12349	10291
EPE	126	60	29½"	(6) angled legs		12757	10630
EQA	132	36	29½"	(6) angled legs		11549	9625
EQB	132	42	29½"	(6) angled legs		11808	9839
EQC	132	48	29½"	(6) angled legs		12198	10165
EQD	132	54	29½"	(6) angled legs		12499	10416
EQE	132	60	29½"	(6) angled legs		12906	10755
ERA	138	36	29½"	(6) angled legs		11645	9705
ERB	138	42	29½"	(6) angled legs		11901	9918
ERC	138	48	29½"	(6) angled legs		12292	10243
ERD	138	54	29½"	(6) angled legs		12593	10494
ERE	138	60	29½"	(6) angled legs		13027	10856
ESA	144	36	29½"	(6) angled legs		11756	9797
ESB	144	42	29½"	(6) angled legs		12015	10012
ESC	144	48	29½"	(6) angled legs		12406	10338
ESD	144	54	29½"	(6) angled legs		12707	10589
ESE	144	60	29½"	(6) angled legs		13164	10970

specification codes example: LKS-SKU-XXX

series	sku	grommet location
larkin		larkin power see pages 22-35 for location codes
		under mount see pages 38-39 for location codes
		mediatrac1™ see pages 44-47 for location codes
		000 none
L K S -	-	

material + finish code example: BK OAK 871 OAK 871

rail and feet finish	top material	top finish	base material	base finish
PA polished aluminum	PLL solid laminate	see finish pages	OAK oak	see finish pages
WH satin white powder coat	WGL woodgrain laminate		WLT walnut	
EC ecru powder coat	OAK oak			
LA latte powder coat	WLT walnut			
AL matte aluminum powder coat				
GR graphite powder coat				
BZ bronze powder coat				
IG iron grey powder coat				
SG sage powder coat				
RD black red powder coat				
BK matte black powder coat				



rectangular tops - 6 leg assembly

rails and die cast feet are available in polished aluminum or powder coat, specify below
mediatrac1™ power not available on 36" width tables



tops 60" - 120" length x 36" - 60" wide
have one sectional top



tops 126" - 240" length x 36" - 60" wide
have two sectional tops

sku	l	w	h	legs	PLL WGL	solid laminate woodgrain laminate	OAK WLT	oak walnut
ETA	150	36	29½"	(6) angled legs		11846		9871
ETB	150	42	29½"	(6) angled legs		12109		10091
ETC	150	48	29½"	(6) angled legs		12499		10416
ETD	150	54	29½"	(6) angled legs		12801		10667
ETE	150	60	29½"	(6) angled legs		13281		11068
EUA	156	36	29½"	(6) angled legs		11956		9963
EUB	156	42	29½"	(6) angled legs		12217		10181
EUC	156	48	29½"	(6) angled legs		12608		10507
EUD	156	54	29½"	(6) angled legs		12909		10758
EUE	156	60	29½"	(6) angled legs		13414		11178
EVA	162	36	29½"	(6) angled legs		12046		10039
EVB	162	42	29½"	(6) angled legs		12311		10259
EVC	162	48	29½"	(6) angled legs		12702		10586
EVD	162	54	29½"	(6) angled legs		13004		10837
EVE	162	60	29½"	(6) angled legs		13531		11276
EWA	168	36	29½"	(6) angled legs		11475		10127
EWB	168	42	29½"	(6) angled legs		12923		10770
EWC	168	48	29½"	(6) angled legs		13272		11061
EWD	168	54	29½"	(6) angled legs		13574		11312
EWE	168	60	29½"	(6) angled legs		14125		11771

specification codes example: LKS-SKU-XXX

series	sku	grommet location
larkin		larkin power see pages 22-35 for location codes
		under mount see pages 38-39 for location codes
		mediatrac1™ see pages 44-47 for location codes
		000 none
L K S -	-	

material + finish code example: BK OAK 871 OAK 871

rail and feet finish	top material	top finish	base material	base finish
PA polished aluminum	PLL solid laminate	see finish pages	OAK oak	see finish pages
WH satin white powder coat	WGL woodgrain laminate		WLT walnut	
EC ecru powder coat	OAK oak			
LA latte powder coat	WLT walnut			
AL matte aluminum powder coat				
GR graphite powder coat				
BZ bronze powder coat				
IG iron grey powder coat				
SG sage powder coat				
RD black red powder coat				
BK matte black powder coat				



rectangular tops - 6 leg assembly

rails and die cast feet are available in polished aluminum or powder coat, specify below
mediatrac1™ power not available on 36" width tables



tops 60" - 120" length x 36" - 60" wide
have one sectional top



tops 126" - 240" length x 36" - 60" wide
have two sectional tops

sku	l	w	h	legs	PLL WGL	solid laminate woodgrain laminate	OAK oak WLT walnut
EXA	174	36	29½"	(6) angled legs		12925	10771
EXB	174	42	29½"	(6) angled legs		14332	11944
EXC	174	48	29½"	(6) angled legs		14723	12269
EXD	174	54	29½"	(6) angled legs		15025	12520
EXE	174	60	29½"	(6) angled legs		15599	12999
EYA	180	36	29½"	(6) angled legs		13690	11409
EYB	180	42	29½"	(6) angled legs		15085	12572
EYC	180	48	29½"	(6) angled legs		15476	12898
EYD	180	54	29½"	(6) angled legs		15779	13149
EYE	180	60	29½"	(6) angled legs		16376	13647
EZA	186	36	29½"	(6) angled legs		13812	11511
EZB	186	42	29½"	(6) angled legs		15208	12674
EZC	186	48	29½"	(6) angled legs		15599	12999
EZD	186	54	29½"	(6) angled legs		15900	13250
EZE	186	60	29½"	(6) angled legs		16523	13769
E1A	192	36	29½"	(6) angled legs		13897	11581
E1B	192	42	29½"	(6) angled legs		15303	12752
E1C	192	48	29½"	(6) angled legs		15694	13078
E1D	192	54	29½"	(6) angled legs		15995	13329
E1E	192	60	29½"	(6) angled legs		16640	13867

specification codes example: LKS-SKU-XXX

series	sku	grommet location
larkin		larkin power see pages 22-35 for location codes under mount see pages 38-39 for location codes mediatrac1™ see pages 44-47 for location codes 000 none
L K S -	-	

material + finish code example: BK OAK 871 OAK 871

rail and feet finish	top material	top finish	base material	base finish
PA polished aluminum powder coat upcharge \$300 WH satin white powder coat EC ecru powder coat LA latte powder coat AL matte aluminum powder coat GR graphite powder coat BZ bronze powder coat IG iron grey powder coat SG sage powder coat RD black red powder coat BK matte black powder coat	PLL solid laminate WGL woodgrain laminate OAK oak WLT walnut	see finish pages	OAK oak WLT walnut	see finish pages



rectangular tops - 6 leg assembly

rails and die cast feet are available in polished aluminum or powder coat, specify below
mediatrac1™ power not available on 36" width tables



tops 60" - 120" length x 36" - 60" wide
have one sectional top



tops 126" - 240" length x 36" - 60" wide
have two sectional tops

sku	l	w	h	legs	PLL	solid laminate	OAK
					WGL	woodgrain laminate	WLT
E2A	198	36	29½"	(6) angled legs		14002	11669
E2B	198	42	29½"	(6) angled legs		15411	12842
E2C	198	48	29½"	(6) angled legs		15802	13169
E2D	198	54	29½"	(6) angled legs		16103	13420
E2E	198	60	29½"	(6) angled legs		16773	13978
E3A	204	36	29½"	(6) angled legs		14096	11747
E3B	204	42	29½"	(6) angled legs		15505	12921
E3C	204	48	29½"	(6) angled legs		15896	13247
E3D	204	54	29½"	(6) angled legs		16197	13499
E3E	204	60	29½"	(6) angled legs		16891	14075
E4A	210	36	29½"	(6) angled legs		14192	11827
E4B	210	42	29½"	(6) angled legs		15609	13008
E4C	210	48	29½"	(6) angled legs		16000	13333
E4D	210	54	29½"	(6) angled legs		16292	13577
E4E	210	60	29½"	(6) angled legs		17018	14181
E5A	216	36	29½"	(6) angled legs		14303	11919
E5B	216	42	29½"	(6) angled legs		15713	13094
E5C	216	48	29½"	(6) angled legs		16160	13467
E5D	216	54	29½"	(6) angled legs		16396	13663
E5E	216	60	29½"	(6) angled legs		17145	14287

specification codes example: LKS-SKU-XXX

series	sku	grommet location
larkin		larkin power see pages 22-35 for location codes
		under mount see pages 38-39 for location codes
		mediatrac1™ see pages 44-47 for location codes
		000 none
L	K	S

material + finish code example: BK OAK 871 OAK 871

rail and feet finish	top material	top finish	base material	base finish
PA polished aluminum powder coat upcharge \$300 WH satin white powder coat EC ecru powder coat LA latte powder coat AL matte aluminum powder coat GR graphite powder coat BZ bronze powder coat IG iron grey powder coat SG sage powder coat RD black red powder coat BK matte black powder coat	PLL solid laminate WGL woodgrain laminate OAK oak WLT walnut	see finish pages	OAK oak WLT walnut	see finish pages



rectangular tops - 6 leg assembly

rails and die cast feet are available in polished aluminum or powder coat, specify below

mediatrac1™ power not available on 36" width tables



tops 60" - 120" length x 36" - 60" wide
have one sectional top



tops 126" - 240" length x 36" - 60" wide
have two sectional tops

sku	l	w	h	legs	PLL	solid laminate	OAK oak
					WGL	woodgrain laminate	WLT walnut
E6A	222	36	29½"	(6) angled legs		14392	11994
E6B	222	42	29½"	(6) angled legs		15806	13172
E6C	222	48	29½"	(6) angled legs		16349	13624
E6D	222	54	29½"	(6) angled legs		16679	13898
E6E	222	60	29½"	(6) angled legs		17263	14386

specification codes example: LKS-SKU-XXX

series	sku	grommet location
larkin		larkin power see pages 22-35 for location codes
		under mount see pages 38-39 for location codes
		mediatrac1™ see pages 44-47 for location codes
		000 none
L K S -	-	

material + finish code example: BK OAK 871 OAK 871

rail and feet finish	top material	top finish	base material	base finish
PA polished aluminum powder coat upcharge \$300 WH satin white powder coat EC ecru powder coat LA latte powder coat AL matte aluminum powder coat GR graphite powder coat BZ bronze powder coat IG iron grey powder coat SG sage powder coat RD black red powder coat BK matte black powder coat	PLL solid laminate WGL woodgrain laminate OAK oak WLT walnut	see finish pages	OAK oak WLT walnut	see finish pages

rectangular tops - 8 leg assembly



rails and die cast feet are available in polished aluminum or powder coat, specify below
mediatrac1™ power not available on 36" width tables



tops 60" - 120" length x 36" - 60" wide
have one sectional top



tops 126" - 240" length x 36" - 60" wide
have two sectional tops

sku	l	w	h	legs	PLL	solid laminate	OAK
					WGL	woodgrain laminate	WLT
E7A	228	36	29½"	(8) angled legs		15914	13262
E7B	228	42	29½"	(8) angled legs		16312	13594
E7C	228	48	29½"	(8) angled legs		16894	14078
E7D	228	54	29½"	(8) angled legs		17502	14585
E7E	228	60	29½"	(8) angled legs		17871	14892
E8A	234	36	29½"	(8) angled legs		16009	13341
E8B	234	42	29½"	(8) angled legs		16435	13696
E8C	234	48	29½"	(8) angled legs		17017	14180
E8D	234	54	29½"	(8) angled legs		17624	14687
E8E	234	60	29½"	(8) angled legs		18235	15196
E9A	240	36	29½"	(8) angled legs		16103	13419
E9B	240	42	29½"	(8) angled legs		16529	13774
E9C	240	48	29½"	(8) angled legs		17149	14291
E9D	240	54	29½"	(8) angled legs		17774	14812
E9E	240	60	29½"	(8) angled legs		18412	15343

specification codes example: LKS-SKU-XXX

series	sku	grommet location
larkin		larkin power see pages 22-35 for location codes
		under mount see pages 38-39 for location codes
		mediatrac1™ see pages 44-47 for location codes
		000 none
L	K	S

material + finish code example: BK OAK 871 OAK 871


rail and feet finish	top material	top finish	base material	base finish
PA polished aluminum power coat upcharge \$350 WH satin white powder coat EC ecru powder coat LA latte powder coat AL matte aluminum powder coat GR graphite powder coat BZ bronze powder coat IG iron grey powder coat SG sage powder coat RD black red powder coat BK matte black powder coat	PLL solid laminate WGL woodgrain laminate OAK oak WLT walnut	see finish pages	OAK oak WLT walnut	see finish pages



power + accessories


Larkin Grommet Placement Kits

Larkin power options by Bernhardt Design are offered as a grommet kit which includes all lights, grommets, jumpers and necessary components needed to bring power from the floor to the user. The number of grommets and lengths of jumpers are determined by the lengths and power options selected. Your kit will come complete with all necessary parts to install in the field.




Ordering Larkin Power Grommets

- Determine the amount of power and data needed
- Select the grommet code that best suits your requirements
- Select the power option
- Select the length of table that this is to be used on
(make sure that this grommet code matches the code used when ordering your top)
- Select the faceplate finish



The Grommet Kit will ship separately and will be installed in the field.



Ordering Example:
120" x 60" Table Top
Oak veneer, 870 finish
WH Faceplate Finish
LKS-LP3-CRD-120

Top Depth	Distance to Grommet	Distance to Light
42"	19¾"	15"
48"	22¾"	18"
54"	25¾"	21"
60"	28¾"	24"

specification codes example: LKS-SKU-CRD-240

series	sku	power option
Larkin		CRD corded
L	K	S
-	-	-


table length
060 108 156 204
066 114 162 210
072 120 168 216
078 126 174 222
084 132 180 228
090 138 186 234
096 144 192 240
102 150 198

Important:
Specify the length of the table that your configuration is to go on, this will insure the proper length of wiring is provided in the kit.

faceplate finish code example: WH
faceplate finish


GR graphite
WH white

Larkin Power



Larkin power module offers (3) receptacles on the faceplate, (1) receptacle on the underside of the module and (4) USB-C ports allowing for accessibility of power on the table top. Multiple grommets can be used on the table top depending on the size of the table.


Certified to UL STD 962 A CSA STD 22.2 No 21.



Note: Bernhardt Design provides recommendations for installation locations on the following pages. Further installation instructions are included with each power unit. End user installation will be required per individual sku. Power is specified separately.

Larkin Power


White or Graphite Finish



(3) 15 amp receptacles, 120 v 60 Hz.
(1) receptacle on the underside of the module
(4) 2 amp USB-C ports, 20 watt
11¾" w x 2½" d x ¼" h above worksurface
integrated circuit breaker
UL 962 listed

H-Block Connector


Grey Finish
included in kit




Not used with corded or
hardwired modules

Power Infeed

included in kit




10' Grounded, 15 amp plug,
Braided Cord






Single Larkin Power

Larkin Power

Grommet kits and locations codes for veneer and laminate tops.
Kits include all jumpers and necessary components based on table length and power option.
Grommet kits ship separately from tops.



sku	descriptions		price
LK1	60" - 240" Tables	36" - 60" Wide	\$ 2279
			
LK2	84" - 240" Tables	36" - 60" Wide	3710
			
LK3	108" - 240" Tables	36" - 60" Wide	5194
			

specification codes example: LKS-SKU-CRD-240

series	sku	power option		table length			
Larkin		CRD	corded	060	108	156	204
				066	114	162	210
				072	120	168	216
				078	126	174	222
				084	132	180	228
				090	138	186	234
				096	144	192	240
				102	150	198	
L	K	S	-				


Important:
Specify the length of the table that your configuration is to go on, this will insure the proper length of wiring is provided in the kit.

faceplate finish code example: WH

faceplate finish	
GR	graphite
WH	white

Larkin Power

Grommet kits and locations codes for veneer and laminate tops.
Kits include all jumpers and necessary components based on table length and power option.
Grommet kits ship separately from tops.



sku	descriptions	price
LK4	144" - 240" Tables 36" - 60" Wide	\$ 6678
LK5	180" - 240" Tables 36" - 60" Wide	8162
LK6	228" - 240" Tables 36" - 60" Wide	9699

specification codes example: LKS-SKU-CRD-240

series	sku	power option	table length		
Larkin		CRD corded	144	180	216
			150	186	222
			156	192	228
			162	198	234
			168	204	240
			174	210	
L	K	S	-		

Important:
Specify the length of the table that your configuration is to go on, this will insure the proper length of wiring is provided in the kit.

faceplate finish code example: WH


faceplate finish
GR graphite
WH white

Larkin Power with Pass Thru Grommet



The power with pass thru grommet offers a cable pass thru, (3) receptacles on the faceplate, (1) receptacle on the underside of the module and (4) USB-C ports allowing for accessibility of power on the table top. Multiple grommets can be used on the table top depending on the size of the table.


Certified to UL STD 962 A CSA STD 22.2 No 21.



Note: Bernhardt Design provides recommendations for installation locations on the following pages. Further installation instructions are included with each power unit. End user installation will be required per individual sku. Power is specified separately.

Power with Pass Thru Grommet


White or Graphite Finish



(3) 15 amp receptacles, 120 v 60 Hz.
(1) receptacle on the underside of the module
(4) 2 amp USB-C ports, 20 watt
(1) cable pass thru
13 3/4" w x 2 1/4" d x 1/4" h above worksurface
integrated circuit breaker
UL 962 listed

Jumper


included in kit
(if required)



Jumper is determined by the length of the top specified and is included in the grommet code kit


H-Block Connector

Grey Finish
included in kit




Power Infeed

included in kit




10' grounded 15 amp plug,
Braided Cord



HDMI Cord Connected to a Laptop for Presentation Purposes

Larkin Power with Pass Thru Grommet

Grommet kits and locations codes for veneer and laminate tops.
Kits include all jumpers and necessary components based on table length and power option.
Grommet kits ship separately from tops.



sku	descriptions		price
LG1	60" - 240" Tables	36" - 60" Wide	\$ 2385
LG2	84" - 240" Tables	36" - 60" Wide	3922
LG3	108" - 240" Tables	36" - 60" Wide	5512

specification codes example: LKS-SKU-CRD-240

series	sku	power option		table length			
Larkin		CRD	corded	060	108	156	204
				066	114	162	210
				072	120	168	216
				078	126	174	222
				084	132	180	228
				090	138	186	234
				096	144	192	240
				102	150	198	
L	K	S	-				


Important:
Specify the length of the table that your configuration is to go on, this will insure the proper length of wiring is provided in the kit.




faceplate finish code example: WH

faceplate finish	
GR	graphite
WH	white

Larkin Power with Pass Thru Grommet

Grommet kits and locations codes for veneer and laminate tops.
Kits include all jumpers and necessary components based on table length and power option.
Grommet kits ship separately from tops.



sku	descriptions	price
LG4	144" - 240" Tables 36" - 60" Wide 	\$ 7102
LG5	180" - 240" Tables 36" - 60" Wide 	8692
LG6	228" - 240" Tables 36" - 60" Wide 	10335

specification codes example: LKS-SKU-CRD-240

series	sku	power option	table length
Larkin		CRD corded	144 180 216 150 186 222 156 192 228 162 198 234 168 204 240 174 210
L K S -	-		

Important:
Specify the length of the table that your configuration is to go on, this will insure the proper length of wiring is provided in the kit.

faceplate finish code example: WH

faceplate finish
GR graphite WH white

Larkin Power with Light Grommet




The power with light grommet features an integrated light that plugs into a power module underneath the table. The light features a USB-A port and is available in white and graphite. An optical sensor is used to turn on, dim and turn off the light.

The power module also offers (3) receptacles on the faceplate, (1) receptacle on the underside of the module and (4) USB-C ports allowing for accessibility of power on the table top. Multiple grommets can be used on the table top depending on the size of the table.


Certified to UL STD 962 A CSA STD 22.2 No 21.

Larkin Power with Light Grommet


White or Graphite Finish



- (1) Larkin Light
- (3) 15 amp receptacles, 120 v 60 Hz.
- (1) receptacle on the underside of the module
- (4) 2 amp USB-C ports, 20 watt
- (1) Integrated light pass through
13 $\frac{5}{8}$ "w x 2 $\frac{1}{2}$ "d x 1 $\frac{1}{4}$ "h above worksurface
18 $\frac{1}{4}$ "w x 11 $\frac{1}{8}$ " x 15 $\frac{1}{4}$ "h overall dimensions
integrated circuit breaker
UL 962 listed




Section View
Showing Light Dimensions



Note: Bernhardt Design provides recommendations for installation locations on the following pages. Further installation instructions are included with each power unit. End user installation will be required per individual sku. Power is specified separately.

Jumper

included in kit
(if required)



Jumper is determined by the length of the top specified and is included in the grommet code kit


H-Block Connector

Grey Finish
included in kit




Power Infeed

included in kit




10' Grounded 15 amp plug,
Braided Cord






Front View

Larkin Power with Light Grommet

Grommet kits and locations codes for veneer and laminate tops.
Kits include Larkin light and all jumpers and necessary components based on table length and power option.
Grommet kits ship separately from tops.



sku	descriptions	price
LT2	90" - 240" Tables 36" - 60" Wide 	\$ 7685
LT3	120" - 240" Tables 36" - 60" Wide 	11236
LT4	144" - 240" Tables 36" - 60" Wide 	14628

specification codes example: LKS-SKU-CRD-240

series	sku	power option	table length
Larkin		CRD corded	090 132 168 204 096 138 174 210 102 144 180 216 108 150 186 222 114 156 192 234 120 162 198 240 126
L K S -			


Important:
Specify the length of the table that your configuration is to go on, this will insure the proper length of wiring is provided in the kit.



faceplate finish code example: WH

faceplate finish
GR graphite
WH white

Larkin Power with Light Grommet

Grommet kits and locations codes for veneer and laminate tops.
Kits include Larkin light and all jumpers and necessary components based on table length and power option.
Grommet kits ship separately from tops.



sku	descriptions		price
LT5	180" - 240" Tables	36" - 60" Wide	\$ 18126
			
LT6	228" - 240" Tables	36" - 60" Wide	21518
			

specification codes example: LKS-SKU-CRD-240

series	sku	power option	table length	
Larkin		CRD corded	180	210
			186	216
			192	222
			198	234
			204	240
L K S -	-			

Important:
Specify the length of the table that your configuration is to go on, this will insure the proper length of wiring is provided in the kit.


faceplate finish code example: WH

faceplate finish	
GR	graphite
WH	white

Larkin Light - Only

Larkin offers a custom power module with an integrated light that plugs into a power module underneath the table. The light features a USB-A port and is available in white and graphite. An optical sensor is used to turn on, dim and turn off the light. Depending on the size of the table, 1-6 lights can be used.


Under mount power is certified to UL STD 962 A CSA STD 22.2 No. 21.



Note: Bernhardt Design provides recommendations for installation locations on the following pages. Further installation instructions are included with each power unit. End user installation will be required per individual sku. Power is specified separately.

Larkin Light


White or Graphite Finish



(1) USB-A port
5 watt
Dimmable touch light switch

Hexplex


Matte Black Finish




(5) 15 amp receptacles,
120 v 60 Hz.

H-Block Connector


Grey Finish
included in kit

**Power Infeed**

included in kit




10' grounded 15 amp plug,
Braided Cord



Larkin Light shown with optional Under Mount Power Option
Under mount to be specified separately

Larkin Light - Only

Grommet kits and locations codes for veneer and laminate tops.
Kits include Larkin light and necessary components based on table length and power option.
Grommet kits ship separately from tops.



sku	descriptions	price
LL1	72" - 108" Tables 36" - 60" Wide	\$ 2226
LL2	72" - 120" Tables 36" - 60" Wide	4452
LL3	90" - 144" Tables 36" - 60" Wide	6466

specification codes example: LKS-SKU-CRD-144

series	sku	power option	table length
Larkin		CRD corded	072 114 078 120 084 126 090 132 096 138 102 144 108
A C S -			


Important:
Specify the length of the table that your configuration is to go on, this will insure the proper length of wiring is provided in the kit.

faceplate finish code example: WH

faceplate finish
GR graphite WH white

Larkin Light - Only

Grommet kits and locations codes for veneer and laminate tops.
Kits include Larkin light and necessary components based on table length and power option.
Grommet kits ship separately from tops.



sku	descriptions	price
LL4	126" - 240" Tables 36" - 60" Wide	\$ 8268
LL5	144" - 240" Tables 36" - 60" Wide	10176
LL6	228" - 240" Tables 36" - 60" Wide	12190

specification codes example: LKS-SKU-CRD-240

series	sku	power option	table length
Larkin		CRD corded	126 168 210 132 174 216 138 180 222 144 186 228 150 192 234 156 198 240 162 204
A C S -	-		


Important:
Specify the length of the table that your configuration is to go on, this will insure the proper length of wiring is provided in the kit.



faceplate finish code example: WH

faceplate finish
GR graphite WH white

Larkin Power with Light Grommet and Larkin Light

Grommet kits and locations codes for veneer and laminates tops.
Kits include Larkin power with light grommets, Larkin light and all jumpers and necessary components based on table length and power option.
Grommet kits ship separately from tops.



sku	descriptions	price
LP3	120" - 240" Tables 36" - 60" Wide Includes (2) Larkin power with light grommets and (1) Larkin light 	\$ 9964
LP5	144" - 240" Tables 36" - 60" Wide Includes (4) Larkin power with light grommets and (1) Larkin light 	16854

specification codes example: LKS-SKU-CRD-240

series	sku	power option	table length		
Larkin		CRD corded	120	162	234
			126	168	210
			132	174	216
			138	180	222
			144	186	228
			150	192	234
			156	198	240
L K S -	-				

Important:
Specify the length of the table that your configuration is to go on, this will insure the proper length of wiring is provided in the kit.

faceplate finish code example: WH

faceplate finish	
GR	graphite
WH	white


Under Mount Power



Larkin offers a proprietary under mount power solution allowing quick and easy daisy chaining of modules together. A maximum of (6) under mount power modules can be connected on one power infeed.

The under mount power modules are available in (1) configuration: (1) receptacle, (1) 2 amp USB-A port and (1) 2 amp USB-C port. End user installation will be required per individual SKU. Each SKU includes a separate power infeed with a 10' grounded plug to connect to the power source. See installation instructions for installing.


The Larkin table collection provides suggested locations for 2 - 6 under mount power modules. See following pages for details on recommended configurations. Under mount power is certified to UL STD 962 A CSA STD 22.2 No. 21.



Note: Bernhardt Design provides recommendations for installation locations on the following pages. Further installation instructions are included with each power unit. End user installation will be required per individual sku. Power is specified separately.

Power Module

Matte Black Finish



power + usb-a + usb-c
(1) 15 amp receptacle, 120 v 60 Hz.
(1) 2 amp USB-A port, 10 watt
(1) 2 amp USB-C port, 20 watt
36" pattern whip or
braided cotton 10' cord,
grounded plug, UL 962 listed

Jumper


included in kit
(if required)



Jumper is determined by the length of the top specified and is included in the grommet code kit

H-Block Connector


Grey Finish
included in kit



Not used with corded or
hardwired modules

Power Infeed


included in kit



10' Grounded, 15 amp plug,
Braided Cord


Under Mount Management

The following illustration shows a section view of the Larkin table with under mount power.



Under Mount Power Placement Kits

Under Mount power options by Bernhardt Design are offered as a kit which includes all modules and wire management needed to bring power from the floor to the user. The number of modules and lengths of wire management are determined by the table lengths selected. Your kit will come complete with all necessary parts to install in the field.




Ordering Under Mount Power

- Select the grommet code that best suits your requirements
- Select the power style

The Grommet Kit will ship separately and will be installed in the field.


60" - 150" Table



Ordering Example:

60" x 150" Table Top
Oak veneer, 870 finish
LU4 Grommet Code

126 - 222" Table




Ordering Example:

126" x 222" Table Top
Walnut veneer, 872 finish
LU6 Grommet Code


Under Mount Dimensions
for 60 - 90" Tables

Top Depth	Distance to Grommet
36"	10¾"
42"	10¾"
48"	10¾"
54"	10¾"
60"	10¾"



Under Mount Dimensions
for 96" - 240" Tables

Top Depth	Distance to Grommet
36"	13¾"
42"	13¾"
48"	13¾"
54"	13¾"
60"	13¾"








specification codes example: ACS-SKU-PU060

series				sku				power style				table length			
								PU power + usb + usb-c				060	108	156	204
												066	114	162	210
												072	120	168	216
												078	126	174	222
												084	132	180	228
												090	138	186	234
												096	144	192	240
												102	150	198	
A C S -				-				P U							

Important:
Specify the length of the table that your configuration is to go on, this will insure the proper length of wiring is provided in the kit.

Under mount power kits are specified and sold separately. Each kit lists the table top sizes compatible with the number of power units shown.

All kits include a 10' corded infeed with grounded and fused plug.

			PU
			power + usb + usb-c
			
# of Kits	sku	specifications	
1 Module Kit			
LU1	60"- 240" Tables	36"- 60" Wide Tables	\$ 559
			
4 Module Kits			
LU4	60"- 240" Tables	36"- 60" Wide Tables	2809
			
6 Module Kits			
LU6	108"- 240" Tables	36"- 60" Wide Tables	
	108" - 120" Table	4 Leg	4134
			
	126" - 240" Table	6 and 8 Leg Tables	4134
			




specification codes example: ACS-SKU-PU0240

series	sku	power style	table length
A C S -	-	PU power + usb + usb-c	060 108 156 204
			066 114 162 210
			072 120 168 216
			078 126 174 222
			084 132 180 228
			090 138 186 234
			096 144 192 240
			102 150 198
P U			

Important:
Specify the length of the table that your configuration is to go on, this will insure the proper length of wiring is provided in the kit.

Under mount power kits are specified and sold separately. Each kit lists the table top sizes compatible with the number of power units shown.


All kits include a 10' corded infeed with grounded and fused plug.

			PU
			power + usb + usb-c
			
# of Kits	sku	specifications	
8 Module Kits			
LU8	228" - 240" Tables	48" - 60" Wide Tables	\$ 5911
			
10 Module Kits			
LU10	228" - 240" Tables	48" - 60" Wide Tables	7791
			

specification codes example: ACS-SKU-PU0240

series	sku	power style	table length
PU	power + usb + usb-c	228 234 240	
A C S -	-	P U	

Important:
Specify the length of the table that your configuration is to go on, this will insure the proper length of wiring is provided in the kit.

description		sku	w	d	h	specifications	price
	power module	UPM	4¾	3½	1½		\$ 585
	(1) 15 amp receptacle, 120 v 60 Hz. (1) 2 amp USB-A port, 10 watt (1) 2 amp USB-C port, 20 watt 9' cord grounded plug UL 962 listed						

specification codes example: ACS-SKU

series	sku
accessories	
A C S -	

Mediatrac1™


The Larkin collection introduces new structural rails that work in conjunction with Mediatrac1.

Mediatrac1 is a simplified system for routing power and data to the conference table worksurface while managing wires and auxiliary equipment.

Mediatrac1 grommet system provides power and (16) different options for Extron data configurations. Grommets are available in (5) different sizes ranging from an 8" x 4" single door unit to a 48" x 8" (4) door unit. All units have brushed aluminum trim with options for aluminum, laminate, or veneer lids in corded, hardwired or 4-Trac system power infeed.

Power Infeed
10' long,
15 amp cord

Power Module




Note: Bernhardt Design provides recommendations for installation locations.


End user installation will be required per individual sku. Power is specified separately.

Mediatrac1™ offers power options that utilize the electrical 4-Trac Power System, allowing for easy installation and reconfiguration capabilities. 4-Trac snaps together easily underneath the worksurface using whips from each power module and the integral 4-Trac jumpers specified for use with each particular Mediatrac1 grommet size. The grommet layout and wiring scheme is specified specifically for each top size, requiring the customer to separately purchase only the required infeeds and jumpers.


Mediatrac1 is certified to UL STD 962A, UL STD 1363, CSA STD 22.2 No. 308-14. 4-Trac is certified to UL STD 183 CSA STD 22.2 No. 203.1-14.

Mediatrac1 Options**8" Single Door Mediatrac™ Grommet**



2 grounded outlets, 1 exit plug,
accepts 2 Extron single space AAP's,
AAP modules specified separately,
brushed aluminum frame

8" Double Door Mediatrac™ Grommet

4 grounded outlets, 1 exit plug,
accepts 4 Extron single space AAP's,
AAP modules specified separately,
brushed aluminum frame

24" Double Door Mediatrac™ Grommet

8 grounded outlets, 2 exit plugs,
accepts 8 Extron single space AAP's,
AAP modules specified separately,
brushed aluminum frame

**Mediatrac1 Grommet Kits** (Includes the following)**Power Module**

Number and configuration
of grommet modules determined
by the grommet code

Jumper
(if required)

Jumper are determined by the
length of the top specified

H-Block Connector
Grey Finish

Not used with cored or
hardwired modules

Power Infeed Options


72" 4-Trac Power Infeed with 20 amp plug



20 amp receptacle
4-trac Only



72" 4-Trac Power Infeed with Hardwired Conduit





72" Power Infeed with 15 amp plug



15 amp receptacle


Mediatrac1 Features

Mediatrac1 is available in a range of sizes up to 72" which can be used in longer spans. Mediatrac1 utilizes the plug and play power system and offers 1" diameter round grommets that are available for speakerphone wire management. Single door grommets have (2) receptacles and (2) AAP single plates while double door grommets have (4) receptacles and (4) AAP single plates. Mediatrac1 is UL listed.




Power/Data locations in Mediatrac1 grommets


Mediatrac1™ 4-Trac Power System




Mediatrac1 Grommets Using Electrical 4-Trac Power System



4-Trac Infeed snaps into an H-Block connected to a Mediatrac1 power module with a 18" modular end.



4-Trac H-Block connects up to (4) Jumpers and Power Modules.



4-Trac Jumpers used in conjunction with the H-Block to wire the system.

Mediatrac1 is available in our 4-Trac Power System, allowing for easy installation and reconfiguration capabilities.


4-Trac snaps together easily underneath the worksurface using whips from each power module and the integral 4-Trac jumpers specified for use with each particular Mediatrac1 grommet size. **The grommet layout and wiring scheme is specified specifically for each top size and is included with each kit.**

Each power transition is accommodated by an H-Block, which gives the ability to snap together four power leads. Using the provided documentation to facilitate installation, powering the Mediatrac1 system is as easy as snapping together connectors.

Infeeds are available in both hardwired and corded version in a 72" length. The plug version for the Mediatrac1 power system is 20 amps and will require plugging into a 20 amp outlet to comply with electrical codes.



72" 4-Trac Power Infeed with Hardwired Conduit



72" 4-Trac Power Infeed with 20 amp Plug




20 amp Receptacle

Illustrations showing electrical 4-Trac power infeed end options – hardwired conduit and 20 amp corded plug. Both are available in 72" lengths. 20 amp receptacle must be used with the plug.


Mediatrac 1™ Grommet Placement Kits

Mediatrac 1™ power options by Bernhardt Design are offered as a grommet kit which includes all grommets, jumpers and necessary components needed to bring power from the floor to the user. The number of grommets and lengths of jumpers are determined by the lengths and power options selected. Your kit will come complete with all necessary parts to install in the field.




Ordering Mediatrac 1 Grommets

- Determine the amount of power and data needed
- Select the grommet code that best suits your requirements
- Select the type of power infeed you need
- Select the length of table that this is to be used on
(make sure that this grommet code matches the code used when ordering your top)
- Select the grommet trim/frame finish
- Select the lid/door material
- Select the lid/door finish



Top Depth	Distance to Grommet
42"	17"
48"	20"
54"	23"
60"	26"

The Grommet Kit will ship separately and will be installed in the **field**.



Ordering Example:
120" x 54" Table Top
Oak Veneer, 870 Finish
M08 Grommet Code with 4trac Corded Power
Polished Aluminum Frame, Oak Lid, 870 Finish

specification codes example: MGS-SKU-CRD120				material + finish code example: BA WLT 870			
series	sku	power option	table length	frame finish	lid material	lid finish	
top		CRD corded	048 102 150 198	BA brushed aluminum upcharge will apply see powder coat finishes	ALM aluminum	see finish pages	
		HWD hardwired	054 108 156 204		PLL solid laminate		
		4TC four trac corded	060 114 162 204		WGL woodgrain laminate		
		4TH four trac hardwired	066 120 168 216		OAK oak		
			072 126 174 222		WLT walnut		
			078 132 180 228				
			084 138 186 234				
			090 144 192 240				
			096				
M G S -							





Important:
Specify the length of the table that your configuration is to go on, this will insure the proper length of wiring is provided in the kit.

Note: When ALM Aluminum is selected for lid material, lid material will match frame finish.

Mediatrac 1 grommet kits and locations codes for veneer, laminates and solid surface tops.
Kits include all jumpers and necessary components based on table length and power option.
Grommet kits ship separately from tops.

Mediatrac not available on 36" wide tables.

Specify table length, power style, lid material and frame finish below.

sku	specifications	lid material		
		ALM aluminum	PLL solid laminate WGL woodgrain laminate	OAK oak WLT walnut
M03	60" - 240" Tables 42" - 60" Wide Tables (1) 8" double door mediatrac grommet 	\$ 2119	\$ 2385	\$ 3313
M04	60" - 240" Tables 42" - 60" Wide Tables (2) 8" single door mediatrac grommets 	2914	3179	5366
P04	60" - 240" Tables 42" - 60" Wide Tables same information as M04 (1) 1" dia. grommet for microphone 	3048	3313	5498
M06	60" - 240" Tables 42" - 60" Wide Tables (1) 24" double door mediatrac grommet 	2982	3247	4438

specification codes example: MGS-SKU-CRD120

series	sku	power option	table length
top		CRD corded	060 108 156 204
		HWD hardwired	066 114 162 210
		4TC four trac corded	072 120 168 216
		4TH four trac hardwired	078 126 174 222
			084 132 180 228
			090 138 186 234
			096 144 192 240
			102 150 198
M G S -	-		

Important:

Specify the length of the table that your configuration is to go on, this will insure the proper length of wiring is provided in the kit.

material + finish code example: BA WLT 870




frame finish	lid material	lid finish
BA brushed aluminum	ALM aluminum	see finish pages
powder coat upcharge \$75	PLL solid laminate	
see powder coat finishes	WGL woodgrain laminate	
	OAK oak	
	WLT walnut	

Note: When ALM Aluminum is selected for lid material, lid material will match frame finish.

Mediatrac 1 grommet kits and locations codes for veneer, laminates and solid surface tops.
Kits include all jumpers and necessary components based on table length and power option.
Grommet kits ship separately from tops.

Mediatrac not available on 36" wide tables.

Specify table length, power style, lid material and frame finish below.

sku	specifications	lid material		
		ALM aluminum	PLL solid laminate WGL woodgrain laminate	OAK oak WLT walnut
M05	72" - 240" Tables 42" - 60" Wide Tables (2) 8" double door mediatrac grommets 	\$ 3842	\$ 4107	\$ 6357
M07	84" - 240" Tables 42" - 60" Wide Tables (1) 8" double door mediatrac grommet (2) 8" single door mediatrac grommets 	4637	5167	8345
M08	84" - 240" Tables 42" - 60" Wide Tables (1) 24" double door mediatrac grommet (2) 8" single door mediatrac grommets 	5432	5961	9206

specification codes example: MGS-SKU-CRD120

series	sku	power option	table length
top		CRD corded	072 120 162 201
		HWD hardwired	078 126 168 210
		4TC four trac corded	084 132 174 216
		4TH four trac hardwired	090 138 180 222
			096 144 186 228
			102 150 192 234
			108 156 198 240
			114
M G S -			

Important:

Specify the length of the table that your configuration is to go on, this will insure the proper length of wiring is provided in the kit.




material + finish code example: BA WLT 870

frame finish	lid material	lid finish
BA brushed aluminum	ALM aluminum	see finish pages
powder coat upcharge \$150 see powder coat finishes	PLL solid laminate	
	WGL woodgrain laminate	
	OAK oak	
	WLT walnut	

Mediatrac 1 grommet kits and locations codes for veneer, laminates and solid surface tops.
Kits include all jumpers and necessary components based on table length and power option.
Grommet kits ship separately from tops.

Mediatrac not available on 36" wide tables.

Specify table length, power style, lid material and frame finish below.

sku	specifications	lid material		
		ALM aluminum	PLL solid laminate WGL woodgrain laminate	OAK oak WLT walnut
M10	96" - 240" Tables 42" - 60" Wide Tables (3) 8" double door mediatrac grommets 	\$ 5763	\$ 6293	\$ 9535
M15	132" - 240" Tables 42" - 60" Wide Tables (2) 8" single door mediatrac grommets (2) 24" double door mediatrac grommets 	7550	8211	12449
M30	156" - 240" Tables 42" - 60" Wide Tables (3) 24" double door mediatrac grommets Two power infeeds will be arranged for a power drop located at the center of the table. Complies with UL standards. 	8080	8874	12317

specification codes example: MGS-SKU-CRD120

series	sku	power option	table length
top		CRD corded	096 138 174 210
		HWD hardwired	102 144 180 216
		4TC four trac corded	108 150 186 222
		4TH four trac hardwired	114 156 192 228
			120 162 198 234
			126 168 204 240
			132
M G S -	-		

Important:

Specify the length of the table that your configuration is to go on, this will insure the proper length of wiring is provided in the kit.

material + finish code example: BA WLT 870



frame finish	lid material	lid finish
BA brushed aluminum	ALM aluminum	see finish pages
powder coat upcharge \$225 see powder coat finishes	PLL solid laminate	
	WGL woodgrain laminate	
	OAK oak	
	WLT walnut	

Note: When ALM Aluminum is selected for lid material, lid material will match frame finish.

Mediatrac 1 grommet kits and locations codes for veneer, laminates and solid surface tops.
Kits include all jumpers and necessary components based on table length and power option.
Grommet kits ship separately from tops.

Mediatrac not available on 36" wide tables.

Specify table length, power style, lid material and frame finish below.

sku	specifications	lid material		
		ALM aluminum	PLL solid laminate WGL woodgrain laminate	OAK oak WLT walnut
M12	108" - 240" Tables 42" - 60" Wide Tables (2) 24" double door mediatrac grommets 	\$ 5975	\$ 6504	\$ 8279
P12	108" - 240" Tables 42" - 60" Wide Tables same information as M12 (1) 1" dia. grommet for microphone 	6108	6637	8412

specification codes example: MGS-SKU-CRD120

series	sku	power option	table length
top		CRD corded	108 144 180 216
		HWD hardwired	114 150 186 222
		4TC four trac corded	120 156 192 228
		4TH four trac hardwired	126 162 198 234
			132 168 204 240
			138 174 210
M G S -	-		



Important:

Specify the length of the table that your configuration is to go on, this will insure the proper length of wiring is provided in the kit.


material + finish code example: BA WLT 870

frame finish	lid material	lid finish
BA brushed aluminum	ALM aluminum	see finish pages
powder coat upcharge \$150	PLL solid laminate	
see powder coat finishes	WGL woodgrain laminate	
	OAK oak	
	WLT walnut	







Note: When ALM Aluminum is selected for lid material, lid material will match frame finish.

description		sku	w	d	h	price
	wire clip	VNZ	6	2¼	1¾	\$ 80
	hooks onto mediatrac™ rail smoke polycarbonate finish 4 included with each table at no charge					
	wire management kit	WMK	1 5⁄8	7⁄8	1½	214
	12 multi wire clips 8 wire clips black					







series	sku
accessories	
A C S -	

description		sku	w	d	h	price
	drop down power tube	PDW	3½	3½	24¾	\$ 1696
	wood veneered					

series		sku	material		finish
accessories			OAK	oak	see finish pages
			WLT	walnut	
L K S -					

	description	sku	w	d	h	price
	blank plate Extron® AAP blank plate with black powder coat finish single space insert	VGG	3½	-	5⁄8	\$ 171
	cable pass-through module Extron® AAP single space, cable pass-through plates sold as a set of (2) black powder coat finish specify for use with VMW cable sling	VGY	3½	-	1⅜	487
	phone/data module Extron® AAP two RJ-45 pass-through barrels CAT 5e single space insert	VGD	3½	-	5⁄8	367
	phone/data module Extron® AAP one RJ-45 female to punch down block leviton CAT6 data single space insert	VGK	3½	-	5⁄8	294
	phone/data module Extron® AAP two RJ-45 female to punch down block leviton CAT6 data single space insert	VGP	3½	-	5⁄8	408
	phone/data module Extron® AAP two RJ-45 female to punch down block AMP CAT6 data single space insert	VGL	3½	-	5⁄8	408

series	sku
accessories	
A C S -	

	description	sku	w	d	h	price
	phone/data module Extron® AAP two RJ-45 female to punch down block higher than CAT6 data type connectors systemax MGS500 backward compatible double space insert	VGQ	3½	-	1⅜	\$ 555
	computer/audio/video module Extron® AAP HDMI female to HDMI female on 10" pigtail single space insert	VG3	3½	-	⅝	408
	control/computer module Extron® AAP two USB A female to female barrels single space insert	VGR	3½	-	⅝	408
	power plate charging module type 5 VDC USB C power outlet 3 A/45 watts type 5 VDC USB A power outlet 2.1A/10.5 watts of power for charging mobile devices, single space insert	VG9	3½	-	⅝	1395
	usb charging module Extron® AAP Power Plate charging module 2 5 VCD USB power outlets 2.1 A / 10.5 watts of power for charging mobile devices single space insert	VGU	3½	-	⅝	791
	computer/audio/video module Extron® SuperPlate 110 - HDMI/DisplayPort/Stereo Audio/USB HDMI: female to female, 10" (25 cm) pigtail DisplayPort: female to female, 10" (25 cm) pigtail Stereo/Audio: 3.5 mm mini jack to captive screw, 10" (25 cm) pigtail USB A: female to female, 10" (25 cm) pigtail double space insert	VG6	3½	-	1⅝	647

series	sku
accessories	
A C S -	

Prices and Specifications

Prices and specifications are subject to change without notice. All prices quoted will be FOB our factories. If applicable, sales tax will be based on ship-to destination.

Bernhardt Design reserves the right to make changes in dimensions, construction, price lists, or product literature without prior notice.

All measurements and weights are approximate and subject to change without notice.

Order Entry

All orders are subject to final acceptance by Bernhardt Design in Lenoir, NC. Receipt of our acknowledgment indicates acceptance of your order subject to the terms set forth on the acknowledgment.

Bernhardt Design attempts to clarify all purchase orders. However, in the event the price list number and description on the purchase order differ, the price list number will prevail.

Changes/Cancellation

All orders in production are considered firm orders and are not subject to changes or cancellation.

Shipping

Bernhardt Design will ship in accordance with customer instructions whenever possible. For convenience, Bernhardt Design offers a guaranteed freight program (GFP). Bernhardt Design will exercise our best judgment in selecting a carrier under our GFP. When selecting a carrier, Bernhardt Design will make our best effort to meet requested delivery dates.

Transportation lead-times and delays including equipment problems, weather, general traffic, traffic accidents, customer warehouse space, labor disputes, customer changes, etc., that occur on a carrier will not be the responsibility of Bernhardt Design. Furthermore, Bernhardt Design will not be responsible for additional costs incurred due to aforementioned delays.

For customers who decline our GFP, Bernhardt Design will stage orders for pick up at 1% of the list price, or \$75 minimum.

Customer orders in production will be shipped as scheduled and will not be held. Bernhardt Design reserves the right to make partial shipments on any order, unless notified otherwise by the customer.

High quality cartoning meeting trucking and railroad specifications is standard at no extra charge. Some items may be blanket wrapped for shipment.

Freight Damage and Claims

Bernhardt Design is not liable for any damages to products that occur during transit or storage. The carrier assumes all responsibility upon acceptance of product. It is the customer's responsibility to inspect products upon receipt and file any claims with the carrier. No product should be refused. If products are received damaged, a written exception should be made on the bill of lading and an immediate inspection be requested of the carrier.

Concealed damage must be reported to the carrier within 10 business days from date of delivery. Failure to make claims shall constitute acceptance of the products and waiver any claims of defects, errors or shortages.

In the event delivery is made on a Bernhardt Design truck, the products should be carefully inspected for transit damage. If contents are damaged, the driver should be notified to call his dispatcher for immediate disposition.

Concealed damage must be reported within 10 business days from date of delivery and product/packaging held for inspection by a Bernhardt Design representative. Replacements for product damaged in shipment or storage will be manufactured upon receipt of a purchase order.

Returns

No merchandise may be returned to Bernhardt Design without written consent in the form of a Return Authorization from our Quality Assurance Department stating why item is being returned and how item will be shipped.

Unauthorized returns will be automatically refused by our receiving department as well as returns not in accordance with Bernhardt Design shipping instructions. Liability for defective merchandise shall be limited to the replacement or repair of that merchandise, and Bernhardt Design shall not be liable for other damages or losses.

Terms and Credit

Pricing and terms of sale apply to orders accepted by Bernhardt Design, and no terms, stipulations, or conditions contained in the dealer's submitted purchase orders shall have any force or effect. Bernhardt Design requires a completed and signed credit application from every dealer. Bernhardt Design also requires dealers to provide a Blanket Certificate of Resale/Use containing valid sales tax exemption number(s) for their respective state(s).

If credit has been approved, the standard terms for all Bernhardt Design products are Net 30 from the invoice date. In certain instances, as an additional condition of order acceptance, buyer may be required to provide a deposit at time of order and/or remit the balance before shipment is released. If credit has not been approved, a 100% prepayment, including any freight charges, is required prior to production.

Acceptable forms of payment include a certified check or electronic bank transfer. For information on where to send check/electronic bank information contact our Financial Services Department. If a dealer or company check is submitted, three (3) weeks should be allowed for the clearance of the check. If electronic bank transfer is submitted, one (1) week should be allowed for the clearance of the electronic bank transfer. The order is subject to cancellation if payment in full is not received within three (3) weeks from the acknowledgment date.

The dealer may not make deductions for advertising, promotions, quality problems, freight, or any other reason without prior authorization by Bernhardt Design. Such a deduction could result in the curtailment or suspension of further shipments until the matter is resolved. Delinquency notices are generated and mailed periodically. Service charges of 18% per annum will be added to each past-due transaction. Unpaid service charges

will be accrued and invoiced on a periodic basis. Past-due notices may result in orders being held until the situation is resolved. This credit hold could prevent orders from being placed into production or shipped. Orders not in production that are placed on credit hold for three (3) weeks will be subject to cancellation.

Severe past-due situations may result in the employment of a collection agency or other collection litigation. If any collection activity is necessary regarding a dealer account, the dealer will be responsible for the payment of any and all attorney and collection agency fees.

A slow payment history may result in reducing or eliminating an open line of credit. At the discretion of Bernhardt Design, amounts owed by a dealer to Bernhardt Design arising from any transaction or dealings between the dealer and Bernhardt Design may be offset against any amounts owed to the dealer by Bernhardt Design.

Warranty

Bernhardt Design will repair or replace, at its discretion, any product or part thereof which fails as the result of defects in material and workmanship, under single shift use and normal care for five years from date of shipment. This warranty shall apply only to the original purchaser.

This warranty does not cover normal wear and tear, misuse or abuse of product, dramatic temperature changes, exposure to unusual conditions or damages incurred by contact with seating products, tables, desks or other surfaces. Natural color changes, variations or movements in lumber or veneer products, exposure to extreme temperature changes and direct sunlight may cause color changes and/or surface damage. These are circumstances beyond the control of Bernhardt Design and are not warranty issues. Repair or replacement of discontinued product will be at the discretion of Bernhardt Design.

This warranty is the customer's exclusive remedy for product defect and does not apply to damage caused by a freight carrier, dealer, installer, user modification, attachments to a product, or any third party. Bernhardt Design has the exclusive right to make the final determination of product misuse or abuse. Except as stated above, Bernhardt Design makes no express or implied warranties as to any product, and in particular, makes no warranty of merchantability or of fitness for any particular purpose. Bernhardt Design shall not be liable for any consequential or incidental damages or for commercial loss arising from any product defect.

Operational Parts Warranty

Drawer glides, drawer boxes, drawer pulls, and lock mechanisms have a Life-Time Warranty for original purchaser. Power and communication components are warranted for one year.

Parts Order

Bernhardt Design parts have a \$25 net minimum per order. This does not include freight costs.

Custom Design

Bernhardt Design may alter products to meet specific needs. Contact your local sales representative when a custom design is needed. Custom designs,

if approved, require minimum quantities, additional leadtime and upcharges.

A custom job number, available from your Bernhardt Design sales representative, must be submitted with purchase orders.

Orders combining custom design with standard product cannot be scheduled for production until custom items are approved. Custom design orders are not subject to revision or cancellation after acknowledgment.

Wood Finishes

Bernhardt Design tables are available in finishes that are compatible with credenzas and seating finishes. However, finishes on tables may vary slightly from those on seating due to the natural characteristics of the wood. No absolute match is implied or guaranteed.

Light Finishes

Bernhardt Design offers lighter finishes on certain veneers and solid woods. When specifying light finishes the natural characteristics of the wood will be visible and color will vary.

Natural characteristics include the natural discolorations of the wood substance and color variations in glued up stock. These natural characteristics are not considered defects by Bernhardt Design, and therefore merchandise will not be replaced.

Special Finishes

Special finishes, made to customer specifications and subject to factory approval, may be available at a **10% net upcharge with a \$500 net minimum**.

Additional leadtime may be required for special finish items. Special finish orders will not be acknowledged until the special finish sample is approved in writing and received by Bernhardt Design Customer Service. Special finish orders are not subject to revision or cancellation after acknowledgment.

Installation and Maintenance

All freestanding tables and credenzas are equipped with leveling devices. Local floor conditions vary, and it is always necessary to properly adjust leveling devices. Proper leveling is essential to the alignment and function of doors and drawers.

Improperly leveled units result in misaligned doors and drawers and may impair locking mechanisms or other functional hardware.

After the initial installation of credenzas, it may be necessary to readjust and align the units to compensate for settling. This should be expected as a matter of routine maintenance and follow-up to assure proper case function.

Proper installation of Bernhardt Design tables and credenzas is the responsibility of the dealer. Improperly installed units can result in permanent damage to case components. Damage due to improperly installed furniture not covered under product warranty.

Orders combining custom design with standard product cannot be scheduled for production until custom items are approved. Custom design orders are not subject to revision or cancellation after acknowledgment.

Care and Cleaning

Finished wood surfaces should be cleaned with a soft damp cloth, wiping in the direction of the grain. Furniture should be buffed dry immediately with a soft cloth.

Design and Patent Rights

All of the products shown in Bernhardt Design catalogs and described in Bernhardt Design price lists are, and remain, the property of Bernhardt Design, with the sole right reserved to manufacture and to distribute.

Some of the product designs shown are patented in the United States and will remain the property of Bernhardt Design. Any reproduction of the products constitutes an infringement of patented copyright laws and will be subject to prosecution.

Environmental

Some tables and credenzas are LEVEL® for ANSI/BIFMA e3-2019 – Furniture Sustainability Standard and SCS Indoor Advantage™ Gold certified. Visit the product page at bernhardtdesign.com for certifications.

Preferred Carrier Guaranteed Freight Rates

Freight charges will be applied to orders as a separate line item based on the zones listed. Rates are based on zones with a minimum for each zone. All zones are located within the Continental United States.

The freight amount is calculated on the total merchandise list COM price. Additional freight fuel surcharges may apply. Rates are based on deliveries made Monday through Friday, 8 am until 5 pm.

All orders are shipped by Bernhardt Design company trucks or preferred carriers specified by Bernhardt Design. **If a purchase order does not specify that the product must ship complete, Bernhardt Design reserves the right to select the most effective shipping method necessary, including split shipments.** Dealer warehouse information, including phone number and contact name, must be specified on the purchase order.

Direct site deliveries may be requested with an additional freight cost. Requests for direct site deliveries must be made 2 weeks prior to the scheduled ship week and meet the following criteria:

- Minimum of half truckload
- Delivery site accessible by a 53' trailer
- Complete delivery site address with contact name and on-site phone number
- Labor available for unloading

Deliveries that do not meet the criteria must be directed to a receiver warehouse. If a receiver warehouse is not available, the dealer may make arrangements with their own 3rd party carrier. If a 3rd party carrier is elected, a contact name, phone number and e-mail address is required.


Bernhardt Design has a no touch freight policy. Drivers are not allowed to unload freight.

Weekend direct site deliveries will incur a \$500 per trailer weekend delivery fee. Weekend is defined as between 5 pm Friday and 8 am Monday.

Customers who decline GFP should refer to the shipping section of the Terms and Conditions page.

Zone	Percent	Minimum
Zone 1	3%	\$150
Zone 2	4%	\$150
Zone 3	5%	\$150
Zone 4	5.5%	\$150
Zone 5	6%	\$150

Percent bases on List Price.



Preferred Carrier Guaranteed Freight Rates - Canada

Freight charges will be applied to orders as a separate line item based on the zones listed. Rates are based on zones with a minimum for each zone.

The freight amount is calculated on the total merchandise list COM price. Additional freight fuel surcharges may apply. Rates are based on deliveries made Monday through Friday, 8 am until 5 pm.

All orders are shipped by Bernhardt Design company trucks or preferred carriers specified by Bernhardt Design. **If a purchase order does not specify that the product must ship complete, Bernhardt Design reserves the right to select the most effective shipping method necessary, including split shipments.** Dealer warehouse information, including phone number and contact name, must be specified on the purchase order.

Direct site deliveries may be requested with an additional freight cost. Requests for direct site deliveries must be made 2 weeks prior to the scheduled ship week and meet the following criteria:

- Minimum of half truckload
- Delivery site accessible by a 53' trailer
- Complete delivery site address with contact name and on-site phone number
- Labor available for unloading

Deliveries that do not meet the criteria must be directed to a receiver warehouse. If a receiver warehouse is not available, the dealer may make arrangements with their own 3rd party carrier. If a 3rd party carrier is elected, a contact name, phone number and e-mail address is required.

Bernhardt Design has a no touch freight policy. Drivers are not allowed to unload freight.

Weekend direct site deliveries will incur a \$500 per trailer weekend delivery fee. Weekend is defined as between 5 pm Friday and 8 am Monday.

Customers who decline GFP should refer to the shipping section of the Terms and Conditions page.

Zone	Minimums	Freight	Avg. Bus. Days
Zone 1	\$200	5%	10 - 15
Zone 2	\$200	9%	10 - 15
Zone 3	\$200	8%	10 - 15
Zone 4	\$200	11%	10 - 15
Zone 5	Quote	Quote	

The attached rates are strictly freight and do not include brokerage fees.

